



# SILTECH CORP.

## Safety Data Sheet

Prepared in accordance with GHS standard  
& EC directive 91/155/EEC and amendment

Siltech C-204  
MSDS No: 2872.1

Last Revision Date: September 14, 2012

### SECTION 1. IDENTIFICATION

**Material Identification:** Siltech C-204

**Chemical Name:** Polydimethylsiloxane copolymer in Glycol Ether DPM

**Chemical Classification:** Silicone

**CAS #:** 68937-54-2 / 34590-94-8

**Company Identification:** Siltech Corp.

225 Wicksteed Avenue

Toronto, Ontario

Canada

M4H 1G5

(416) 424-4567

**Recommended Product Usage**

Coatings

Inks

Wetting

**CANUTEC 24-HOUR EMERGENCY RESPONSE TELEPHONE NUMBER: (613) 996-6666**

**USE IN CASE OF A DANGEROUS GOODS EMERGENCY**

### SECTION 2. HAZARD(S) IDENTIFICATION

**HAZARD CLASSIFICATION:**

Flammable Liquid.

Category 4.

**GHS LABEL ELEMENTS** (including precautionary statements):

Symbol :

None.

Signal Word:

Warning.

Hazard Risk Statement:

Combustible Liquid.

**Precautionary Statement:**

Prevention:

P262: Do not get in eyes, on skin or on clothing.

Response:

P305 + P351: IF IN EYES: Rinse with water for several minutes. Repeat if needed.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Storage:

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501: Dispose of contents/container in accordance with local / regional / national / international regulations.

**OTHER HAZARD** (risk not included in classification):

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Common Name or Synonym</u>	<u>CAS No.</u>	<u>EINECS/ ELINCS No.</u>	<u>% (w/w)</u>	<u>GHS Classification</u>	<u>Classification according to Directive 67-548/EEC</u>
Dipropylene glycol monomethyl ether	(2-Methoxymethylethoxy) propanol	34590-94-8	252-104-2	45 - 55	Flammable Liquid – Category 4	Not hazardous

Other ingredients not listed in this section are non-hazardous or business confidential.

### SECTION 4. FIRST AID MEASURES

**Eyes** No first aid should be needed. If discomfort occurs, flush with water.

**Skin**: No first aid should be needed. If discomfort occurs, wash with soap and water.

**Inhalation**: No first aid should be needed. If discomfort occurs, remove to fresh air.

**Ingestion**: No first aid should be needed. If discomfort occurs, obtain medical attention.

### SECTION 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media**: Carbon dioxide, dry powder, foam, or water spray. Water can be used to cool fire exposed containers.

**Unsuitable Extinguishing Media**: Do not use solid water stream.

**Specific Hazards Arising from the Chemical**: Silicon Dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

**Special Protective Actions for Fire-Fighters**: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions and Protective Equipment**: Avoid eye and skin contact. Use personal protective equipment. Eliminate all possible sources of ignition.

**Environmental Precautions**: Prevent from entering drains or water sources.

**Containment/Clean up**: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

### SECTION 7. HANDLING AND STORAGE

**Handling Precautions**: Electrostatic charges may be generated during transfer of product from its container. Ensure that all equipment is grounded. Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

**Storage Conditions**: Keep container tightly closed and store in a flameproof, well ventilated area.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### OCCUPATIONAL EXPOSURE LIMIT VALUES / BIOLOGICAL LIMIT VALUES:

#### Industrial Hygiene Standards

<u>Ingredient</u>	<u>CAS No.</u>	<u>Exposure Limit</u>
Dipropylene Glycol Monomethyl Ether	34590-94-8	OSHA PEL: 100 ppm ACGIH TLV: 100 ppm (TWA)

### ENGINEERING CONTROLS:

Local Ventilation: Required.  
General ventilation: Required.

### PERSONAL PROTECTIVE EQUIPMENT:

Respiratory protection: In the case of vapour formation use a respirator with an approved filter.  
Hand protection: Rubber gloves.  
Eye protection: Safety glasses should be worn.  
Skin protection: Impermeable apron and coveralls as appropriate.  
Hygiene measures: Observe good industrial hygiene practices. Wash after handling.

**Note:** These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance:</u>	Clear to Hazy Liquid	<u>Viscosity @25°C:</u>	20 cps
<u>Colour:</u>	Colourless to Yellow	<u>Melting/Freezing Point:</u>	Not determined
<u>Odour:</u>	Characteristic	<u>Initial Boiling Point:</u>	>100°C @ 760 mmHg
<u>Odour Threshold:</u>	Not determined	<u>Boiling Range:</u>	Not determined
<u>Flash Point:</u>	74°C (Pensky-Martens closed cup)	<u>Explosive Properties:</u>	No
<u>Flammability:</u>	Not determined	<u>Vapour Pressure @25°C:</u>	0.055 kPa
<u>Flammability Limits:</u>	Lower Limit: 1.1% (V) Upper: 14% (V)	<u>Vapour Density</u>	5.11
<u>Auto-ignition Temperature:</u>	207°C	<u>Partition Coefficient</u>	Not determined
<u>Decomposition Temperature:</u>	Not determined	<u>pH:</u>	Not determined
<u>Specific Gravity @25°C:</u>	0.99	<u>Oxidising Properties:</u>	No
<u>Solubility in Water:</u>	Dispersible	<u>Evaporation Rate:</u>	Not determined

## SECTION 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Avoid sources of heat, sparks, and open flame.

**Incompatible Materials:** Strong oxidizing material can cause a reaction.

**Hazardous Decomposition Products:** The following decomposition products may form during fire or at very high temperatures: Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

## SECTION 11. TOXICOLOGICAL INFORMATION

### LIKELY ROUTES OF EXPOSURE:

<b>Respiratory:</b>	Exposure is expected.
<b>Oral:</b>	Exposure is expected.
<b>Eye, Skin:</b>	Exposure is expected.

### INFORMATION ON THE HEALTH HAZARDS:

#### **Acute Toxicity:**

<b>Eyes:</b>	Direct contact may cause temporary redness and discomfort.
<b>Skin:</b>	No significant irritation expected from a single short-term exposure.
<b>Inhalation:</b>	No significant irritation expected from a single short-term exposure.
<b>Ingestion:</b>	Low ingestion hazard in normal use.

#### **Chronic Toxicity:**

<b>Skin:</b>	No known applicable information.
<b>Inhalation:</b>	No known applicable information.
<b>Ingestion:</b>	Repeated ingestion or swallowing large amounts may injure internally.
<b>Other Health Hazard</b>	No known applicable information.

**Skin Corrosion/Irritation:** No known applicable information.

**Serious Eye Damage/Irritation:** No known applicable information.

**Respiratory Sensitization:** No known applicable information.

**Skin Sensitization:** No known applicable information.

**Carcinogenicity:** No known applicable information.

**Germ Cell Mutagenicity:** No known applicable information.

**Reproductive Toxicity:** No known applicable information.

**Specific Target Organ:** No known applicable information.  
(Systemic Toxicity – Single exposure)

**Specific Target Organ:** No known applicable information.  
(Systemic Toxicity – Repeated exposure)

**Aspiration Hazard:** No known applicable information.

## SECTION 12. ECOLOGICAL INFORMATION

### ECOTOXICITY:

#### Environmental Effects

**Acute:** No adverse effects on aquatic organisms.  
**Chronic:** No adverse effects on aquatic organisms.

### PERSISTENCE AND DEGRADABILITY:

**Degradation:** In soil, siloxanes are degraded.  
**Environmental Fate and Distribution:** Siloxanes are removed from water by sedimentation sewage or binding to sludge.

### BIOACCUMULATIVE POTENTIAL:

**Bioaccumulation:** No bioaccumulation potential.

### MOBILITY IN SOIL:

None known.

### OTHER ADVERSE EFFECTS:

None known.

## SECTION 13. DISPOSAL CONSIDERATIONS

**Product Disposal:** Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

**Packaging Disposal:** Dispose of in accordance with local regulations.

## SECTION 14. TRANSPORTATION INFORMATION

### AIR TRANSPORT (IATA):

Not subject to IATA regulations.

### SEA TRANSPORT (IMDG):

Not subject to IMDG code.

### ROAD / RAIL

**CANADA TDG:** Not subject to TDG regulations.  
**ADR/RID:** Not subject to ADR/RID regulations.

**US DOT (49 CFR 172.101):** Applicable only to containers over 119 gallons or 450 liters.

**Shipping Name:** Combustible liquid, N.O.S. (Dipropylene Glycol Methyl Ether Solution)  
**Technical Name:** Contains Dipropylene Glycol Methyl Ether  
**Primary Class:** 3  
**Product Identification Number:** UN 1993  
**Packing Group:** III

## SECTION 15. REGULATORY INFORMATION

### CHEMICAL INVENTORIES:

<b>TSCA:</b>	All ingredients are on the inventory.
<b>DSL:</b>	All ingredients are on the inventory.
<b>EINECS:</b>	All ingredients are on or exempt from the inventory.
<b>KECL:</b>	All ingredients are on the inventory.
<b>NZIoC:</b>	All ingredients are on the inventory.
<b>PICCS:</b>	All ingredients are on the inventory.
<b>IECSC:</b>	All ingredients are on the inventory.
<b>AICS:</b>	All ingredients are on the inventory.
<b>MITI:</b>	All ingredients are on the inventory.
<b>CSNN:</b>	All ingredients are on the inventory.

### CANADA

This product has been classified in accordance with the hazard criteria of the CPR, and this MSDS contains all the information required by the CPR.

**WHMIS Classification: CLASS B – Division 3**

### USA

#### **EPA SARA Title III Chemical Listings:**

Section 302 Extremely Hazardous Substances (40 CFR 355):	<b>None</b>
Section 304 CERCLA Hazardous Substances (40 CFR 302):	<b>None</b>
Section 311/312 Hazard Class (40 CFR 370):	Acute: <b>No</b> ; Chronic: <b>Yes</b> ; Fire: <b>Yes</b> ; Pressure: <b>No</b> ; Reactive: <b>No</b>
Section 313 Toxic Chemicals (40 CFR 372):	<b>None</b>

### Supplemental State Compliance Information

#### **California**

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: **None known.**

#### **Massachusetts / New Jersey / Pennsylvania**

(2-Methoxymethylethoxy) propanol CAS# 34590-94-8 45 – 55%

HMIS		NFPA	
<b>H</b>	1	<b>2</b>	<b>0</b>
<b>F</b>	2	<b>1</b>	<b>0</b>
<b>R</b>	0		

### KOREA

<b>Classification and labelling in accordance with Industrial Safety and Health Law:</b>	No subject chemicals.
<b>Chemicals controlled in accordance with Toxic Chemicals Control Act:</b>	No subject chemicals.
<b>Hazardous Material Safety Management Act:</b>	<b>Classification:</b> Class 4: 3 <sup>rd</sup> type petroleums – non water-soluble liquids <b>Hazardous ranking:</b> Hazardous rank III <b>Signal Word:</b> Keep away from fire
<b>Wastes Management Act:</b>	Product should be disposed of in accordance with Waste Management Law Article 12.

### EEC

#### **Labelling according to EEC Directive**

S-phrases: S51 (Use only in well-ventilated areas)

R-phrases: **NONE**

### GERMANY

**Wassergefährdungsklasse** (water hazard class) : WGK 1

## SECTION 16. OTHER INFORMATION

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

**SDS prepared by:** Raj Moonsammy  
**Address:** Siltech Corp  
225 Wicksteed Avenue  
Toronto, Ontario, Canada M4H 1G5  
**Telephone:** (416) 424-4567

**First Issuing Date:** July 16, 2010  
**Revision No.:** 2  
**Latest Revision Date:** September 14, 2012

*This is the last page.*