

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silwax Sustain 5116

Product code 5021.5 Chemical Name Siloxan

Chemical Name Siloxanes and Silicones, cetyl Me, di-Me CAS No. 191044-49-2

Alternative names (INCI) 191044-49-2

Cetyl Dimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Asp. Tox. 1
2.2 Label elements

Product Name Silwax Sustain 5116
Symbol

Signal word(s) DANGER

Hazard statement(s)

Precautionary Statement(s)

P301+P331+P310: IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor. P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Hazardous ingredient(s) | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) | |
|-------------------------|--------------|---------|----------|-----------|---|--|
| Hexadec-1-ene | 1-Hexadecene | 10 - 20 | 629-73-2 | 211-105-8 | GHS08 : H304 | |

Product: Silwax Sustain 5116 SDS #: 5021.5

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

Skin Contact IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion IF SWALLOWED: Do NOT induce vomiting. Immediately call a

POISON CENTRE/doctor.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures protective equipment as required.

6.2 Environmental precautions Avoid release to the environment.

6.3 Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert

cleaning up absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including anyStore in a tightly closed container.

incompatibilities

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s)

Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

| · | | LTEL (8 hr TWA | LTEL (8 hr TWA | STEL | STEL | |
|---------------|---------|----------------|----------------|-------|---------|------|
| SUBSTANCE | CAS No. | ppm) | mg/m³) | (ppm) | (mg/m³) | Note |
| None assigned | | | | | | |

Revision: 1 Page: 2/6 Date: 14/02/2023

Product: Silwax Sustain 5116 SDS #: 5021.5

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

11 17 mg

Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards None.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Characteristic odour.
Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.
Relative density / Specific Gravity (25°C) 0.86

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Insoluble in water.

Not available.

Not available.

15 – 35 cps

Not applicable.

Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Product: Silwax Sustain 5116 SDS #: 5021.5

11. SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Ingestion May be harmful if swallowed.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Not classified STOT - single exposure STOT - repeated exposure Not classified

Aspiration hazard Aspiration hazard Category 1

Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 May cause long lasting harmful effects to aquatic life. **Toxicity**

12.2 Persistence and degradability Not available. Not available. 12.3 **Bioaccumulative potential** Mobility in soil Not available. 12.4 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 **Additional Information** Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport. 14.1

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport. 14.3 Sea (IMDG) Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Possible trace amounts of:

for Authorisation Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%

Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Product: Silwax Sustain 5116 SDS #: 5021.5

15.2 International Inventories

| | | Not | Polymer | |
|--------------------------------|---------|--------|---------|-------|
| Country | Listed | listed | exempt | Other |
| United States (TSCA) | Active√ | | | |
| Canada (DSL/NDSL) | DSL√ | | | |
| European Union (EINECS/ELINCS) | | | ✓ | |
| Australia (AICS) | ✓ | | | |
| China (IECSC) | ✓ | | | |
| Japan (ENCS) | ✓ | | | |
| South Korea (KECI) | ✓ | | | |
| Taiwan (TCSI) | ✓ | | | |
| New Zealand (NZIoC) | ✓ | | | |
| Philippines (PICCS) | ✓ | | | · |

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section $5\,$

(Inventory Rules).

HMIS (Hazardous Material Information System) H = 1/F = 1/R = 0NFPA Rating H = 1/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025%

16. SECTION 16: OTHER INFORMATION

Date of Last Change: February 14, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H304: May be fatal if swallowed and enters airways.

P301+P331+P310: IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Revision: 1 Page: 5/6 Date: 14/02/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silwax Sustain 5116 SDS #: 5021.5

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 1 Page: 6/6 Date: 14/02/2023