

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name

Product code

Chemical Name

CAS No.

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet

Company Identification

company racrimoanch

Telephone Fax

E-Mail (competent person)

Additional Location

Telephone

Fax

1.4 Emergency telephone number

Emergency Phone No.

Silmer ACR Di-1508 TF

791.1

Siloxanes and Silicones, di-Me, 3-hydroxypropyl groupterminated, diethers with polyethylene glycol monoacrylate

117440-21-8

Coatings, Additive

An intermediate chemical product.

None known

Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

+1-416-424-4567

+1-416-424-3158

marsha.carter@siltech.com

Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534

+1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Sens. 1 Repr. 2

2.2 Label elements

Product Name Symbol

Signal word(s)

Hazard statement(s)

Precautionary statement(s)



Warning

H317: May cause an allergic skin reaction.

H361d: Suspected of damaging the unborn child.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

 $\hbox{P261: Avoid breathing dust/fume/gas/mist/vapours/spray}.$

P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P332+P313: If skin irritation occurs: Get medical

advice/attention.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

Product: Silmer ACR Di-1508 TF SDS #: 2791.1

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Bismuth Carboxylate	n/a	0.2 - 0.23	Not available	Not available	GHS05, GHS07, GHS08 H315, H318, H361d
Hydroquinone	1,4-dihydroxy benzene	0.20	123-31-9	204-617-8	GHS09, GHS08, GHS05, GHS07 H302, H317, H318, H341, H351, H400, H410

4. SECTION 4: FIRST AID MEASURES



4.2

4.3

Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing and wash all affected areas

with plenty of water. Seek medical attention if irritation

Eye Contact If substance has got into the eyes, immediately wash out

with plenty of water for several minutes. Seek medical

attention if irritation persists.

Ingestion If swallowed, seek medical advice immediately and show

this container or label. Do not induce vomiting.

Most important symptoms and effects, both Repeated and/or prolonged contact may cause skin

acute and delayed

sensitisation.

Indication of any immediate medical attention

and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media None known

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1

emergency procedures 6.2 **Environmental precautions**

Methods and material for containment and 6.3 cleaning up

6.4 Reference to other sections

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

Revision: 1 Date: 07/11/2022 Page: 2/6

Product: Silmer ACR Di-1508 TF SDS #: 2791.1

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents 7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
hydroquinone	123-31-9		1		2	

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

Exposure controls

Appropriate engineering controls

Personal protection equipment Eye/face protection

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).



In case of inadequate ventilation wear respiratory protection. Respiratory protection



Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Yellow) Odour Characteristic odour. Odour Threshold Not available.

pΗ Not available. Melting Point/Freezing Point Not available.

>100°C @ 760mmHg Initial boiling point and boiling range

Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available.

Revision: 1 Page: 3/6 Date: 07/11/2022 Product: Silmer ACR Di-1508 TF SDS #: 2791.1

Relative density / Specific Gravity (25°C) Not available. Not available. Solubility(ies) Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity (25°C) 400 cps Explosive properties Not applicable. Not applicable. Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion May cause irritation
Inhalation May cause irritation
Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

Respiratory or skin sensitization Repeated and/or prolonged contact may cause skin

sensitisation.

Germ cell mutagenicityMay cause genetic defects.

Carcinogenicity Not classified

Reproductive toxicity Suspected of damaging the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)

Not classified
Not classified
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Revision: 1 Page: 4/6 Date: 07/11/2022

Product: Silmer ACR Di-1508 TF SDS #: 2791.1

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

14.2

14.3

Air (ICAO/IATA)

Sea (IMDG)

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Possible trace amounts of:

Contains: hydroquinone (CAS# 123-31-9): < 0.2%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)		Χ		
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Χ		

15.3 National regulations

United States (TSCA) TSCA Inventory Status: All chemicals in this product comply

with TSCA rules and regulations including TSCA Section ${\bf 5}$

(Inventory Rules).

HMIS (Hazardous Material Information System) H = 1 / F = 1 / R = 0

NFPA Rating H = 1/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required

Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists Hydroquinone (CAS# 123-31-9) < 0.2%

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Revision: 1 Page: 5/6 Date: 07/11/2022

Product: Silmer ACR Di-1508 TF SDS #: 2791.1

16. SECTION 16: OTHER INFORMATION

Revision: November 07, 2022

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H361d: Suspected of damaging the unborn child.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 1 Page: 6/6 Date: 07/11/2022