

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No. Silmer ACR Di-2510 TF

2793.1 Siloxanes and Silicones, di-Me, 3-hydroxypropyl groupterminated, diethers with polyethylene glycol monoacrylate 117440-21-8

Coatings, Additive An intermediate chemical product. None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Sens. 1 Repr. 2

Silmer ACR Di-2510 TF



Warning

H317: May cause an allergic skin reaction.

H361d: Suspected of damaging the unborn child.

P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P332+P313: If skin irritation occurs: Get medical

advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

SDS #: 2793.1

P363: Wash contaminated clothing before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Bismuth Carboxylate	n/a	0.2 – 0.23	Not available	Not available	GHS05, GHS07, GHS08 H315, H318, H361d
Hydroquinone	1,4-dihydroxy benzene	0.20	123-31-9	204-617-8	GHS09, GHS08, GHS05, GHS07 H302, H317, H318, H341, H351, H400 , H410

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Remove persons affected by vapour to fresh air.
	Skin Contact	Remove contaminated clothing and wash all affected areas with plenty of water. Seek medical attention if irritation persists.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Seek medical attention if irritation persists.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Repeated and/or prolonged contact may cause skin sensitisation.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2 6.3	Environmental precautions Methods and material for containment and	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert
6.4	cleaning up Reference to other sections	absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

SDS #: 2793.1

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities

 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Keep only in the original container in a cool, well ventilated place away from light. <30°C Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

			LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL		
	SUBSTANCE	CAS No.	ppm)	mg/m ³)	(ppm)	(mg/m ³)	Note	
	hydroquinone	123-31-9	PP7	1	(PP-17)	2		
8.1.2	Biological limit v	alue		Not established				
8.1.3	PNECs and DNE	Ls		Not established				
8.2 8.2.1 8.2.2	.2.1 Appropriate engineering controls		Is	Provide adequate ventilation.				
	Eye/face protection			Wear protective eyewear (goggles, face shield, or safety glasses).				
			Other)	Wear impervious gloves (EN374).				
	Respiratory protect	ction		In case of inadequate	ventilatior	n wear respirat	ory protection.	
8.2.3	Thermal hazards Environmental E	xposure Contro	ols	None. Avoid release to the e	environmer	nt.		

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties	
	Appearance	Coloured liquid (Yellow)
	Odour	Characteristic odour.
	Odour Threshold	Not available.
	рН	Not available.
	Melting Point/Freezing Point	Not available.
	Initial boiling point and boiling range	>100°C @ 760mmHg
	Flash point (PMCC)	>100°C
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or explosive limits	Not available.
	Vapour pressure	Not available.
	Vapour density	Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

> Not available. Not available.

> Not available.

Not available. Not available.

Not available.

Not applicable. Not applicable.

Product: Silmer ACR Di-2510 TF

SDS #: 2793.1

Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity
 - Ingestion Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) May cause irritation May cause irritation May cause irritation May cause irritation

Not classified Not classified Repeated and/or prolonged contact may cause skin sensitisation. May cause genetic defects. Not classified Suspected of damaging the unborn child. Not classified Not classified Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects. Not available. Not available. Not available. Not available. None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

SDS #: 2793.1

14. S	SECTION 14: TRANSPOR	T INFORMATION	J					
14.1	(, , , , , , , , , , , , , , , , , , ,		Not classified as hazardous for road transport. Not classified as hazardous for rail transport.					
14.2	Air (ICAO/IATA)		Not classified as hazardous for air transport.					
14.3	Sea (IMDG)		Not classified as hazardous for marine transport.					
15. 5	SECTION 15: REGULATO	RY INFORMATIC	N					
15.1	EU regulations REACH Registration No.	Polymer exempt.						
	Candidate List of Substances of Very High Concern for Authorisation		 Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm 					
	Contains:		hydroquinone (CAS# 123-31-9) : < 0.2%					
15.2	International Inventories	Cou	ntrv	Listed	Not listed	Polymer exempt	Other	

		NOt	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	\checkmark			
China (IECSC)	\checkmark			
Japan (ENCS)		Х		
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 1 / F = 1 / R = 0 H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

hydroquinone (CAS# 123-31-9) : < 0.2% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

SDS #: 2793.1

16. SECTION 16: OTHER INFORMATION

Revision: July 19, 2023

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H361d: Suspected of damaging the unborn child.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.