

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1

> **Product Name** Silmer ACR Di-100 TF 5882.1

Product code

Chemical Name Siloxanes and Silicones, di-Me, acrylate-terminated

CAS No. 128754-61-0

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) An intermediate chemical product.

Uses advised against None known

Details of the supplier of the Safety Data Sheet 1.3

> Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534 Telephone Fax +1-905-270-5816

1.4 **Emergency telephone number**

> **CANUTEC - TELEPHONE: EMERGENCY USE ONLY** Emergency Phone No.

+1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product Name

Symbol

Label elements

2.2

Repr. 2

Silmer ACR Di-100 TF



Signal word(s) Warning

Hazard statement(s) H361d: Suspected of damaging the unborn child. Precautionary statement(s) P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P281: Use personal protective equipment as required. P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known Product: Silmer ACR Di-100 TF SDS #: 5882.1

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Bismuth Carboxylate	n/a	0.2 - 0.23	Not available	Not available	GHS05, GHS07, GHS08 H315, H318, H341, H361d
Hydroquinone	1,4- dihydroxy benzene	< 0.10	123-31-9	204-617-8	GHS09, GHS08, GHS05, GHS07 H302, H317, H318, H341, H351, H400, H410

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing and wash all affected areas

with plenty of water. Seek medical attention if irritation

persists.

Eye Contact If substance has got into the eyes, immediately wash out

with plenty of water for several minutes. Seek medical

attention if irritation persists.

Ingestion If swallowed, seek medical advice immediately and show

this container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical attention

and special treatment needed

Treat symptomatically.

Not available.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

5.2

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2

cleaning up

Environmental precautions Avoid release to the environment. 6.3 Methods and material for containment and

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

Reference to other sections 6.4

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Keep only in the original container in a cool, well ventilated

place away from light.

Revision: 1 Date: 03/02/2023 Page: 2/6

Product: Silmer ACR Di-100 TF SDS #: 5882.1

Storage Temperature <30°C

Stable under normal conditions. Storage Life

Incompatible materials Oxidizing agents 7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
hydroquinone	123-31-9		1		2	

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).

Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Yellow) Odour Characteristic odour. Odour Threshold Not available. Not available.

Melting Point/Freezing Point Not available. Initial boiling point and boiling range >100°C @ 760mmHg

>100°C

Flash point (PMCC) Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available. Relative density / Specific Gravity (25°C) Not available. Not available. Solubility(ies) Partition coefficient: n-octanol/water Not available. Not available. Auto-ignition temperature

Decomposition Temperature Not available. Viscosity (25°C) 100 - 1500 cps Explosive properties Not applicable.

Revision: 1 Date: 03/02/2023 Page: 3/6

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer ACR Di-100 TF SDS #: 5882.1

Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

IngestionMay cause irritationInhalationMay cause irritationSkin ContactMay cause irritationEye ContactMay cause irritation

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

Respiratory or skin sensitization Repeated and/or prolonged contact may cause skin

sensitisation.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Not classified

Reproductive toxicity Suspected of damaging the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)

Not classified
Not classified
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport.

14.3 Sea (IMDG) Not classified as hazardous for marine transport.

Revision: 1 Page: 4/6 Date: 03/02/2023

Product: Silmer ACR Di-100 TF SDS #: 5882.1

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Contains: hydroquinone (CAS# 123-31-9) : < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	NDSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)	√			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Χ		

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section $5\,$

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=1/R=0 H=1/F=1/R=0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Hydroquinone (CAS# 123-31-9) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: February 03, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Revision: 1 Page: 5/6 Date: 03/02/2023

Product: Silmer ACR Di-100 TF SDS #: 5882.1

Hazard statement(s) and Precautionary statement(s)

H361d: Suspected of damaging the unborn child.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 1 Page: 6/6 Date: 03/02/2023