

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Siltech CF-955

Product code 0026

Chemical Name 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

CAS No. 541-02-6

Alternative names (INCI) Cyclopentasiloxane

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

PC9a Coatings and paints, thinners, paint removers PC24 Lubricants, greases, release products PC32 Polymer preparations and compounds PC19 Intermediate, Solvent, Additive

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4 Label elements

Product Name Siltech CF-955

Symbol NONE Signal word(s) Warning

Hazard statement(s) H227: Combustible liquid.

Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards May form explosive mixtures with air.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

2.2

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Decamethylcyclopentasiloxane	D5	> 99.0	541-02-6	208-764-9	H227

Product: Siltech CF-955 SDS #: 0026

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures

protective equipment as required. Eliminate all ignition

sources if safe to do so.

6.2 Environmental precautionsAvoid release to the environment.

6.3 Methods and material for containment and

cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Ground/bond container and

receiving equipment.

7.2 Conditions for safe storage, including any

incompatibilities

Store in a tightly closed container. Keep away from flames

and hot surfaces.

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 Occupational Exposure Limits

	•					
		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

Revision: 9 Page: 2/6 Date: 14/04/2023

Product: Siltech CF-955 SDS #: 0026

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards Combustible liquid

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid.
Odour Almost odourless.
Odour Threshold Not available.
pH Not available.

Melting Point/Freezing Point -44°C

Initial boiling point and boiling range 211°C @ 760mmHg

Flash point (PMCC) 77°C Evaporation rate < 1

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure (25°C)

Vapour density

Not available.

Not available.

Relative density / Specific Gravity (25°C) 0.95

Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water > 5
Auto-ignition temperature 392°C
Decomposition Temperature Not available.
Viscosity (25°C) 4 cps

Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions May form explosive mixtures with air.

10.4 Conditions to avoidKeep away from fire, sparks and heated surfaces.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Revision: 9 Page: 3/6 Date: 14/04/2023

Product: Siltech CF-955 SDS #: 0026

11. SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Ingestion LD50 (oral,rat) mg/kg: >24,134 Inhalation LC50 (inhalation,rat) mg/l/4h: 8.67

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Not classified STOT - single exposure STOT - repeated exposure Not classified **Aspiration hazard** Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Low toxicity to aquatic organisms.

12.2 Persistence and degradability This substance is predicted to degrade in soil and water. 12.3 **Bioaccumulative potential** Identified as a vPvB according to REACH Annex XIII. 12.4 Mobility in soil The substance is predicted to have low mobility in soil.

Results of PBT and VPVB assessment 12.5 Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 **Additional Information** Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Air (ICAO/IATA) 14.1 Not classified as hazardous for air transport. 14.2 Sea (IMDG) Not classified as hazardous for marine transport.

TDG / Road/Rail (ADR/RID) 14.3 Not classified as hazardous for transport.

DOT / CFR (US Department of Transportation)

UN number

DOT Proper Shipping Name

Class

(Applicable only to containers > 119 gallons or 450L)

Combustible liquid, N.O.S. (Dodecamethylpentasiloxane)

3 Packing group III

15. SECTION 15: REGULATORY INFORMATION

EU regulations

REACH Registration No. 01-2119511367-43-0020

Candidate List of Substances of Very High

Concern for Authorisation

vPvB: very Persistent and very Bioaccumulative Decamethylcyclopentasiloxane (CAS# 541-02-6) >99%

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Date: 14/04/2023 Revision: 9 Page: 4/6

Product: Siltech CF-955 SDS #: 0026

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	✓			
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	√			

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 0/F = 2/R = 0H = 0/F = 2/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: April 14, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol

NONE

Revision: 9 Page: 5/6 Date: 14/04/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech CF-955 SDS #: 0026

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 9 Page: 6/6 Date: 14/04/2023