

1.2

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No. Alternative names (INCI) Recommended use of the chemical and restrictions on use

Identified use(s)

Uses advised against **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Silsurf A008

2002 Poly(oxy-1,2-ethanediyl), .alpha.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-.omega.-hydroxy-67674-67-3 PEG-8 Dimethicone , PEG-8 Methicone

Additive Surface active agent. Wetting agent PC39 Cosmetics, personal care products Not available.

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road Mississauga, ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.2 Label elements Product Name Symbols

Signal word(s) Hazard statement(s)

Precautionary statement(s)

Acute Tox. 4 - Inhalation Serious eye damage/irritation 1 Aquatic Chronic 2

Silsurf A008



Danger

H332: Harmful if inhaled.

- H318: Causes serious eye damage.
- H411: Toxic to aquatic life with long lasting effects.
- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water

SDS #: 2002

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha[3- [1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]disiloxany I]propyl]omegahydroxy-	1,1,1,3,5,5,5- Heptamethyl-3- (propyl(poly(EO)) hydroxy) Trisiloxane	> 80	67674-67-3	614-100-2	GHS05, GHS07,GHS09 H318, H332, H411

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

> Skin Contact Eye Contact

Remove person to fresh air and keep comfortable for breathing. If inhaled, give oxygen or artificial respiration, call a physician. Gently wash with plenty of soap and water. If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Not available.

- Ingestion
- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire: Use foam, water spray or fog to extinguish.
		Keep containers cool by spraying with water if exposed to
		fire.
	Unsuitable Extinguishing Media	Dry Chemical
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.				
6.2 6.3	Environmental precautions Methods and material for containment and	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert				
6.4	cleaning up Reference to other sections	absorbent material. Transfer to a container for disposal. See Section: 7 & 8.				

SDS #: 2002

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container. Keep away from strong oxidizing substances. Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

5	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note
Ν	None assigned						
8.1.2	2 Biological limit value Not established						
8.1.3	3 PNECs and DNELs Not established						
8.2 8.2.1 8.2.2	Exposure contro Appropriate eng Personal protect	ineering control					
	Eye/face protection	on		Wear protective eyewear (goggles, face shield, or safe glasses).			
	Skin protection (H	land protection/ (,	Wear suitable gloves if prolonged skin contact is like Plastic or rubber gloves			kely.
	Respiratory prote	ction	invo	Wear suitable respiratory protective equipment if proc involves working in areas where dusts or vapours are to be evolved.			
8.2.3	Thermal hazards Environmental E	Exposure Contro	Nor Dis Avc	ne. id release to the enviror	nment.		

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties			
	Appearance	Colourless to yellowish liquid.		
	Odour	Faint.		
	Odour Threshold	Not available.		
	pH	Not available.		
	Melting Point/Freezing Point	Not available.		
	Initial boiling point and boiling range	>100°C @ 760mmHg		
	Flash point (PMCC)	>100°C		
	Evaporation rate	Not available.		
	Flammability (solid, gas)	Not applicable.		
	Upper/lower flammability or explosive limits	Not available.		
	Vapour pressure	Not available.		
	Vapour density	Not available.		

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

1.02

Product: Silsurf A008

Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

- Soluble in water. Not available. Not available. Not available. 50 - 100 cps Not applicable. Not applicable.
- Stable under normal conditions. Stable under normal conditions. Will not occur. Protect from moisture. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects
 - Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation

Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) LD50 (oral,rat) mg/kg: > 5050 LC50 (inhalation) mg/l/4h: 2.3 (rabbit) LD50 (skin,rabbit) mg/kg: 2000 – 5000 Causes serious eye damage.

Not classified Causes serious eye damage. Possible risk of irreversible effects. Not classified Not available Not available

Toxic to aquatic life with long lasting effects.

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
 13.2 Additional Information
 13.2 Additional Information
 Do not empty into drains; dispose of this material and its container in a safe way.
 Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

3082

Not available.

Not available.

Not available.

Not available.

None known

14.3

14.4 14.5

14.2 UN Proper Shipping Name

Packing Group

Transport hazard class(es)

Environmental hazards

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(3-(Polyoxyethylene)propylheptamethyltrisiloxane)

III Marine Pollutant



15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Candidate List of Substances of Very High Concern for Authorisation Polymer exempt.

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.01% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.01% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	~			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	\checkmark			
China (IECSC)	\checkmark			
Japan (ENCS)	\checkmark			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1/F = 1/R = 0

H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 100 ppm Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

SDS #: 2002

16. SECTION 16: OTHER INFORMATION

Revision: December 14, 2022

Hazard statement(s) and Precautionary statement(s)

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H411: Toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash (hands and exposed skin) thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard pictogram(s)



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.