

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE 1. **COMPANY/UNDERTAKING**

Product identifier 1.1

> Product Name Product code **Chemical Name** CAS No.

Recommended use of the chemical and 1.2 restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 **Emergency telephone number** Emergency Phone No.

Siltech AG-64

2002.2 Mixture 67674-67-3 / 27274-31-3 / 25322-68-3

Additive Surface active agent. PC22 Lawn and Garden Preparations, including fertilizers PC27 Plant protection products Not available.

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road Mississauga, ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION 2.

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbols

Signal word(s) Hazard statement(s)

Precautionary statement(s)

Acute Tox. 4 - Inhalation Serious eye damage/irritation 1 **Aquatic Chronic 2**

Siltech AG-64



Danger

- H332: Harmful if inhaled. H318: Causes serious eye damage.
- H411: Toxic to aquatic life with long lasting effects.
- P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P271: Use only outdoors or in a well-ventilated area.
- P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

SDS #: 2002.2

easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Ingredients	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2-ethanediyl), alpha[3-[1,3,3,3- tetramethyl-1-[(trimethyl silyl)oxy]disiloxanyl]propyl] omegahydroxy-	3-(Polyoxyethylene) propyl-heptamethyl trisiloxane	> 60	67674-67-3	Not applicable	GHS05, GHS07,GHS09 H318,H332, H411
Poly(oxy-1,2-ethanediyl), alpha2-propen-1-yl- .omegahydroxy-	Polyethylene glycol monoallyl ether	15 - 40	27274-31-3	Not applicable	Not classified
Polyethylene glycol	PEG	< 9.0	25322-68-3	500-038-2	Not classified

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Remove person to fresh air and keep comfortable for breathing. If inhaled, give oxygen or artificial respiration, call a physician.
	Skin Contact	Gently wash with plenty of soap and water.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention.
	Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES Extinguishing Media

Suitable Extinguishing Media
 Unsuitable Extinguishing Media
 Unsuitable Extinguishing Media
 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for fire-fighters
 In case of fire: Use foam, water spray or fog to extinguish. Keep containers cool by spraying with water if exposed to fire.
 Dry Chemical
 Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
 A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6.	SECTION 6: ACCIDENTAL RELEASE MEA	SURES
6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and cleaning up	Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.
7.	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
7.1 7.2	Conditions for safe storage, including any incompatibilities	only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container. Keep away from strong oxidizing substances.
	Conditions for safe storage, including any	only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container. Keep away from strong

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- 8.1.1 **Occupational Exposure Limits**

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note		
Ν	lone assigned								
8.1.2	Biological limit v	alue	established						
8.1.3	PNECs and DNE	Ls	Not	Not established					
8.2	Exposure controls								
8.2.1 8.2.2	2.1 Appropriate engineering controls Provide adequate ventilation.								
	Eye/face protection			Wear protective eyewear (goggles, face shield, or safety					
			glas	glasses).					
	Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin Plastic or rubber gloves			contact is li	kely.				
	Respiratory protect	ction	invo	Wear suitable respiratory protective equipment if processi involves working in areas where dusts or vapours are likel to be evolved.					
	Thermal hazards		Nor	le.					
8.2.3	Environmental E	xposure Contro	ols Avo	Avoid release to the environment.					

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour

Colourless to yellowish liquid. Faint.

- Odour Threshold Hа Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties
- Not available. Not available. Not available. >100°C @ 760mmHg >100°C Not available. Not applicable. Not available. Not available. Not available. 1.07 Dispersible in water. Not available. Not available. Not available. 40 - 100 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Protect from moisture. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity
 - Ingestion Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation

Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

CAS# 67674-67-3

LD50 (oral,rat) mg/kg: > 5050 LC50 (inhalation) mg/l/4h: 2.3 (rabbit) LD50 (skin,rabbit) mg/kg: 2000 – 5000 Causes serious eye damage.

Not classified Causes serious eye damage. Possible risk of irreversible effects. Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects. Not available. Not available. Not available. Not available. None known

SDS #: 2002.2

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 **Additional Information**

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 **UN number**

14.3

14.2 **UN Proper Shipping Name**

3082

9

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-(Polyoxyethylene)propylheptamethyltrisiloxane)

Transport hazard class(es)

14.4 **Packing Group** 14.5 **Environmental hazards** ш

Marine Pollutant



15. SECTION 15: REGULATORY INFORMATION

EU regulations 15.1

REACH Registration No. Candidate List of Substances of Very High Concern for Authorisation

Polymer exempt. Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.01% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.01% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	\checkmark			
China (IECSC)	\checkmark			
Japan (ENCS)			\checkmark	
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 **US State Regulations**

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 1 / F = 1 / R = 0H = 1/F = 1/R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists

SDS #: 2002.2

Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Ethylene Oxide (CAS# 75-21-8) < 1ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: October 18, 2022

Hazard statement(s) and Precautionary statement(s)

H332: Harmful if inhaled.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash (hands and exposed skin) thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s)



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.