

1.2

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No. Alternative names (INCI) Recommended use of the chemical and restrictions on use

Uses advised against

Identified use(s)

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No. Silsurf E608

2150 Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated 68937-54-2 PEG-8 Dimethicone

PC39 Cosmetics, personal care products Coatings, Surface active agent, Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

 2.2
 Label elements

 Product Name
 Sils

 Symbol
 NO

 Signal word(s)
 NO

 Hazard statement(s)
 NO

 Precautionary statement(s)
 P26

 2.3
 Other hazards
 Nor

Not classified

Silsurf E608 NONE NONE P262: Do not get in eyes, on skin, or on clothing. None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances					
					Hazard pictogram(s) and
Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard statement(s)
Contains no hazardous ingredients					

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5

Sinech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 165				
Proc	luct: Silsurf E608	67 www.siltech.com SDS #: 2150		
	Eye Contact	Gently wash with plenty of soap and water. If substance has got into the eyes, immediately wash out with plenty of water for several minutes.		
	•	If swallowed, seek medical advice immediately and show this container or label.		
4.2	Most important symptoms and effects, both acute and delayed	Not available.		
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.		
5.	SECTION 5: FIRE-FIGHTING MEASURE	S		
5.1	Extinguishing Media Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.		
5.2	Unsuitable Extinguishing Media Special hazards arising from the substance or mixture	None known Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.		
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.		
6.	SECTION 6: ACCIDENTAL RELEASE M	EASURES		
6.1	Personal precautions, protective equipment ar emergency procedures	nd Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.		
-	Personal precautions, protective equipment ar	nd Avoid contact with skin, eyes or clothing. Use personal		
6.1 6.2	Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert 		
6.1 6.2 6.3	Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. 		
6.1 6.2 6.3 6.4	Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. 		
6.16.26.36.47.	Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections SECTION 7: HANDLING AND STORAGE Precautions for safe handling Conditions for safe storage, including any incompatibilities	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container. 		
 6.1 6.2 6.3 6.4 7. 7.1 	Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections SECTION 7: HANDLING AND STORAGE Precautions for safe handling Conditions for safe storage, including any	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. 		

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 Occupational Exposure Limits

;	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
١	None assigned						
8.1.2 Biological limit value			Not established				
8.1.3	8.1.3 PNECs and DNELs			Not established			
8.2 8.2.1 8.2.2	8.2.1 Appropriate engineering controls		Provide adequate ven Wear protective eyew		es, face shield	l, or safety	

Product: Silsurf E608

SDS #: 2150

glasses).

Skin protection (Hand protection/ Other)

Respiratory protection



In case of inadequate ventilation wear respiratory protection.

Wear suitable gloves if prolonged skin contact is likely.

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

8.2.3 Environmental Exposure Controls

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Colourless to yellowish liquid. Faint. Not available. Not available. Not available. >100°C @ 760mmHg >100°C Not available. Not applicable. Not available. Not available. Not available. Not available. Dispersible in water. Not available. Not available. Not available. 350 – 700 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation

Low toxicity under normal conditions of handling and use. Low toxicity under normal conditions of handling and use. None anticipated None anticipated

Not classified

Product: Silsurf E608

SDS	#:	2150
-----	----	------

Serious eye damage/irritation	Not classified		
Respiratory or skin sensitization	Not classified		
Germ cell mutagenicity	Not classified		
Carcinogenicity	Not classified		
Reproductive toxicity	Not classified		
STOT - single exposure	Not classified		
STOT - repeated exposure	Not classified		
Aspiration hazard	Not classified		
Delayed and chronic effects	Not available		
Calculated acute toxicity estimate (ATE)	Not available		

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity
	i o Alony

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available.

This substance is predicted to degrade in soil and water. The substance has low potential for bioaccumulation. The substance is predicted to have low mobility in soil. Not available. None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

Not classified as hazardous for road transport. Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

14. SECTION 14: TRANSPORT INFORMATION

- 14.1 DOT / TDG / Road/Rail (ADR/RID)
- 14.2 Air (ICAO/IATA)
- 14.3 Sea (IMDG)

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

- 15.1 EU regulations
 - REACH Registration No.

Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.05% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.05% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	\checkmark			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	~			
China (IECSC)	\checkmark			
Japan (ENCS)	\checkmark			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

Product: Silsurf E608

15.3	National regulations United States (TSCA) HMIS (Hazardous Material Information System) NFPA Rating	TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1/F = 1/R = 0 H = 1/F = 1/R = 0
15.4 15.4.1	US State Regulations SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM	Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm
15.4.2	SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER	Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.3 State Right to Know Lists

Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Ethylene Oxide (CAS# 75-21-8) < 1ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

SDS #: 2150

16. SECTION 16: OTHER INFORMATION

Revision: July 26, 2022

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

P262: Do not get in eyes, on skin, or on clothing. Hazard pictogram(s) and Hazard Symbol NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.