

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

Alternative names (INCI) 1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

**1.3 Details of the supplier of the Safety Data Sheet** Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No.

# Silsurf J208-6

2301 Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated 68937-54-2 / 25322-68-3 PEG-8 Dimethicone

PC24 Lubricants, greases, release products, Surface active agent, Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

# 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

 2.2
 Label elements

 Product Name
 Silsurf J208-6

 Symbol
 NONE

 Signal word(s)
 NONE

 Hazard statement(s)
 NONE

 Precautionary statement(s)
 P262: Do not get in eyes, on skin, or on clothing.

2.3 Other hazards

None known

Not classified

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Hazardous ing	gredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)	
	Contains no hazardous ingredients						

# 4. SECTION 4: FIRST AID MEASURES



4.1 4.2 4.3	Description of first aid measures Inhalation Skin Contact Eye Contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical attention and special treatment needed	Remove person to fresh air and keep comfortable for breathing. Gently wash with plenty of soap and water. If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If swallowed, seek medical advice immediately and show this container or label. Not available. Treat symptomatically.		
5.	SECTION 5: FIRE-FIGHTING MEASURE	S		
5.1	Extinguishing Media Suitable Extinguishing Media Unsuitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. None known		
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.		
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protectiv clothing should be worn in fire conditions.		
6.	SECTION 6: ACCIDENTAL RELEASE M	EASURES		
6.1 6.2	Personal precautions, protective equipment an emergency procedures	protective equipment as required.		
6.3 6.4	Environmental precautions Methods and material for containment and cleaning up Reference to other sections	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.		
6.4	Methods and material for containment and cleaning up Reference to other sections	Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.		
6.4	Methods and material for containment and cleaning up	Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.		
6.4	Methods and material for containment and cleaning up Reference to other sections	Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.		

# 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Produc	ct: Silsurf J208-6	1 410 424 4307	www.siteon.com	SDS #: 2301
8.1.2	Biological limit value		Not established	
8.1.3	PNECs and DNELs		Not established	
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering control Personal protection equipment Eye/face protection	s	Provide adequate ventilation. Wear protective eyewear (goggles, face shiel glasses).	d, or safety
			glasses).	
	Skin protection (Hand protection/ C	Other)	Wear suitable gloves if prolonged skin contac	t is likely.
	Respiratory protection		In case of inadequate ventilation wear respira	atory protection.
8.2.3	Thermal hazards Environmental Exposure Contro	ls	None. Avoid release to the environment.	

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 9.

9.1	Information on basic physical and chemical properties	
	Appearance	Colourless to yellowish liquid.
	Odour	Faint.
	Odour Threshold	Not available.
	рН	Not available.
	Melting Point/Freezing Point	Not available.
	Initial boiling point and boiling range	>100°C @ 760mmHg
	Flash point (PMCC)	>100°C
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or explosive limits	Not available.
	Vapour pressure	Not available.
	Vapour density	Not available.
	Relative density / Specific Gravity (25°C)	1.05
	Solubility(ies)	Soluble in water.
	Partition coefficient: n-octanol/water	Not available.
	Auto-ignition temperature	Not available.
	Decomposition Temperature	Not available.
	Viscosity (25°C)	300 – 800 cps
	Explosive properties	Not applicable.
	Oxidising properties	Not applicable.

# **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 **Chemical stability**
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

Product: Silsurf J208-6

# **11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

Acute toxicity	
Ingestion	Low toxicity under normal conditions of handling and use.
Inhalation	Low toxicity under normal conditions of handling and use
Skin Contact	None anticipated
Eye Contact	None anticipated
Effects and Symptoms	
skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

### **12. SECTION 12: ECOLOGICAL INFORMATION**

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. Not available. Not available. Not available. None known

Not available.

# **13. SECTION 13: DISPOSAL CONSIDERATIONS**

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

## **14. SECTION 14: TRANSPORT INFORMATION**

14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport.
		Not classified as hazardous for rail transport.
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.

# **15. SECTION 15: REGULATORY INFORMATION**

15.1	EU regulations REACH Registration No.	Polymer exempt.		
	Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025%		
		Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%		

Product: Silsurf J208-6

#### 15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active√	nated	exempt	ounci
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			$\checkmark$	
Australia (AICS)	$\checkmark$			
China (IECSC)	$\checkmark$			
Japan (ENCS)	$\checkmark$			
South Korea (KECI)	$\checkmark$			
Taiwan (TCSI)	~			
New Zealand (NZIoC)	$\checkmark$			
Philippines (PICCS)	$\checkmark$			

# 15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

#### 15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

SDS #: 2301

H = 1 / F = 1 / R = 0H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025% Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

### **16. SECTION 16: OTHER INFORMATION**

#### Revision: October 05, 2023

# LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

P262: Do not get in eyes, on skin, or on clothing. Hazard pictogram(s) and Hazard Symbol NONE Product: Silsurf J208-6

#### **Additional Information**

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.