

# **SAFETY DATA SHEET**

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silube J208-412CG

Product code 2525

Chemical Name
Siloxanes and silicones, C10-16-alkyl Me, 3hydroxypropyl Me, Me hydrogen, ethoxylated

1,1,3,3-tetramethyldisiloxane

propoxylated, reaction products wih 1,3-diethenyl-

CAS No. 212335-52-9

Alternative names (INCI) Lauryl PEG-8 Dimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Emulsifier, Surface active agent

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

#### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not classified

2.2 Label elements

Product Name Silube J208-412CG

Symbol NONE
Signal word(s) NONE
Hazard statement(s) NONE

Precautionary statement(s) P262: Do not get in eyes, on skin, or on clothing.

2.3 Other hazards None known

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

| Hazardous ingredient(s)           | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) |  |  |
|-----------------------------------|------------|------|---------|--------|---|--|--|
| Contains no hazardous ingredients |            |      |         |        |   |  |  |

Product: Silube J208-412CG SDS #: 2525

#### 4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation Remove victim to fresh air and keep at rest in a position

> > comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

If substance has got into the eyes, immediately wash out with Eye Contact

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

Indication of any immediate medical 4.3

attention and special treatment needed

Treat symptomatically.

## 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

7.3

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 A self contained breathing apparatus and suitable protective Advice for fire-fighters

clothing should be worn in fire conditions.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures protective equipment as required.

6.2 **Environmental precautions** Avoid release to the environment.

Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert 6.3 cleaning up

absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

#### 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any Store in a tightly closed container.

incompatibilities

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits** 

| SUBSTANCE     | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA<br>mg/m³) | STEL<br>(ppm) | STEL<br>(mg/m³) | Note |
|---------------|---------|---------------------|--------------------------|---------------|-----------------|------|
| None assigned |         |                     |                          |               |                 |      |

Revision: 5 Date: 20/10/2022 Page: 2/6

Product: Silube J208-412CG SDS #: 2525

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

**8.2.1 Appropriate engineering controls** Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards None.

**8.2.3 Environmental Exposure Controls**Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Faint.

Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.

Relative density / Specific Gravity (25°C) 1.07

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Dispersible in water.

Not available.

Not available.

400 – 1000 cps

Not applicable.

Not applicable.

# 10. SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

**10.6** Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Revision: 5 Page: 3/6 Date: 20/10/2022

Product: Silube J208-412CG SDS #: 2525

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact None anticipated Eye Contact None anticipated

**Effects and Symptoms** 

skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Not classified STOT - single exposure STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

#### 12. SECTION 12: ECOLOGICAL INFORMATION

| 12.1 | Toxicity                           | Not available. |
|------|------------------------------------|----------------|
| 12.2 | Persistence and degradability      | Not available. |
| 12.3 | Bioaccumulative potential          | Not available. |
| 12.4 | Mobility in soil                   | Not available. |
| 12.5 | Results of PBT and VPVB assessment | Not available. |
| 12.6 | Other adverse effects              | None known     |

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

# 14. SECTION 14: TRANSPORT INFORMATION

**14.1 DOT / TDG /** Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

#### 15. SECTION 15: REGULATORY INFORMATION

#### 15.1 EU regulations

Air (ICAO/IATA)

Sea (IMDG)

14.2

14.3

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Possible trace amounts of:

for Authorisation Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01%
Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%

Dodecamethylcyclohexasiloxane (CAS# 541-02-6) < 0.1%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Product: **Silube J208-412CG** SDS #: **2525** 

#### 15.2 International Inventories

|                                |          | Not    | Polymer |       |
|--------------------------------|----------|--------|---------|-------|
| Country                        | Listed   | listed | exempt  | Other |
| United States (TSCA)           |          | Χ      |         |       |
| Canada (DSL/NDSL)              | DSL√     |        |         |       |
| European Union (EINECS/ELINCS) |          |        | ✓       |       |
| Australia (AICS)               |          | Х      |         |       |
| China (IECSC)                  | ✓        |        |         |       |
| Japan (ENCS)                   |          | Х      |         |       |
| South Korea (KECI)             |          | Х      |         |       |
| Taiwan (TCSI)                  | ✓        |        |         |       |
| New Zealand (NZIoC)            | <b>√</b> |        |         |       |
| Philippines (PICCS)            |          | Х      |         |       |

#### 15.3 National regulations

United States (TSCA) Personal Care exempt. HMIS (Hazardous Material Information System) H = 1/F = 1/R = 0NFPA Rating H = 1/F = 1/R = 0

#### 15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

**15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

## **16. SECTION 16: OTHER INFORMATION**

Revision: October 20, 2022

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

P262: Do not get in eyes, on skin, or on clothing. **Hazard pictogram(s) and Hazard Symbol** 

NONE

Revision: 5 Page: 5/6 Date: 20/10/2022

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: **Silube J208-412CG** SDS #: **2525** 

#### Additional Information

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 6/6 Date: 20/10/2022