

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silube Sustain-S

Product code 2533 Chemical Name Mixture

CAS No. 2669813-09-4 / 6309-51-9

Alternative names (INCI) Gluconamido Lauryl Dimethicone (and) Isoamyl Laurate

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp
225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567

Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements

Product Name Symbol

Eye Irrit. 2A

Silube Sustain-S



Signal word(s) Warning

Hazard statement(s) H319: Causes serious eye irritation.

Precautionary statement(s) P264: Wash hands and exposed skin thoroughly after

handling

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P403+P235: Store in a well-ventilated place. Keep cool.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, 3-(D- gluconoylamino)propyl Me, lauryl Me	Gluconamido Lauryl Dimethicone	65 - 75	2669813-09-4	None assigned	GHS07 : H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Remove any contact lenses.

Ingestion If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Obtain medical

attention.

4.2 Most important symptoms and effects, both

acute and delayed

Repeated and/or prolonged skin contact may cause irritation.

4.3 Indication of any immediate medical

attention and special treatment needed

If symptoms persist, obtain medical attention.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Extinguish preferably with dry chemical, sand, foam or

carbon dioxide.

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal **emergency procedures** protective equipment as required.

6.2 Environmental precautionsAvoid release to the environment.

6.3 Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Store in a tightly closed container. Keep at temperature not exceeding (°C): 40.

ipatibilities exceeding (°C):

Storage Temperature Storage temperature (°C): 10 – 40°C Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents

Revision: 2 Page: 2/6 Date: 10/10/2023

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid. (Orange)
Odour Characteristic odour.

Odour Threshold Not available. Not available. Melting Point/Freezing Point Not available. Initial boiling point and boiling range Not available. Flash point (PMCC) > 100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available.

Relative density / Specific Gravity (25°C) 0.91

Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity (25°C) 5,000 – 15,000 cps
Explosive properties Not applicable.
Oxidising properties Not applicable.

Revision: 2 Page: 3/6 Date: 10/10/2023

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur.

10.4 Conditions to avoid Keep at temperature not exceeding (°C):40.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Not available Inhalation Not available

Skin Contact Repeated exposure may cause skin dryness or cracking.

Eye Contact May cause eye irritation.

Effects and Symptoms

skin corrosion/irritation May cause irritation

Serious eye damage/irritation May cause irritation to eyes, skin and air passages.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Not classified STOT - single exposure STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability Not available.
12.3 Bioaccumulative potential Not available.
12.4 Mobility in soil Not available.
12.5 Results of PBT and VPVB assessment Not available.
12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.2

14.3

Air (ICAO/IATA)

Sea (IMDG)

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. No information available

Candidate List of Substances of Very High Concern

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)		Х		
New Zealand (NZIoC)		X		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) Personal care exempt HMIS (Hazardous Material Information System) H = 1/F = 1/R = 0 NFPA Rating H = 1/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

None known.

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: October 10, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 2 Page: 6/6 Date: 10/10/2023