

## SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

**1.4 Emergency telephone number** Emergency Phone No. Silstab 2777

2689.97 Mixture 68938-54-5 / 108-32-7

Foam. (Stabiliser) None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

### 2. SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Eye Irrit. 2



Warning
H319: Causes serious eye irritation.
P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
None known

2.3 Other hazards

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
1,3-Dioxolan-2-one, 4-methyl-	Propylene	45 - 55	108-32-7	203-572-1	GHS07 : H319
	carbonate	10 00	100 02 1	200 012 1	

#### 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Unlikely to be required but if necessary treat symptomatically.
	Skin Contact	IF ON SKIN: Gently wash with plenty of soap and water.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
5.	SECTION 5: FIRE-FIGHTING MEASUR	ES
5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

- Special hazards arising from the substance or 5.2 mixture
- 5.3 Advice for fire-fighters

exposed to fire. None known Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and	Avoid contact with skin, eyes or clothing. Use personal
	emergency procedures	protective equipment as required.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

#### 7. SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Do not freeze.
7.2	Conditions for safe storage, including any incompatibilities	Store in a tightly closed container.
	Storage Temperature	Ideal storage temperature is (°C): 20 – 40°C
	Storage Life	Stable under normal conditions.
	Incompatible materials	Oxidizing agents

SDS #: 2689.97

#### 7.3 Specific end use(s) Industrial use

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

			LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
:	SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
Ν	lone assigned						
8.1.2	Biological limit v	alue		Not established			
8.1.3 PNECs and DNELs N		Not established					
8.2 8.2.1 8.2.2	Exposure contro Appropriate engi Personal protect Eye/face protectio	neering contro ion equipment		Provide adequate ven Wear protective eyew		es, face shield	l, or safety
				glasses).			
	Skin protection (H	and protection/ (	Other)	Wear suitable gloves i	f prolonge	d skin contact	is likely.
	Respiratory protect	ction		No personal respirator required.	y protectiv	ve equipment	normally

Thermal hazards 8.2.3 Environmental Exposure Controls None. Avoid release to the environment.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Colourless to yellowish liquid. Faint. Not available. Not available. Not available. >100°C @ 760mmHg >100°C Not available. Not applicable. Not available. Not available. Not available. 1.15 Soluble in water. Not available. Not available. Not available. 100 - 200 cps Not applicable. Not applicable.

SDS #: 2689.97

#### **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Do not freeze. Storage temperature (°C): 20 – 40. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

#### 11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects
  - Acute toxicity Ingestion Inhalation Skin Contact Eye Contact
  - Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

Ingestion may cause irritation of the gastrointestinal tract. Unlikely to be hazardous by inhalation. May cause irritation Causes eye irritation.

Not classified Causes eye irritation. Not classified Not available Not available

#### **12. SECTION 12: ECOLOGICAL INFORMATION**

12.3Bioaccumulative potentialNot available.12.4Mobility in soilNot available.	12.1 12.2	Toxicity Persistence and degradability	Not available. Not available.
12.4 Mobility in soil Not available.	12.3	Bioaccumulative potential	Not available.
	12.4	Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment Not available.	12.5	Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects None known	12.6	Other adverse effects	None known

#### **13. SECTION 13: DISPOSAL CONSIDERATIONS**

13.1	Waste treatment methods	Do not empty into drains; dispose of this material and its
		container in a safe way.
13.2	Additional Information	Dispose of contents in accordance with local, state or
		national legislation.

#### **14. SECTION 14: TRANSPORT INFORMATION**

- 14.1 DOT / TDG / Road/Rail (ADR/RID)
- **14.2** Air (ICAO/IATA)
- 14.3 Sea (IMDG)

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations REACH Registration No.

Polymer exempt.

Not classified as hazardous for road transport. Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

SDS #: 2689.97

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: < 0.1%Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

#### 15.2 International Inventories

Country / Region	Inventory Status	
United States (TSCA)	All chemicals listed	
Canada (DSL/NDSL)	DSL: All chemicals listed	
European Union (EINECS/ELINCS)	Polymer exempt	
Australia (AICS)	All chemicals listed	
China (IECSC)	All chemicals listed	
Japan (CSCL)	All chemicals listed	
South Korea (KECI)	All chemicals listed	
Taiwan (TCSI)	All chemicals listed	
New Zealand (NZIoC)	All chemicals listed	
Philippines (PICCS)	All chemicals listed	

#### 15.3 National regulations United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System) NFPA Rating

#### 15.4 **US State Regulations**

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

H = 1 / F = 1 / R = 0H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

## **16. SECTION 16: OTHER INFORMATION**

Revision: February 03, 2021

#### LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

H319: Causes serious eye irritation.

SDS #: 2689.97

P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P403+P233: Store in a well-ventilated place. Keep container tightly closed. Hazard pictogram(s) and Hazard Symbol



#### Additional Information

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.