

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer ACR Di-1018-F

Product code 2789.

Chemical Name Siloxanes and Silicones, di-Me, 3-hydroxypropyl group-terminated,

diethers with polyethylene-polypropylene glycol monoacrylate

CAS No. 155419-48-0

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

An intermediate chemical product.

Additive, Coatings

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product Name Silmer ACR Di-1018-F

Symbol

Label elements

2.2

Repr. 1B

Signal word(s) Danger

Hazard statement(s)

H360: May damage fertility or the unborn child.

Precautionary statement(s)

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P281: Use personal protective equipment as required. P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

Product: Silmer ACR Di-1018-F SDS #: 2789.3

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Dibutyltin diacetate	dibutyltin di(acetate)	0.18 - 0.19	1067-33-0	213-928-8	GHS06, GHS08, GHS05, GHS07 H314, H317, H318, H341, H360, H370, H372, H410

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Treat symptomatically. Skin Contact Treat symptomatically.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

If swallowed, seek medical advice immediately and show this Ingestion

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical

attention and special treatment needed

Not available.

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

Silicon Dioxide, carbon oxides, incompletely burned carbon

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

compounds, formaldehyde.

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 emergency procedures

6.2 **Environmental precautions**

Advice for fire-fighters

Methods and material for containment and 6.3

cleaning up

5.3

7.3

6.4 Reference to other sections

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

Revision: 4 Date: 10/06/2021 Page: 2/6

Ambient

Product: Silmer ACR Di-1018-F SDS #: 2789.3

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
dibutyltin di(acetate)	1067-33-0		0.1		0.2	(as Sn)

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

60

Thermal hazards None.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Yellow)
Odour Characteristic odour.
Odour Threshold Not available.

PH Not available.

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.

Vapour pressure Vapour density Not available. Relative density / Specific Gravity (25°C) Not available. Dispersible in water. Solubility(ies) Not available. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature **Decomposition Temperature** Not available. Viscosity (25°C) 200 - 800 cps Not applicable. Explosive properties Not applicable. Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

Revision: 4 Page: 3/6 Date: 10/06/2021

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer ACR Di-1018-F SDS #: 2789.3

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion May be harmful if swallowed.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

 Respiratory or skin sensitization
 Not classified

 Germ cell mutagenicity
 Not classified

 Carcinogenicity
 Not classified

Reproductive toxicity May damage fertility. May damage the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)
Not classified
Not classified
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Not available. **Toxicity** Persistence and degradability Not available. 12.2 12.3 Bioaccumulative potential Not available. Mobility in soil Not available. 12.4 12.5 Results of PBT and VPVB assessment Not available. Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Air (ICAO/IATA)

Sea (IMDG)

14.2

14.3

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Possible trace amounts of:

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Revision: 4 Page: 4/6 Date: 10/06/2021

Product: Silmer ACR Di-1018-F SDS #: 2789.3

Contains: dibutyltin di(acetate) (CAS#1067-33-0): 0.18 – 0.19%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	NDSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Χ		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=1/R=0 H=1/F=1/R=0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR Possible trace amounts of:

OTHER REPRODUCTIVE HARM

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: June 10, 2021

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H341: Suspected of causing genetic defects.

Revision: 4 Page: 5/6 Date: 10/06/2021

Product: Silmer ACR Di-1018-F SDS #: 2789.3

H360: May damage fertility or the unborn child.

H370: Causes damage to organs: Thymus.

H372: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 4 Page: 6/6 Date: 10/06/2021