

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Siltech L-25

Product code 2889

Chemical Name Siloxanes and Silicones, di-Me, 3-hydroxypropyl

group-terminated, ethoxylated

CAS No. 102783-01-7

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC23 Leather tanning, dye, finishing, impregnation and care

oroducts

Surface active agent, Coatings, Additive

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not classified

2.2 Label elements

 Product Name
 Siltech L-25

 Symbol
 NONE

 Signal word(s)
 NONE

 Hazard statement(s)
 NONE

Precautionary statement(s) P262: Do not get in eyes, on skin, or on clothing.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)			
Contains no hazardous ingredients								

Product: Siltech L-25 SDS #: 2889

4. SECTION 4: FIRST AID MEASURES



4.3

Description of first aid measures

Inhalation Remove victim to fresh air and keep comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

If swallowed, seek medical advice immediately and show this Ingestion

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Indication of any immediate medical attention and special treatment needed Not available.

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

5.3 Advice for fire-fighters Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal 6.1 emergency procedures

6.2 **Environmental precautions**

6.3 Methods and material for containment and

cleaning up

6.4 Reference to other sections protective equipment as required.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any Store in a tightly closed container. Do not allow material to

incompatibilities

Storage Temperature

freeze. Ambient. Ideal storage temperature is (°C): 15 - 40

Stable under normal conditions.

Storage Life Special storage conditions: Do not freeze. If the product does solidify, heat (to

approximately 40°C) and mix until the product returns to a

clear liquid.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 **Occupational Exposure Limits**

	•					
		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

Revision: 3 Page: 2/6 Date: 04/08/2022 Product: Siltech L-25 SDS #: 2889

8.1.2 Biological limit value Not established

PNECs and DNELs Not established 8.1.3

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



None. Thermal hazards

Avoid release to the environment. 8.2.3 Environmental Exposure Controls

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Faint.

Odour Threshold Not available. рΗ Not available. Melting Point/Freezing Point Not available.

>100°C @ 760mmHg Initial boiling point and boiling range

Flash point (PMCC) >100°C Not available. Evaporation rate Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits Not available. Not available. Vapour pressure Not available. Vapour density

1.02 Relative density / Specific Gravity (25°C)

Dispersible in water. Solubility(ies) Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. Not available. **Decomposition Temperature** 300 - 600 cps Viscosity (25°C) Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

Stable under normal conditions. 10.1 Reactivity 10.2

Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur. 10.4 Conditions to avoid None known. 10.5 Incompatible materials Oxidizing agents.

10.6 **Hazardous Decomposition Product(s)** Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Revision: 3 Date: 04/08/2022 Page: 3/6

Product: Siltech L-25 SDS #: 2889

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicityMay cause long lasting harmful effects to aquatic life.IngestionLow toxicity under normal conditions of handling and use.InhalationLow toxicity under normal conditions of handling and use.

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

Not classified skin corrosion/irritation Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified **Aspiration hazard** Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability
 This substance is predicted to degrade in soil and water.
 The substance has low potential for bioaccumulation.
 The substance is predicted to have low mobility in soil.

 12.4 Mobility in soil
 12.5 Paculta of RRT and VRVR concernant

12.5 Results of PBT and VPVB assessment Not available.
12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Air (ICAO/IATA)

Sea (IMDG)

14.2

14.3

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Po

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025%Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Product: Siltech L-25 SDS #: 2889

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=1/R=0 H=1/F=1/R=0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists

1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: August 04, 2022

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

P262: Do not get in eyes, on skin, or on clothing. **Hazard pictogram(s) and Hazard Symbol**

NONE

Revision: 3 Page: 5/6 Date: 04/08/2022

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech L-25 SDS #: 2889

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 3 Page: 6/6 Date: 04/08/2022