

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No. Siltech OP-12 3103 Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethers with polyethylene glycol acetate 70914-12-4

De-emulsifier Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

 2.2
 Label elements

 Product Name
 Siltech OP-12

 Symbol
 NONE

 Signal word(s)
 NONE

 Hazard statement(s)
 NONE

 Precautionary statement(s)
 P262: Do not get in eyes, on skin, or on clothing.

2.3 Other hazards

None known

Not classified

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Hazardous ingredient(s) | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) | | |
|-------------------------|-----------------------------------|------|---------|--------|--|--|--|
| | Contains no hazardous ingredients | | | | | | |

4. SECTION 4: FIRST AID MEASURES



| 4.1 4.2 4.3 | Skin Contact Eye Contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical attention and special treatment needed | Remove person to fresh air and keep comfortable for breathing. Gently wash with plenty of soap and water. If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If swallowed, seek medical advice immediately and show this container or label. Not available. Treat symptomatically. | | | |
|-------------------|---|---|--|--|--|
| 5. | SECTION 5: FIRE-FIGHTING MEASURES | 3 | | | |
| 5.1 | Extinguishing Media Suitable Extinguishing Media Unsuitable Extinguishing Media | In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. None known | | | |
| 5.2 | Special hazards arising from the substance or mixture | Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde. | | | |
| 5.3 | Advice for fire-fighters | A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. | | | |
| 6. | . SECTION 6: ACCIDENTAL RELEASE MEASURES | | | | |
| 6.1 6.2 6.3 | emergency proceduresprotective equipment as required.2Environmental precautionsAvoid release to the environment. | | | | |
| 6.4 | Reference to other sections | See Section: 7 & 8. | | | |
| | | | | | |
| 7. | SECTION 7: HANDLING AND STORAGE | | | | |
| 7. 7.1 | SECTION 7: HANDLING AND STORAGE Precautions for safe handling | Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. | | | |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

| | | LTEL (8 hr TWA | LTEL (8 hr TWA | STEL | STEL | |
|---------------|---------|----------------|----------------|-------|---------|------|
| SUBSTANCE | CAS No. | ppm) | mg/m³) | (ppm) | (mg/m³) | Note |
| None assigned | | | | | | |

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

| Produc | ct: Siltech OP-12 | 416-424-4567 | www.siltech.com | SDS #: 3103 |
|--------------|---|--------------|---|------------------|
| 8.1.2 | Biological limit value | | Not established | |
| 8.1.3 | PNECs and DNELs | | Not established | |
| 8.2 8.2.1 | Exposure controls Appropriate engineering controls | | Provide adequate ventilation. | |
| 8.2.2 | Personal protection equipment Eye/face protection | | Wear protective eyewear (goggles, face shield glasses). | d, or safety |
| | Skin protection (Hand protection/ Othe | er) | Wear suitable gloves if prolonged skin contact | t is likely. |
| | Respiratory protection | | In case of inadequate ventilation wear respirat | tory protection. |
| 8.2.3 | Thermal hazards Environmental Exposure Controls | | None. Avoid release to the environment. | |

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 | Information on basic physical and chemical properties | |
|-----|--|---------------------------------|
| | Appearance | Colourless to yellowish liquid. |
| | Odour | Faint. |
| | Odour Threshold | Not available. |
| | рН | Not available. |
| | Melting Point/Freezing Point | Not available. |
| | Initial boiling point and boiling range | >100°C @ 760mmHg |
| | Flash point (PMCC) | >100°C |
| | Evaporation rate | Not available. |
| | Flammability (solid, gas) | Not applicable. |
| | Upper/lower flammability or explosive limits | Not available. |
| | Vapour pressure | Not available. |
| | Vapour density | Not available. |
| | Relative density / Specific Gravity (25°C) | 1.05 |
| | Solubility(ies) | Dispersible in water. |
| | Partition coefficient: n-octanol/water | Not available. |
| | Auto-ignition temperature | Not available. |
| | Decomposition Temperature | Not available. |
| | Viscosity (25°C) | 175 - 390 cps |
| | Explosive properties | Not applicable. |
| | Oxidising properties | Not applicable. |

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde. Product: Siltech OP-12

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Acute toxicity | |
|--|--|
| Ingestion | Low toxicity under normal conditions of handling and use |
| Inhalation | Low toxicity under normal conditions of handling and use |
| Skin Contact | None anticipated |
| Eye Contact | None anticipated |
| Effects and Symptoms | |
| skin corrosion/irritation | Not classified |
| Serious eye damage/irritation | Not classified |
| Respiratory or skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| STOT - single exposure | Not classified |
| STOT - repeated exposure | Not classified |
| Aspiration hazard | Not classified |
| Delayed and chronic effects | Not available |
| Calculated acute toxicity estimate (ATE) | Not available |

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. Not available. Not available. Not available. None known

Not available.

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

14. SECTION 14: TRANSPORT INFORMATION

| 14.1 | DOT / TDG / Road/Rail (ADR/RID) | Not classified as hazardous for road transport. |
|------|---------------------------------|---|
| | | Not classified as hazardous for rail transport. |
| 14.2 | Air (ICAO/IATA) | Not classified as hazardous for air transport. |
| 14.3 | Sea (IMDG) | Not classified as hazardous for marine transport. |

15. SECTION 15: REGULATORY INFORMATION

| 15.1 | EU regulations REACH Registration No. | Polymer exempt. |
|------|---|---|
| | Candidate List of Substances of Very High Concern for Authorisation | Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% |

Product: Siltech OP-12

15.2 International Inventories

| Country | Listed | Not listed | Polymer exempt | Other |
|--------------------------------|--------------|---------------|-------------------|-------|
| United States (TSCA) | Active√ | | | |
| Canada (DSL/NDSL) | DSL√ | | | |
| European Union (EINECS/ELINCS) | | | \checkmark | |
| Australia (AICS) | ~ | | | |
| China (IECSC) | ~ | | | |
| Japan (ENCS) | \checkmark | | | |
| South Korea (KECI) | \checkmark | | | |
| Taiwan (TCSI) | \checkmark | | | |
| New Zealand (NZIoC) | \checkmark | | | |
| Philippines (PICCS) | \checkmark | | | |
| | | | | |

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 1 / F = 1 / R = 0H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: October 03, 2023

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s) P262: Do not get in eyes, on skin, or on clothing. Hazard pictogram(s) and Hazard Symbol NONE Product: Siltech OP-12

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.