

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Silquat A0

3670 1-Propanaminium, N,N-diethyl-2-hydroxy-N-methyl-3-[3-[1,3,3,3-trimethyl-1-[(trimethylsilyl)oxy]-1disiloxanyl]propoxy]-,chloride (1:1) 1538603-86-9 / 107-41-5

Surface active agent PC39 Cosmetics, personal care products None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.2 Label elements Product Name Symbol

Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Irrit. 2 Eye Irrit. 2

Silquat A0



Warning H315: Causes skin irritation.

H319: Causes serious eye irritation. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention.

SDS #: 3670

P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to:Observe Local Regulations.

2.3 Other hazards

None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
1-Propanaminium, N,N-diethyl- 2-hydroxy-N-methyl-3-[3- [1,3,3,3-trimethyl-1- [(trimethylsilyl)oxy]-1- disiloxanyl]propoxy]-,chloride (1:1)	n/a	50 - 70	1538603-86-9	806-550-5	GHS07: H315, H319
2-methylpentane-2,4-diol	Hexylene Glycol	30 - 50	107-41-5	203-489-0	GHS07: H315, H319

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Remove person to fresh air and keep comfortable for breathing.
	Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water. Obtain medical attention if ill effects occur.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention if ill effects occur.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical	Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silquat A0

7.2

7.3

- 6.2 Environmental precautions
- 6.3 Methods and material for containment and cleaning up
- 6.4 Reference to other sections

Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

SDS #: 3670

7. SECTION 7: HANDLING AND STORAGE

Conditions for safe storage, including any

7.1 Precautions for safe handling

incompatibilities Storage Temperature

Incompatible materials

Specific end use(s)

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Storage Life

8.1.1 Occupational Exposure Limits

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
Н	exylene Glycol	107-41-5	25 ppm					
8.1.2 Biological limit value			Not established					
8.1.3 PNECs and DNELs			Not established					
8.2	Exposure contro							
8.2.1 8.2.2	8.2.1 Appropriate engineering controls			Provide adequate ventilation.				
0.2.2	.2.2 Personal protection equipment Eye/face protection			Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (Hand protection/ Other)			Wear neoprene or nitrile gloves.				
	Respiratory protect	tion		Wear a suitable respir keep the solvent vapo occupational limit valu	ur concen			
8.2.3	Thermal hazards Environmental E	xposure Contro		None. Avoid release to the environment.				

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties
Appearance
Odour
Odour Threshold
рН
Melting Point/Freezing Point
Initial boiling point and boiling range

Coloured liquid (Yellow) Perceptible odour. Not available. Not available. >100°C @ 760mmHg

- Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties
- 98°C Not available. Not applicable. Not available. 7 Pa @ 20°C Not available. 1.00 Soluble in water. 2.68 ±0.85 @ 21°C 275°C Not available. 250 - 450 cps Negative. Negative.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

Hexylene Glycol [LD50 (oral,rat) mg/kg: 3700]

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation

High concentrations of vapour may be irritant to the respiratory tract. Skin Contact May cause irritation Eye Contact May cause irritation Effects and Symptoms skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes eye irritation. Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Calculated acute toxicity estimate (ATE)

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. The product is not biodegradable. Not available. Not available. Not available. None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not empty into drains; dispose of this material and its container in a safe way.

Not available

SDS #: 3670

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.

Not classified as hazardous for road transport. Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

14. SECTION 14: TRANSPORT INFORMATION

- 14.1 DOT / TDG / Road/Rail (ADR/RID)
- 14.2 Air (ICAO/IATA)
- 14.3 Sea (IMDG)

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No.

01-2120787461-48-0000 / 01-2119539582-35-xxxx

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.005% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.005% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.005%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Х		
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)				Х
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)		Х		
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) HMIS (Hazardous Material Information System) NFPA Rating

Personal care exempt

H = 2 / F = 1 / R = 0 H = 2 / F = 1 / R = 0

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- **15.4.3** State Right to Know Lists

None known.

None known.

Hexylene glycol (CAS#107-41-5) : 30 - 50% Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.005%

16. SECTION 16: OTHER INFORMATION

Revision: April 24, 2023

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.