

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silquat J2-2B
Product code 3724.22

Chemical Name Siloxanes and Silicones, di-ME, 3-[3-[bis(hydrogenated

tallow alkyl)methylammonio]-

2-hydroxypropxy]propyl Me, chlorides

CAS No. 1423679-19-9 / 107-41-5

Alternative names (INCI) Distearmonium/Diethonium Chloride PG Dimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Irrit. 2 Eye Irrit. 2

2.2 Label elements

Product Name Symbol Silquat J2-2B



Signal word(s)
Hazard statement(s)

Precautionary statement(s)

Warning

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after

nandling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical

advice/attention.

P337+P313: If eye irritation persists: Get medical

advice/attention.

Product: Silquat J2-2B SDS #: 3724.22

P403+P233: Store in a well-ventilated place. Keep container

tiahtly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2-methylpentane-2,4-diol	Hexylene Glycol	20 - 40	107-41-5	203-489-0	GHS07: H315, H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation If breathing is difficult, remove victim to fresh air and keep at

> > rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water. Obtain medical attention if ill effects

occur.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if

ill effects occur.

Ingestion If swallowed, seek medical advice immediately and show this

Not available.

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media None known

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 emergency procedures

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 **Environmental precautions**

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

Reference to other sections 6.4

See Section: 7 & 8.

Product: Silquat J2-2B SDS #: 3724.22

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature Storage Life

Stable under normal conditions.

Store in a tightly closed container.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
Hexylene Glycol	107-41-5	25				

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection

Provide adequate ventilation.

Nitrile rubber, Neoprene, Rubber

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection Wear suitable respiratory protective equipment if processing

involves working in areas where dusts or vapours are likely

to be evolved.

Thermal hazards No

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Amber)
Odour Characteristic odour.
Odour Threshold Not available.

pH Not available.

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range 198°C @ 760mmHg

Flash point (PMCC)

Evaporation rate

Flammability (solid, gas)

Flammability (solid, gas)

Flammability (solid, gas)

Flammability (solid, gas)

Upper/lower flammability or explosive limits
Vapour pressure
Vapour density

Not available.
Not available.
Not available.

Revision: 5 Page: 3/6 Date: 07/07/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silquat J2-2B SDS #: 3724.22

Relative density / Specific Gravity (25°C) Not available.

Solubility(ies) Soluble - Dispersible in water.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature
Viscosity (25°C)
Explosive properties
Oxidising properties
Not available.
Not available.
Not applicable.
Not applicable.
Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

Inhalation Mist may cause irritation.

Skin Contact May cause irritation

Eye Contact May cause irritation

May cause irritation

Effects and Symptoms

skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses eye irritation.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not available. 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Product: Silquat J2-2B SDS #: 3724.22

14.2 Air (ICAO/IATA)
 14.3 Sea (IMDG)
 Not classified as hazardous for air transport.
 Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt. / 01-2119539582-35-xxxx

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.025% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.025%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)		Х		
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х	·	

15.3 National regulations

United States (TSCA) Personal care exempt HMIS (Hazardous Material Information System) H = 2/F = 1/R = 0 NFPA Rating H = 2/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Hexylene glycol (CAS#107-41-5): 20 - 40%

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.025%

16. SECTION 16: OTHER INFORMATION

Revision: July 07, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Revision: 5 Page: 5/6 Date: 07/07/2023

Product: Silquat J2-2B SDS #: 3724.22

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 6/6 Date: 07/07/2023