

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1

> **Product Name** Silquat J15 Product code 3740 Chemical Name Mixture

CAS No.

588707-20-4 / 107-41-5 Alternative names (INCI) Dimethicone-PG Diethylmonium Chloride (and) Hexylene Glycol

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) Surface active agent, Fabric Softener, Additive Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

> Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 +1-416-424-3158 Fax

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534 Telephone Fax +1-905-270-5816

Emergency telephone number 1.4

Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY**

+1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Irrit. 2 Eye Irrit. 2

Label elements 2.2

Product Name Symbol

Silquat J15



Signal word(s) Hazard statement(s)

Precautionary statement(s)

Warning

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical

advice/attention.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

Other hazards 2.3 None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)	
2-methylpentane-2,4-diol	Hexylene Glycol	25 - 45	107-41-5	203-489-0	GHS07: H315, H319	

4. SECTION 4: FIRST AID MEASURES



4.3

6.2

4.1 Description of first aid measures

> Inhalation If breathing is difficult, remove victim to fresh air and keep at

> > rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water. Obtain medical attention if ill effects

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if

ill effects occur.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media None known

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures

protective equipment as required.

Avoid release to the environment.

6.3 Methods and material for containment and

Environmental precautions

cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8. 6.4 Reference to other sections

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling 7.1 Avoid contact with skin and eyes. Avoid ingestion. Use

Revision: 6 Date: 23/08/2023 Page: 2/6

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Store in a tightly closed container.

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
Hexylene Glycol	107-41-5	25				

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection Wear suitable respiratory protective equipment if processing

involves working in areas where dusts or vapours are likely

to be evolved.

Nitrile rubber, Neoprene, Rubber

Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Yellow)
Odour Characteristic odour.

Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Melting Point/Freezing Point

Not available.

Initial boiling point and boiling range

Not available.

198°C @ 760mmHg

Flash point (PMCC)

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

102°C

Not available.

Not applicable.

Not available.

Vapour pressure Not available.
Vapour density Not available.

Relative density / Specific Gravity (25°C) 0.97

Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity (25°C) 1500 cps

Explosive properties Not applicable.

Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Hexylene Glycol [LD50 (oral,rat) mg/kg: 3700]

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses eye irritation.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Not available. 12.1 **Toxicity** 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport.

14.3 Sea (IMDG) Not classified as hazardous for marine transport.

Revision: 6 Page: 4/6 Date: 23/08/2023

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt. / 01-2119539582-35-xxxx

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.05% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	✓			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply with

TSCA rules and regulations including TSCA Section 5 (Inventory

Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 2 / F = 1 / R = 0 H = 2 / F = 1 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Hexylene glycol (CAS#107-41-5): 25 - 45%

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05%

16. SECTION 16: OTHER INFORMATION

Revision: August 23, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 23/08/2023