

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier
 - Product Name Product code Chemical Name CAS No.
- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Silquat 1105B 4405 Mixture Mixture

Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

Flam. Liq. 2 Skin Irrit. 2 Eye Dam. 1 Acute Tox. 2 – Oral Acute Tox. 2 - Inhalation Acute Tox. 3 - Dermal STOT SE 2 – Eyes STOT SE 3 - Drowsiness Aquatic Chronic 2

Siltquat 1105B



H225: Highly flammable liquid and vapour.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H300: Fatal if swallowed.
H311: Toxic in contact with skin.
H330: Fatal if inhaled.
H336: May cause drowsiness or dizziness.
H371: May cause damage to organs. Eyes
H411: Toxic to aquatic life with long lasting effects.
P210: Keep away from heat, hot surfaces, sparks, open
P240: Ground/bond container and receiving

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

SDS #: 4405

	 equipment.flames and other ignition sources. No smoking. P241: Use explosion-proof electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P284: Wear respiratory protection. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P332+P313: If skin irritation occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call a POISON CENTER/doctor if you feel unwell. P362+P364: Take off contaminated clothing and wash it before reuse. P403+P235: Store in a well-ventilated place. Keep cool.
Other hazards	

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

2.4	Mixturee	
J. I	Mixtures	

2.3

Product: Silquat 1105B

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)	
Isopropyl alcohol	Isopropanol	10 - 20	67-63-0	200-661-7	GHS02, GHS07 H225, H319, H336	
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane-quaternized	coco/soya fatty acid quaternised	15 - 18	68604-75-1	614-644-0	GHS05, GHS07 H302, H315, H318, H412	
Amides, coco, N,N- bis(hydroxyethyl)	Cocamide DEA	11 - 15	68603-42-9	271-657-0	GHS05 H315, H318	
Methanol	Methyl alcohol	7 - 10	67-56-1	200-659-6	GHS02, GHS08, GHS06 H225, H301, H311, H331, H370	
2-methylpentane-2,4-diol	Hexylene Glycol	2 - 5	107-41-5	203-489-0	GHS07 H315, H319	
2,2'-iminodiethanol	Diethanol- amine	0.4 – 1	111-42-2	203-868-0	GHS08, GHS05, GHS07 H302, H315, H318, H373	
2-chloroethanol	ECH	< 2	107-07-3	203-459-7	GHS02, GHS09, GHS05, GHS06 H226, H290, H300, H310, H318, H330, H411	

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
		Obtain medical attention immediately if inhaled.
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated
		clothing. Rinse skin with water/shower. If skin irritation occurs:
		Get medical advice/attention.
	Eye Contact	If substance has got into the eyes, immediately wash out with
		plenty of water for several minutes. Get medical attention if eye
		irritation develops or persists.
	Ingestion	If swallowed, seek medical advice immediately and show this
		container or label. Do NOT induce vomiting.
4.2	Most important symptoms and effects, both	Causes skin irritation. Causes serious eye damage. May cause
	acute and delayed	drowsiness.
4.3	Indication of any immediate medical	Treat symptomatically.
	attention and special treatment needed	

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. Unsuitable Extinguishing Media Do not use water jet. 5.2 Special hazards arising from the substance or Silicon Dioxide, carbon oxides, incompletely burned carbon mixture compounds, formaldehyde. Advice for fire-fighters A self contained breathing apparatus and suitable protective 5.3 clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear suitable respiratory protection. Remove all ignition sources.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
7.2	Conditions for safe storage, including any	Store in a tightly closed container. Keep away from flames
	incompatibilities	and hot surfaces.
	Storage Temperature	Ambient
	Storage Life	Stable under normal conditions.
	Incompatible materials	Oxidizing agents, Acids, Alkaline, Peroxides
7.3	Specific end use(s)	Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr	LTEL (8 hr			
SUBSTANCE	CAS No.	TWA ppm)	TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note
Isopropyl alcohol	67-63-0	200	492	400	983	
Methanol	67-56-1	200	260	250		
Hexylene Glycol	107-41-5	25	125			
Diethanolamine	111-42-2		10			
2-Chloroethanol	107-07-3	1	3	1	3	

8.1.2 Biological limit value

- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

8.2.3 Environmental Exposure Controls

Not established

Not established

Provide adequate ventilation if fumes or vapours are likely to be evolved to ensure that the defined occupational exposure limit is not exceeded.

Wear protective eyewear (goggles, face shield, or safety glasses).

Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are recommended).

Use NIOSH approved respiratory protection.

Highly Flammable Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Coloured liquid (Blue) Characteristic odour. Not available. Not available. Not available. Not available. 12°C Not available. Not applicable. Not available. Not available. Not available. 0.94 Dispersible in water. Not available. Not available. Not available. Not available. Not available. Not available.

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	May form explosive mixtures with air.
10.4	Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5	Incompatible materials	Oxidizing agents. Acids. Alkaline. Peroxides. Rubber, plastic, metal, Halogens
10.6	Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity Ingestion Fatal if swallowed. Inhalation Fatal if inhaled. Skin Contact Toxic by inhalation and in contact with skin. Eve Contact Causes serious eye damage. **Effects and Symptoms** skin corrosion/irritation Causes skin irritation. Causes serious eye damage. Serious eye damage/irritation Respiratory or skin sensitization Fatal if inhaled. Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Vapours may cause drowsiness and dizziness. Can cause damage to the eyes. STOT - repeated exposure Not classified. Aspiration hazard Not classified **Delayed and chronic effects** Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Calculated acute toxicity estimate (ATE)

- 12.1 Toxicity
- 12.2 Persistence and degradability12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Not available. Not available. Not available. Not available. Not available.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not empty into drains; dispose of this material and its
		container in a safe way.
13.2	Additional Information	Dispose of contents in accordance with local, state or
		national legislation.

14. SECTION 14: TRANSPORT INFORMATION

- 14.1 UN number
- **14.2** UN proper shipping name
- 14.3 Class

1992

Not available

FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol Solution) 3(6.1) Packing group II

SDS #: 4405

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Not available.

Candidate List of SubstancesPossible trace amounts of:of Very High Concern forOctamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%</td>AuthorisationDecamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%</td>Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%</td>

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	\checkmark		\checkmark	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

H = 3/F = 3/R = 0H = 3/F = 3/R = 0

Methanol (CAS# 67-56-1): 7 - 10%

Diethanolamine (CAS# 111-42-2): 0.4 - 1.0%

Isopropanol (CAS# 67-63-0): 10 – 20% Methanol (CAS# 67-56-1): 7 – 10% Hexylene Glycol (CAS# 107-41-5): 2 - 5% 2-Chloroethanol (CAS# 107-07-3): < 2% Diethanolamine (CAS# 111-42-2): 0.4 – 1.0% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: June 22, 2023

LEGEND	
LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H225: Highly flammable liquid and vapour.

- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H300: Fatal if swallowed.
- H311: Toxic in contact with skin.
- H330: Fatal if inhaled.
- H336: May cause drowsiness or dizziness.
- H371: May cause damage to organs.
- H401: Toxic to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P240: Ground/bond container and receiving equipment.
- P241: Use explosion-proof electrical/ventilating/lighting/equipment.
- P242: Use only non-sparking tools.
- P243: Take precautionary measures against static discharge.
- P260: Do not breathe dust/fume/gas/mist/vapours/spray.
- P264: Wash hands and exposed skin thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well-ventilated area.
- P273: Avoid release to the environment.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P284: Wear respiratory protection.
- Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.