

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier
 - Product Name Product code Chemical Name CAS No.
- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Silquat 3452

4453 Mixture 588707-20-4 / 68603-42-9 / 68604-75-1 / 107-41-5 / 111-76-2 / 57-55-6

Coatings None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Acute Tox. 4 – Oral Acute Tox. 4 – Inhalation Acute Tox. 4 – Dermal Skin Irrit. 2 Eye Irrit. 2

Silquat 3452



WARNING

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled H315: Causes skin irritation. H319: Causes serious eye irritation. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms continue, get medical attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If swallowed, seek medical advice immediately and show this

May cause irritation to skin, eyes and respiratory system.

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2-Methyl-2,4-pentanediol	Hexylene glycol	10 - 25	107-41-5	203-489-0	GHS07 : H315, H319
2-butoxyethanol	Glycol ether EB	2 - 5	111-76-2	203-905-0	GHS07 : H227, H302, H312, H332, H315, H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

Skin Contact

Eye Contact

Ingestion

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

occurs: Get medical advice/attention.

container or label. Do NOT induce vomiting.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. Unsuitable Extinguishing Media None known 5.2 Special hazards arising from the substance or Silicon Dioxide, carbon oxides, incompletely burned carbon mixture compounds, formaldehyde. 5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Product: Silquat 3452

SDS #: 4453

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2 6.3	Environmental precautions Methods and material for containment and	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert
6.4	cleaning up Reference to other sections	absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

7.2 Conditions for safe storage, including any incompatibilities
 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

Ambient Stable under normal conditions. Oxidizing agents, Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
						Can be
2-Butoxyethanol	111-76-2	20	240			absorbed
						through skin.

8.1.2 Biological limit value

8.1.3 PNECs and DNELs

- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards 8.2.3 Environmental Exposure Controls Not established

Not established

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Wear impervious gloves (EN374).

In case of inadequate ventilation wear respiratory protection. In order to avoid the inhalation from spray and abrasive dust, all spray and grinding works must be carried out with suitable respirator.

None. Avoid release to the environment.

Product: Silquat 3452

SDS #: 4453

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Colourless to yellowish liquid. Faint Not available. 3.5 - 6.5Not available. >100°C @ 760mmHg >100°C Not available. Not applicable. Not available. Not available. Not available. 0.95 Soluble - Dispersible in water. Not available. Not available. Not available. Not available. Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Keep away from oxidisers, heat, flames or ignition sources. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity
 - Ingestion Inhalation Skin Contact Eye Contact
 - Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

May be harmful if swallowed. May be harmful if inhaled. May be harmful in contact with skin. Causes eye irritation.

Causes skin irritation. Causes eye irritation. Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

Not available. Not available. Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silquat 3452

- 12.3 **Bioaccumulative potential** Mobility in soil
- 12.4
- **Results of PBT and VPVB assessment** 12.5
- Other adverse effects 12.6

Not available. Not available. Not available. None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

- Waste treatment methods 13.1
- 13.2 **Additional Information**

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

- 14.1 DOT / TDG / Road/Rail (ADR/RID)
- 14.2 Air (ICAO/IATA)
- 14.3 Sea (IMDG)

Not classified as hazardous for road transport. Not classified as hazardous for rail transport. Not classified as hazardous for air transport. Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 **EU** regulations **REACH Registration No.**

Polymer exempt / Not available

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.05% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	\checkmark		\checkmark	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 **US State Regulations**

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 2/F = 1/R = 0

H = 2/F = 1/R = 0

None known.

None known.

Hexylene glycol (CAS#107-41-5) : 10 - 25% 2-Butoxyethanol (CAS# 111-76-2) 2 - 5% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05% Product: Silquat 3452

SDS #: 4453

16. SECTION 16: OTHER INFORMATION

Revision: August 24, 2023

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.