

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No. Silquat 3180

4480 Siloxanes and silicones, 3-[3-(diethylmethylammonio)-2hydroxypropoxy]propyl Me, di-Me, chlorides 588707-20-4 / 107-41-5

Surface active agent , Fabric Softener, Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

## 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Irrit. 2 Eye Irrit. 2

Silquat 3180



Warning

H315: Causes skin irritation.
H319: Causes serious eye irritation.
P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container

Product: Silquat 3180

SDS #: 4480

tightly closed. P501: Dispose of contents/container to:Observe Local Regulations.

#### 2.3 Other hazards

None known

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2-methylpentane-2,4-diol	Hexylene Glycol	25 - 35	107-41-5	203-489-0	GHS07: H315, H319

## 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
	Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water. Obtain medical attention if ill effects occur.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention if ill effects occur.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

## 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and	Avoid contact with skin, eyes or clothing. Use personal		
	emergency procedures	protective equipment as required.		
6.2	Environmental precautions	Avoid release to the environment.		
6.3	Methods and material for containment and			
	cleaning up	absorbent material. Transfer to a container for disposal.		
6.4	Reference to other sections	See Section: 7 & 8.		

#### 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities
   Storage Temperature
   Storage Life
   Incompatible materials

   7.3 Specific end use(s)

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

Ambient Stable under normal conditions. Oxidizing agents Industrial use

#### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

;	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Ν	lone assigned						
8.1.2	Biological limit v	value		Not established			
8.1.3	PNECs and DNE	Ls		Not established			
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection			Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety			
				glasses).			
	Skin protection (Hand protection/ Other)		,	Wear suitable gloves Nitrile rubber, Neopre			is likely.
	Respiratory prote	ction		Wear suitable respira involves working in ar to be evolved.		• •	•
8.2.3	Thermal hazards Environmental E	Exposure Contr		None. Avoid release to the e	environmen	ıt.	

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

 9.1
 Information on basic physical and chemical properties

 Appearance
 Coloured liquid (Yellow / hazy)

 Odour
 Characteristic odour.

 Odour Threshold
 Not available.

 pH
 Not available.

 Melting Point/Freezing Point
 Not available.

 Initial boiling point and boiling range
 198°C @ 760mmHg

Flash point (PMCC)

102°C

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

#### Product: Silquat 3180

- Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties
- Not available. Not applicable. Not available. Not available. Not available. 0.97 Dispersible in water. Not available. Not available. Not available. Not available. Not applicable. Not applicable.

## **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- **Chemical stability** 10.2
- Possibility of hazardous reactions 10.3
- 10.4 Conditions to avoid
- Incompatible materials 10.5
- 10.6 Hazardous Decomposition Product(s)

### Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## **11. SECTION 11: TOXICOLOGICAL INFORMATION**

- 11.1 Information on toxicological effects
  - Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

Low toxicity under normal conditions of handling and use. Mist may cause irritation. May cause irritation May cause irritation

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard **Delayed and chronic effects** Calculated acute toxicity estimate (ATE) Causes skin irritation.

Causes eye irritation. Not classified Not available Not available

### **12. SECTION 12: ECOLOGICAL INFORMATION**

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 **Bioaccumulative potential**
- 12.4 Mobility in soil
- 12.5 **Results of PBT and VPVB assessment**
- 12.6 Other adverse effects

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 **Additional Information**

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

Not available. Not available. Not available. Not available. None known

Not available.

#### Product: Silquat 3180

SDS #: 4480

14. 0	14. SECTION 14. TRANSPORT IN ORMATION				
14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport.			
		Not classified as hazardous for rail transport.			
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.			
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.			

## **15. SECTION 15: REGULATORY INFORMATION**

14 SECTION 14. TRANSPORT INFORMATION

15.1 EU regulations

```
REACH Registration No.
```

Polymer exempt. / 01-2119539582-35-xxxx

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.05% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

#### International Inventories 15.2

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			$\checkmark$	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	$\checkmark$			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

#### National regulations 15.3

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

#### 15.4 US State Regulations

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 2 / F = 1 / R = 0H = 2/F = 1/R = 0

None known.

None known.

Hexylene glycol (CAS#107-41-5): 25 - 35% Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.05%

## **16. SECTION 16: OTHER INFORMATION**

Revision: August 24, 2023

#### LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity

### Product: Silquat 3180

SDS #: 4480

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT Persistent, Bioaccumulative and Toxic

vPvB very Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol



#### Additional Information

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.