

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silamine C-100

Product code 4861 Chemical Name Mixture

CAS No. 182700-78-3 / 7732-18-5 Alternative names (INCI) PEG-8 Amodimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

An intermediate chemical product.

Additive, Surface active agent

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Irrit. 2 Eye Irrit. 2 Repr. 2

2.2 Label elements

Product Name Symbol Silamine C-100





Signal word(s)

Precautionary statement(s)

Hazard statement(s) H315: Causes skin irritation.

H361f: Suspected

H319: Causes serious eye irritation. H361f: Suspected of damaging fertility. P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P264: Wash hands and exposed skin thoroughly after

nandling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical

advice/attention.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to:Observe Local

Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, 3-[(3- aminopropyl)amino]propyl Me, di-Me, 3-hydroxypropyl Me, ethoxylated, [(hydroxydimethylsilyl)oxy]- terminated	PEG-8 Amodi- methicone	45 - 55	182700-78-3	Polymer exempt	GHS07 H315, H319
Octamethylcyclotetrasiloxane	D4	0.1 – 0.5	556-67-2	209-136-7	GHS02, GHS08 H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water. Obtain medical attention if ill effects

occur.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if

ill effects occur.

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

Revision: 5 Page: 2/6 Date: 24/02/2022

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures

protective equipment as required. Avoid release to the environment.

6.2 **Environmental precautions** 6.3

Methods and material for containment and

cleaning up Reference to other sections Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Ambient

7.2 Conditions for safe storage, including any

incompatibilities

6.4

7.3

8.2.2

Store in a tightly closed container.

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 **PNECs and DNELs** Not established

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls

> Personal protection equipment Eye/face protection

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely. Nitrile rubber, Neoprene, Rubber

Respiratory protection Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely

to be evolved.

Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Characteristic odour. Not available. Odour Threshold

Revision: 5 Page: 3/6 Date: 24/02/2022

8 Hq

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Not available. Upper/lower flammability or explosive limits Not available. Vapour pressure Vapour density Not available. Relative density / Specific Gravity (25°C) Not available. Solubility(ies) Soluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity (25°C) 50 - 200 cps Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

InhalationMist may cause irritation.Skin ContactMay cause irritationEye ContactMay cause irritation

Effects and Symptoms

 skin corrosion/irritation
 Causes skin irritation.

 Serious eye damage/irritation
 Causes eye irritation.

 Respiratory or skin sensitization
 Not classified

 Germ cell mutagenicity
 Not classified

 Carcinogenicity
 Not classified

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Not available
Calculated acute toxicity estimate (ATE)
Not classified
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Harmful to aquatic life with long lasting effects.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

Revision: 5 Page: 4/6 Date: 24/02/2022

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport. Not classified as hazardous for air transport.

14.2 Air (ICAO/IATA)
 14.3 Sea (IMDG)
 Not classified as hazardous for air transport.
 Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.1 – 0.5%

for Authorisation Decamethylcyclopentasiloxane (CAS# 541-02-6)

0.1 – 0.5% Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Dodecamethylcyclonexasiloxane (CAS# 540-97-6)

0.1 - 0.5%

1,4-Dioxane (CAS# 123-91-1) < 2 ppm

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		r-ICL
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	✓			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules). Personal Care exempt.

HMIS (Hazardous Material Information System) H = 2/F = 1/R = 0

NFPA Rating

H = 2/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 2 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 2 ppm 1,4-Dioxane (CAS# 123-91-1) < 2 ppm

Revision: 5 Page: 5/6 Date: 24/02/2022

15.4.3 State Right to Know Lists

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2)

0.1 - 0.5%

Ethylene Oxide (CAS# 75-21-8) < 2 ppm 1,4-Dioxane (CAS# 123-91-1) < 2 ppm

16. SECTION 16: OTHER INFORMATION

Revision: February 24, 2022

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H361f: Suspected of damaging fertility.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

Hazard pictogram(s) and Hazard Symbol





Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 6/6 Date: 24/02/2022