

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1

> **Product Name** Silwax F Product code 5702 **Chemical Name** Mixture

CAS No. 70131-67-8 / 647-42-7 / 57-11-4 / 68783-41-5 Alternative names (INCI) Dimethiconol Fluoroalcohol Dilinoleic Acid

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products PC24 Lubricants, greases, release products

Uses advised against None known

Details of the supplier of the Safety Data Sheet 1.3

Siltech Corp Company Identification

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 +1-416-424-3158 Fax

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 +1-905-270-5816 Fax

1.4 **Emergency telephone number**

Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY**

+1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements

> **Product Name** Symbol

Repr. 2

Silwax F



Signal word(s)

H361f: Suspected of damaging fertility. Hazard statement(s) P201: Obtain special instructions before use. Precautionary statement(s)

P202: Do not handle until all safety precautions have been

read and understood.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

Product: Silwax F SDS #: 5702

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
3,3,4,4,5,5,6,6,7,7,8,8,8- tridecafluorooctan-1-ol		5- 10	647-42-7	211-477-1	GHS07: H302
Octamethylcyclotetra- siloxane	D4	< 0.5	556-67-2	209-136-7	GHS02, GHS08 , GHS09 H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation Remove victim to fresh air and keep comfortable for breathing. Skin Contact

IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water. Obtain medical

attention if ill effects occur.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if ill

effects occur.

Ingestion If swallowed, seek medical advice immediately and show this

Not available.

container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

6.2

6.4

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

A self contained breathing apparatus and suitable protective 5.3 Advice for fire-fighters

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures **Environmental precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

Reference to other sections

See Section: 7 & 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.

Product: Silwax F SDS #: 5702

7.2 Conditions for safe storage, including any

Store in a tightly closed container.

incompatibilities

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety

glasses).

Provide adequate ventilation.

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards None

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance wax / paste (Off-white)

Odour
Odour Faint.
Odour Threshold
PH
Not available.
Melting Point/Freezing Point
Melting Point/Freezing Point
Mot available.
Not available.
Flash point (PMCC)
Evaporation rate
Faint.
Not available.
Not available.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Not available.

Not available.

Not available.

Relative density / Specific Gravity (25°C) 1.07

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Insoluble in water.

Not available.

Not available.

Not available.

Product: Silwax F SDS #: 5702

Viscosity (25°C)

Explosive properties

Oxidising properties

Not applicable.

Not applicable.

Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion may cause irritation of the gastrointestinal tract.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

skin corrosion/irritationNot classifiedSerious eye damage/irritationNot classifiedRespiratory or skin sensitizationNot classifiedGerm cell mutagenicityNot classifiedCarcinogenicityNot classified

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)
Not classified
Not available
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
12.5 Results of PBT and VPVB assessment
12.6 Other adverse effects
Not available.
Not available.
Not available.
None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport.

14.3 Sea (IMDG) Marine Pollutant

Revision: 6 Page: 4/6 Date: 16/06/2023

Product: Silwax F SDS #: 5702

3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE. UN proper shipping name

LIQUID, N.O.S.

Transport hazard class(es)

Packing group III Ш

15. SECTION 15: REGULATORY INFORMATION

15.1 **EU** regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.5% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.5% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.5%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	√			
Philippines (PICCS)	✓			

15.3 **National regulations**

United States (TSCA) TSCA Inventory Status: All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 1/F = 1/R = 0H = 1/F = 1/R = 0

US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.5%

16. SECTION 16: OTHER INFORMATION

Revision: June 16, 2023

LEGEND

LTEL Long Term Exposure Limit **STEL** Short Term Exposure Limit STOT Specific Target Organ Toxicity DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

Revision: 6 Date: 16/06/2023 Page: 5/6

Product: Silwax F SDS #: 5702

Hazard statement(s) and Precautionary statement(s)

H361f: Suspected of damaging fertility.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 16/06/2023