

## SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer NCO Di-100

Product code 576

Chemical Name Siloxanes and Silicones, di-Me, 3-[[[4-[(4-isocyanantocyclohexyl)

methyl]cyclohexyl] amino] carbonyl] oxy] propyl group terminated

CAS No. 1411848-76-4 / 5124-30-1

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)intermediate useUses advised againstNone known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute Tox. 3 - Inhalation

Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Resp. Sens. 1

STOT SE 3 - Respiratory system

2.2 Label elements

Product Name Silmer NCO Di-100

Symbol

Hazard statement(s)



Signal word(s) Danger

H331: Toxic if inhaled. H315: Causes skin irritation.

> H319: Causes serious eye irritation. H317: May cause an allergic skin reaction.

H334: May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335: May cause respiratory irritation.

Precautionary statement(s) P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after

nandling.

P271: Use only outdoors or in a well-ventilated area.
P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P285: In case of inadequate ventilation wear respiratory protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.
None known

2.3 Other hazards

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, 3-[[[4-[(4- isocyanantocyclohexyl)methyl] cyclohexyl] amino] carbonyl] oxy] propyl group terminated	Isocyante functional silicone	95 - 99	1411848-76-4	Not applicable	GHS07 : H315
dicyclohexylmethane-4,4'-di- isocyanate	HMDI	1 - 5	5124-30-1	225-863-2	GHS06, GHS08 H315, H319, H317 H331, H334, H335

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

Skin Contact

Eye Contact

Ingestion

4.2

Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms continue, get medical attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention.

If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

May cause irritation to skin, eyes and respiratory system. May cause sensitization by inhalation and skin contact.

Treat symptomatically.

Revision: 4 Page: 2/6 Date: 11/08/2022

### 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal emergency procedures protective equipment as required.

6.2 **Environmental precautions** Avoid release to the environment.

6.3 Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert

cleaning up absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

## 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life

Incompatible materials

7.3 Specific end use(s) Store in a tightly closed container. Do not allow product to

come into contact with water or moisture.

Ambient

Stable under normal conditions.

Oxidizing agents, Reacts with moisture.

Industrial use

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters 8.1

#### 8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dicyclohexylmethane-4,4'- Diisocyanate	5124-30-1	0.005				ACGIH

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 **Exposure controls** 

Appropriate engineering controls 8.2.1

8.2.2 Personal protection equipment

Eye/face protection

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.

Nitrile rubber, Butyl rubber

Respiratory protection In case of inadequate ventilation wear respiratory protection.

Revision: 4 Date: 11/08/2022 Page: 3/6



In order to avoid the inhalation from spray and abrasive dust, all spray and grinding works must be carried out with

suitable respirator.

Thermal hazards None.

**8.2.3 Environmental Exposure Controls** Avoid release to the environment.

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance Colourless liquid.
Odour Almost odourless.
Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.

Relative density / Specific Gravity (25°C) 0.98

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Reacts with moisture.

Not available.

Not available.

1000 - 5000 cps

Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. Reacts with moist air or

water.

Not applicable.

10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Stable under normal conditions.
 10.5 Reacts with heat and moisture.

10.4 Conditions to avoid Do not allow product to come into contact with water or

moisture.

10.5 Incompatible materials Oxidizing agents. Sensitive to heat and moisture.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity

Oxidising properties

Ingestion May be harmful if swallowed.

InhalationToxic if inhaled.Skin ContactCauses skin irritation.Eye ContactCauses eye irritation.

**Effects and Symptoms** 

skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses eye irritation.

Respiratory or skin sensitization May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Not classified
Not classified
Not classified

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Not classified

Aspiration hazard

Delayed and chronic effects

Calculated acute toxicity estimate (ATE)

Not classified
Not available
Not available

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Not available. 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

#### 14. SECTION 14: TRANSPORT INFORMATION

**14.1** UN No. 2206

14.2 Proper Shipping Name Isocyanate solutions, toxic, n.o.s (Isocyanate-terminated

silicone polymer)

14.3 Class 6.1 Packing group III

### 15. SECTION 15: REGULATORY INFORMATION

### 15.1 EU regulations

REACH Registration No. Polymer exempt / Not available

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Contains: 4,4'-methylenedi(cyclohexyl isocyanate) (EC# 225-863-2)

1 – 5%

#### 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)		Х		
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

## 15.3 National regulations

United States (TSCA)

This product is for R&D purposes only.

HMIS (Hazardous Material Information System) H = 3 / F = 1 / R = 1NFPA Rating H = 3 / F = 1 / R = 1

## 15.4 US State Regulations

Revision: 4 Page: 5/6 Date: 11/08/2022

**15.5.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.5.3 State Right to Know Lists

None known.

None known.

METHYLENE BIS(4-CYCLOHEXYLISOCYANATE) (CAS#

5124-30-1) 1 - 5%

#### 16. SECTION 16: OTHER INFORMATION

Revision: August 11, 2022

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVB Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

H331: Toxic if inhaled.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P285: In case of inadequate ventilation wear respiratory protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 ${\sf P342+P311:}\ If\ experiencing\ respiratory\ symptoms:\ Call\ a\ POISON\ CENTER/doctor.$ 

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

### Hazard pictogram(s) and Hazard Symbol



#### **Additional Information**

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 4 Page: 6/6 Date: 11/08/2022