

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

**1.4 Emergency telephone number** Emergency Phone No. Silmer OH ACR Di-50 5880.15 Siloxanes and Silicones, di-Me, 3-[2-(hydroxy-3-[(1oxo-2-propenyl)oxy]propoxy]propyl group-terminated 125455-52-9

An intermediate chemical product. None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol Skin Sens. 1 Aquatic Chronic 3

Silmer OH ACR Di-50



#### Warning

H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention P363: Wash contaminated clothing before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations.

Signal word(s) Hazard statement(s)

Precautionary statement(s)

2.3 Other hazards

None known

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, 3- [2-(hydroxy-3-[(1-oxo-2- propenyl)oxy] propoxy]propyl group-terminated		>99	125455-52-9	Not applicable	GHS07 : H317
4-methoxyphenol	mequinol	< 0.12	150-76-5	205-769-8	GHS07 H302, H317,H319

### 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Remove persons affected by vapour to fresh air.
	Skin Contact	Remove contaminated clothing immediately and wash affected skin with plenty of water. Seek medical attention if irritation persists.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Seek medical attention if irritation persists.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.
4.2	Most important symptoms and effects, both	Repeated and/or prolonged contact may cause skin

sensitisation.

Treat symptomatically.

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

### 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

### 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after

SDS #: 5880.15

handling. General hygiene measures for the handling of chemicals are applicable. Wear impervious gloves (EN374). Store in a tightly closed container.

- 7.2 Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials
- Specific end use(s) 7.3

Ambient Stable under normal conditions. Oxidizing agents Industrial use

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits** 

		LTEL (8 hr	LTEL (8 hr	STEL	STEL	
SUBSTANCE	CAS No.	TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	Note
mequinol	150-76-5		5			NIOSH/ACGIH
Chromium (III) Acetate	1066-30-4		0.5			as Cr

#### 8.1.2 Biological limit value

- 8.1.3 PNECs and DNELs
- 8.2 **Exposure controls**
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

8.2.3 Environmental Exposure Controls

Not established

Not established

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Gloves that are impervious to the new chemical substance are required.

Use NIOSH approved respiratory protection. APF > 50 , in accordance with 29 CFR 1910.134

None. Avoid release to the environment.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical
  - properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies)

Coloured liquid. Characteristic odour. Not available. Not available. Not available. Not available. >100°C Not available. Not applicable. Not available. Not available. Not available. Not available. Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

#### Product: Silmer OH ACR Di-50

Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties

## **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

SDS #: 5880.15

Not available. Not available. 200 cps Not applicable. Not applicable.

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

### **11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects Acute toxicity Ingestion

> Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) Low oral toxicity, but ingestion may cause irritation of the gastrointestinal tract. May cause irritation. May cause irritation. May cause irritation.

Not classified Not classified Repeated and/or prolonged contact may cause skin sensitisation. Not classified Not classified May cause adverse reproductive effects. May cause irritation to eyes, skin and air passages. Not classified Not classified Not available Not available

Harmful to aquatic life with long lasting effects.

#### **12. SECTION 12: ECOLOGICAL INFORMATION**

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID)

Not classified as hazardous for road transport. Not classified as hazardous for rail transport.

Not available.

Not available.

Not available.

Not available.

None known

SDS #: 5880.15

14.2 Air (ICAO/IATA)

14.3 Sea (IMDG)

Not classified as hazardous for air transport. Not classified as hazardous for marine transport.

### **15. SECTION 15: REGULATORY INFORMATION**

#### 15.1 EU regulations

REACH Registration No.	Polymer exempt.
Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Contains:

4-methoxyphenol (CAS# 150-76-5) < 0.12% Chromium (III) Acetate (CAS#1066-30-4) < 0.09%

#### 15.2 International Inventories

ories	Country	Listed	Not listed	Polymer exempt	Other
	United States (TSCA)		Х		*
	Canada (DSL/NDSL)		Х		
	European Union (EINECS/ELINCS)			$\checkmark$	
	Australia (AICS)		Х		
	China (IECSC)	$\checkmark$			
	Japan (ENCS)		Х		
	South Korea (KECI)	$\checkmark$			
	Taiwan (TCSI)	$\checkmark$			
	New Zealand (NZIoC)	$\checkmark$			
	Philippines (PICCS)		Х		

### 15.3 National regulations

HMIS (Hazardous Material Information System)

#### 15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- **15.4.3** State Right to Know Lists

H = 1 / F = 1 / R = 0 H = 1 / F = 1 / R = 0

None known.

None known.

4-methoxyphenol (CAS# 150-76-5) < 0.12% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Chromium (III) Acetate (CAS#1066-30-4) < 0.09%

### **16. SECTION 16: OTHER INFORMATION**

Revision: December 07, 2022

#### LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

#### Hazard pictogram(s) and Hazard Symbol



#### Additional Information

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.