

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name

CAS No.

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)
Uses advised against

1.3 Details of the supplier of the Safety Data Sheet

Company Identification

Telephone Fax

E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number

Emergency Phone No.

Silmer OH ACR Di-100

5882.15

Siloxanes and Silicones, di-Me, 3-[2-(hydroxy-3-[(1-oxo-2-propenyl)oxy]propoxy]propyl group-terminated

125455-52-9

An intermediate chemical product.

None known

Siltech Corp 225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

+1-416-424-4567 +1-416-424-3158

marsha.carter@siltech.com

Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements

Product Name Symbol

Signal word(s)
Hazard statement(s)

Precautionary statement(s)

Skin Sens. 1 Aquatic Chronic 3

Silmer OH ACR Di-100



Warning

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed

out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

Product: Silmer OH ACR Di-100 SDS #: 5882.15

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di- Me, 3-[2-(hydroxy-3-[(1-oxo-2- propenyl)oxy] propoxy]propyl group-terminated		>99	125455-52-9	Not applicable	GHS07 : H317
4-methoxyphenol	mequinol	< 0.15	150-76-5	205-769-8	GHS07 H302, H317,H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with plenty of water. Seek medical attention if irritation

persists.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Seek medical attention if

irritation persists.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

Repeated and/or prolonged contact may cause skin sensitisation.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 **Environmental precautions** Avoid release to the environment.

Methods and material for containment and 6.3 cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after

Revision: 8 Date: 07/12/2022 Page: 2/6

Product: Silmer OH ACR Di-100 SDS #: 5882.15

handling. General hygiene measures for the handling of

chemicals are applicable. Wear impervious gloves (EN374). Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Storage Life Stable under normal conditions. Incompatible materials Oxidizing agents

Specific end use(s) 7.3 Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	TWA mg/m³)	(ppm)	(mg/m³)	Note
mequinol	150-76-5		5			NIOSH/ACGIH

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Eye/face protection

Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).

Respiratory protection Use NIOSH approved respiratory protection. APF > 50, in accordance with 29 CFR 1910.134



Thermal hazards

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid. Odour Characteristic odour.

Odour Threshold Not available. Not available. Melting Point/Freezing Point Not available. Initial boiling point and boiling range Not available. Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available.

Not available. Vapour density Relative density / Specific Gravity (25°C) Not available. Solubility(ies) Not available. Partition coefficient: n-octanol/water Not available.

Revision: 8 Page: 3/6 Date: 07/12/2022

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer OH ACR Di-100 SDS #: 5882.15

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Not available.

Not applicable.

Not applicable.

Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Inhalation

Ingestion Low oral toxicity, but ingestion may cause irritation of the

gastrointestinal tract.
May cause irritation.

Skin Contact May cause irritation.
Eye Contact May cause irritation.

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

Respiratory or skin sensitization Repeated and/or prolonged contact may cause skin

sensitis at ion.

Germ cell mutagenicity

Carcinogenicity

Not classified
Not classified

Reproductive toxicity May cause adverse reproductive effects.

STOT - single exposure May cause irritation to eyes, skin and air passages.

STOT - repeated exposure

Aspiration hazard

Delayed and chronic effects

Calculated acute toxicity estimate (ATE)

Not classified

Not available

Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
12.5 Results of PBT and VPVB assessment
12.6 Other adverse effects
Not available.
Not available.
Not available.
None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Revision: 8 Page: 4/6 Date: 07/12/2022

Product: Silmer OH ACR Di-100 SDS #: 5882.15

14.2 Air (ICAO/IATA)
 14.3 Sea (IMDG)
 Not classified as hazardous for air transport.
 Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Contains: 4-methoxyphenol (CAS# 150-76-5) < 0.15%

1-methylimidazole (CAS#616-47-7) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		*
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)			✓	
Australia (AICS)		Х		
China (IECSC)	✓			
Japan (ENCS)		Х		
South Korea (KECI)	✓			
Taiwan (TCSI)	√			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Χ		

15.3 National regulations

HMIS (Hazardous Material Information System)

NFPA Rating

EPA

H = 1 / F = 1 / R = 0

H = 1 / F = 1 / R = 0

The following hazards were identified based on EPA's

assessment, but are not GHS classifiable:

Skin irritation, Eye irritation, Respiratory sensitization, Skin sensitization, Reproductive toxicity, Specfic target organ

toxicity

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

4-methoxyphenol (CAS# 150-76-5) < 0.15%

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: December 07, 2022

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity

Revision: 8 Page: 5/6 Date: 07/12/2022

Product: Silmer OH ACR Di-100 SDS #: 5882.15

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 8 Page: 6/6 Date: 07/12/2022