

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Siltech 105
Product code 6028
Chemical Name Mixture

CAS No. 541-02-6 / 70131-67-8

Alternative names (INCI) Cyclopentasiloxane (and) Dimethiconol

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Surface active agent

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4

2.2 Label elements

Product Name Siltech 105
Symbol NONE
Signal word(s) Warning

Hazard statement(s) H227: Combustible liquid.

Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards Vapour may create explosive atmosphere.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

| Hazardous ingredient(s) | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) |
|------------------------------|------------|--------|----------|-----------|--|
| Decamethylcyclopentasiloxane | D5 | > 60.0 | 541-02-6 | 208-764-9 | H227 |
| Octamethylcyclotetrasiloxane | D4 | < 0.1 | 556-67-2 | 209-136-7 | GHS02, GHS08, GHS09 H226, H361f, H410 |

Product: Siltech 105 SDS #: 6028

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation Remove person to fresh air and keep comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3

Advice for fire-fighters

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate sources of

ianition. Avoid release to the environment.

6.2 **Environmental precautions**

Methods and material for containment and 6.3

cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Ground/bond container and

Store in a tightly closed container. Keep away from flames

receiving equipment.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life

Incompatible materials

Stable under normal conditions.

and hot surfaces.

Oxidizing agents

Ambient

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

| | | LTEL (8 hr TWA | LTEL (8 hr TWA | STEL | STEL | |
|---------------|---------|----------------|----------------|-------|---------|------|
| SUBSTANCE | CAS No. | ppm) | mg/m³) | (ppm) | (mg/m³) | Note |
| None assigned | | | | | | |

Revision: 4 Page: 2/6 Date: 02/05/2023 Product: Siltech 105 SDS #: 6028

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards Combustible liquid

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid.

Odour Faint.

Odour Threshold Not available.

pH Not available.

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range 211°C @ 760mmHg

Flash point (PMCC) 77°C Evaporation rate < 1

Flammability (solid, gas) Not applicable. Not available. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Relative density / Specific Gravity (25°C) Not available. Insoluble in water. Solubility(ies) Partition coefficient: n-octanol/water Not available. Not available. Auto-ignition temperature Decomposition Temperature Not available. Viscosity (25°C) 5000-8000 cps Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity
 10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Stable under normal conditions.
 10.5 May form explosive mixtures with air.

10.4 Conditions to avoid Keep away from fire, sparks and heated surfaces.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Product: Siltech 105 SDS #: 6028

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

 Ingestion
 D5: LD50 (oral, rabbit) mg/kg: >5000

 Inhalation
 D5: LC50 (inhalation,rat) mg/l/4h: > 5000

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

skin corrosion/irritation Not classified

Serious eye damage/irritation Mild irritant to rabbit eyes.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability Not available.

12.3 Bioaccumulative potential Identified as a vPvB according to REACH Annex XIII.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 TDG / Road/Rail (ADR/RID)
 14.2 Air (ICAO/IATA)
 Not classified as dangerous for transport.
 Not classified as hazardous for air transport.

14.3 Sea (IMDG) Not classified as hazardous for marine transport.

4.4 DOT / CFR (US Department of Transportation) (Applicable only to containers > 119 gallons or 450 L)

DOT Proper Shipping Name

Combustible liquid, N.O.S. (Decamethylcyclopentasiloxane

solution)

Class 3 Packing group III

UN number 1993

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Candidate List of Substances of Very High Concern

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Revision: 4 Page: 4/6 Date: 02/05/2023

Product: Siltech 105 SDS #: 6028

15.2 International Inventories

| | | Not | Polymer | |
|--------------------------------|---------|--------|---------|-------|
| Country | Listed | listed | exempt | Other |
| United States (TSCA) | Active√ | | | |
| Canada (DSL/NDSL) | DSL√ | | | |
| European Union (EINECS/ELINCS) | ✓ | | ✓ | |
| Australia (AICS) | ✓ | | | |
| China (IECSC) | ✓ | | | |
| Japan (ENCS) | ✓ | | | |
| South Korea (KECI) | ✓ | | | |
| Taiwan (TCSI) | ✓ | | | |
| New Zealand (NZIoC) | ✓ | | | |
| Philippines (PICCS) | ✓ | | | |
| | | | | |

15.3 **National regulations**

United States (TSCA) TSCA Inventory Status: All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 1 / F = 2 / R = 0

H = 1/F = 2/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

None known.

None known.

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: May 02, 2023

LEGEND

LTEL Long Term Exposure Limit STEL Short Term Exposure Limit STOT Specific Target Organ Toxicity DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Revision: 4 Page: 5/6 Date: 02/05/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech 105 SDS #: 6028

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 4 Page: 6/6 Date: 02/05/2023