

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Siltech E-2145-35

Product code 6061 Chemical Name Mixture

CAS No. 63148-62-9 / 71750-79-3 / 60828-78-6 / 84133-50-6 / 7732-18-5

Alternative names (INCI) Amodimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) Additive
Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

2.2

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Eye Irrit. 2
Label elements

Product Name Siltech E-2145-35

Symbol NONE Signal word(s) Warning

Hazard statement(s) H320: Causes eye irritation.

Precautionary statement(s) P264: Wash hands and exposed skin thoroughly after

handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known.

Product: Siltech E-2145-35 SDS #: 6061

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha[3,5- dimethyl-1-(2- methylpropyl)hexyl]- .omegahydroxy-	Polyethylene glycol mono(3,5-dimethyl- 1-isobutylhexyl) ether	1 - 3	60828-78-6	612-043-8	GHS05, GHS07 H315, H318

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water. Obtain medical attention if ill effects

occur.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if

ill effects occur.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

effects, both Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media None known

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 Environmental precautionsAvoid release to the environment.

6.3 Methods and material for containment and

cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including anyStore in a tightly closed container.

Revision: 7 Page: 2/6 Date: 08/05/2023

Product: Siltech E-2145-35 SDS #: 6061

incompatibilities

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves.

(III)

Rubber, Neoprene, Nitrile rubber

Respiratory protection Wear suitable respiratory protective equipment if processing

involves working in areas where dusts or vapours are likely

to be evolved.

Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.

Relative density / Specific Gravity (25°C) 1.00

Solubility(ies) Dispersible in water.

Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available. Viscosity (25°C) 5-50 cps

Revision: 7 Page: 3/6 Date: 08/05/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-2145-35 SDS #: 6061

Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause eye irritation.

Effects and Symptoms

skin corrosion/irritationMay cause irritation.Serious eye damage/irritationMay cause eye irritation.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Sea (IMDG) Not classified as hazardous for marine transport.

14.3 Air (ICAO/IATA) Not classified as hazardous for air transport.

Revision: 7 Page: 4/6 Date: 08/05/2023

Product: Siltech E-2145-35 SDS #: 6061

15. SECTION 15: REGULATORY INFORMATION

15.1 **EU** regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Contains: 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione

(DMDMH) (CAS# 6440-58-0) 0.22%

3-iodo-2-propynylbutylcarbamate (IPBC) (CAS# 55406-53-6)

0.003 - 0.015%

Formaldehyde (CAS# 50-00-0) < 0.0002%

15.2 **International Inventories**

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	√			
Philippines (PICCS)	√			

15.3 **National regulations**

United States (TSCA)

TSCA Inventory Status: All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 1/F = 0/R = 0H = 1/F = 0/R = 0

None known.

US State Regulations

15.4.3 State Right to Know Lists

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Possible trace amounts of: Formaldehyde (CAS# 50-00-0) < 2 ppm

Specific Listing(s) not required

Specific Listing(s) not required

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Formaldehyde (CAS# 50-00-0) < 2 ppm

16. SECTION 16: OTHER INFORMATION

Revision: May 08, 2023

LEGEND

LTEL Long Term Exposure Limit STEL Short Term Exposure Limit STOT Specific Target Organ Toxicity DNEL Derived No Effect Level

Revision: 7 Date: 08/05/2023 Page: 5/6

Product: Siltech E-2145-35 SDS #: 6061

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PPVB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H320: Causes eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 7 Page: 6/6 Date: 08/05/2023