

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Siltech E-2145HG

6080 Mixture 63148-62-9 / 70131-67-8 / 60828-78-6 / 68891-38-3 / 7732-18-5

Coatings, Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Eye Irrit. 2 Skin Sens. 1

Siltech E-2145HG



Warning

H317: May cause an allergic skin reaction. H320: Causes eye irritation. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P303+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

SDS #: 6080

P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha -[3,5-dimethyl-1-(2- methylpropyl) hexyl]- .omegahydroxy-	Polyethylene glycol mono (3,5-dimethyl-1- isobutylhexyl) ether	1 – 2.9	60828-78-6	612-043-8	GHS05 H315, H318
2-methyl-2H-isothiazol-3- one	MIT	0.006	2682-20-4	220-239-6	GHS09, GHS05, GHS06 H301, H311, H314, H317, H330, H400, H410
1,2-benzisothiazol-3(2H)- one	BIT	0.006	2634-33-5	220-120-9	GHS09, GHS05, GHS07 H302, H315, H317, H318, H400

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable
	Skin Contact	for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Causes eye irritation. Repeated and/or prolonged contact may cause skin sensitisation.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

cleaning up

6.4

SDS #: 6080

6.	SECTION 6: ACCIDENTAL RELEASE MEASURES						
6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.					
6.2	Environmental precautions	Avoid release to the environment.					
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with in					

Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

7.2 Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials 7.3 Specific end use(s)

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- **Occupational Exposure Limits** 8.1.1

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note	
	None known							
8.1.2	Biological limit v	alue		Not established				
8.1.3	3 PNECs and DNELs			Not established				
8.2 8.2.1 8.2.2	2.1 Appropriate engineering controls			Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (H	and protection/ (Other)	Wear suitable gloves i	if prolonge	d skin contact	is likely.	
	Respiratory protect	ction		In case of inadequate	ventilatior	n wear respirat	ory protection	

Thermal hazards 8.2.3 Environmental Exposure Controls None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour **Odour Threshold**

Liquid Opaque (Milky white) Faint. Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-2145HG

pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

SDS #: 6080

7.0 - 8.5Not available. >100°C @ 760mmHg >200°C Not available. Not applicable. Not available. Not available. Not available. 0.966 Dispersible in water. Not available. Not available. Not available. 100 - 750 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation Skin Contact Eye Contact
 - Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

May be harmful if swallowed. May be harmful if inhaled. May disturb the skin. Causes eye irritation.

Not classified Causes eye irritation. May cause sensitization by skin contact. Not classified Not classified Not classified Not classified Not classified Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. Not available. Not available. Not available. Not available. None known

SDS #: 6080

13. S	ECTION 13: DISPOSAL CONSIDERATION	NS					
13.1	Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.					
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.					
14. S	ECTION 14: TRANSPORT INFORMATION	I					
14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.					
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.					
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.					
15. S	15. SECTION 15: REGULATORY INFORMATION						
15.1	EU regulations REACH Registration No.	Polymer exempt.					
	Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%					
	Contains:	2-methyl-2H-isothiazol-3-one (CAS# 2682-20-4) 0.006% 1,2-benzisothiazol-3(2H)-one (CAS# 2634-33-5) 0.006%					

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	\checkmark			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	~			
China (IECSC)	~			
Japan (ENCS)	~			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 **National regulations**

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1 / F = 0 / R = 0

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

None known.

H = 1 / F = 0 / R = 0

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

SDS #: 6080

16. SECTION 16: OTHER INFORMATION

Revision: February 10, 2022

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.