

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No.

Siltech E-2152

6080.2 Mixture 70131-67-8 / 2943-75-1 / 60828-78-6 / 7732-18-5

Coatings Additive intermediate use None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Repr. 1B

Siltech E-2152



Danger

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H360FD: May damage fertility. May damage the unborn child.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor.
P308+P313: IF exposed or concerned: Get medical advice/attention.
P363: Wash contaminated clothing before reuse.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha. -[3,5-dimethyl-1-(2- methylpropyl) hexyl]- .omegahydroxy-	Polyethylene glycol mono (3,5-dimethyl-1- isobutylhexyl) ether	7 - 9	60828-78-6	612-043-8	GHS05 H315, H318
Triethoxyoctylsilane	Octyltriethoxy- silane	6 - 8	2943-75-1	220-941-2	GHS07 : H315
Dibutyltin dilaurate	Dibutyltin dilaurate DBTDL		77-58-7	201-039-8	GHS05, GHS08, GHS07, GHS09 H302, H314, H317, H341, H360FD, H370, H372, H400,
5-Chloro-2-methyl-3(2H)- isothiazolone mixt. with 2- methyl-3(2H)- isothiazolone CMIT/MIT		0.0025 – 0.0035	55965-84-9	611-341-5	GHS09, GHS05, GHS06 H301, H311, H314, H317, H331, H400, H410

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures					
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable				
		for breathing.				
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated				
		clothing. Rinse skin with water/shower. If skin irritation or rash				
		occurs: Get medical advice/attention.				
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes.				
		Remove contact lenses, if present and easy to do. Continue				
		rinsing. Obtain immediate medical attention.				
	Ingestion	If swallowed, seek medical advice immediately and show this				
	ő	container or label. Do NOT induce vomiting.				
4.2	Most important symptoms and effects, both	Causes serious eye damage. Repeated and/or prolonged				
	acute and delayed	contact may cause skin sensitisation.				
4.3	Indication of any immediate medical	Treat symptomatically.				
	attention and special treatment needed	· · ·				

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
6.2	Environmental precautions	Avoid release to the environment.	
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert	
	cleaning up	absorbent material. Transfer to a container for disposal.	
6.4	Reference to other sections	See Section: 7 & 8.	

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

7.2 Conditions for safe storage, including any incompatibilities
 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

:	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dil	outyltin dilaurate	77-58-7		0.1		0.2	(as Sn)
8.1.2	Biological limit v	alue		Not established			
8.1.3	PNECs and DNE	Ls		Not established			
8.2 8.2.1 8.2.2	8.2 Exposure controls 8.2.1 Appropriate engineering controls		Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (H	and protection/ (Other)	Wear suitable gloves i	if prolonge	ed skin contact	is likely.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



8.2.3 Environmental Exposure Controls

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour Odour Threshold bН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Liquid Opaque (Milky white) Faint. Not available. 6.0 - 8.0Not available. >100°C @ 760mmHg >200°C Not available. Not applicable. Not available. Not available. Not available. 1.00 Dispersible in water. Not available. Not available. Not available. Not available. Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects May be harmful if swallowed. May be harmful if inhaled. May disturb the skin. Causes serious eye damage.

Not classified Causes serious eye damage. May cause sensitization by skin contact. Not classified May damage fertility or the unborn child. Not classified Not classified Not classified Not classified Not available

SDS #: 6080.2

Calculated acute toxicity estimate (ATE)

Not available

Not available.

Not available.

Not available.

Not available.

None known

May cause long lasting harmful effects to aquatic life.

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

13. SECTION 13: DISPOSAL CONSIDERATIONS

 13.1
 Waste treatment methods
 Do not empty into drains; dispose of this material and its container in a safe way.

 13.2
 Additional Information
 Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport.
		Not classified as hazardous for rail transport.
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

 EU regulations REACH Registration No.
 Polymer exempt / Not available

 Candidate List of Substances of Very High Concern for Authorisation
 Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%</td>

Contains:

15.2

Dibutyltin dilaurate (CAS# 77-58-7) 0.64% 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (CAS# 55965-84-9) 0.0025 – 0.0035%

International Inventories			Not	Polymer	
	Country	Listed	listed	exempt	Other
	United States (TSCA)	Active√			
	Canada (DSL/NDSL)	DSL√			
	European Union (EINECS/ELINCS)			\checkmark	
	Australia (AICS)	\checkmark			
	China (IECSC)	\checkmark			
	Japan (ENCS)	\checkmark			
	South Korea (KECI)	\checkmark			
	Taiwan (TCSI)	\checkmark			
	New Zealand (NZIoC)	\checkmark			
	Philippines (PICCS)	\checkmark			
National regulations				•	

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)H = 1 / F = 1 / R = 0NFPA RatingH = 1 / F = 1 / R = 0

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR
- OTHER REPRODUCTIVE HARM **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- **15.4.3** State Right to Know Lists

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Date of Last Change: November 25, 2022

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H360FD: May damage fertility. May damage the unborn child.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.