

# **SAFETY DATA SHEET**

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Siltech E-3132
Product code 6170

Product code 6170
Chemical Name Mixture

CAS No. 68037-76-3 / 60828-78-6 / 7732-18-5

1.2 Recommended use of the chemical and

restrictions on use Identified use(s) Uses advised against

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave Toronto. ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Coatings, Additive

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

## 2. SECTION 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

Eye Dam. 1 Skin Sens. 1

2.2 Label elements

Product Name Symbol Siltech E-3132



Signal word(s)
Hazard statement(s)

Precautionary statement(s)

Danger

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local
Regulations.

Product: Siltech E-3132 SDS #: 6170

2.3 Other hazards None known

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha -[3,5-dimethyl-1-(2- methylpropyl) hexyl]- .omegahydroxy-	Polyethylene glycol mono (3,5-dimethyl-1- isobutylhexyl) ether	5 - 8	60828-78-6	612-043-8	GHS05 H315, H318
5-Chloro-2-methyl-3(2H)- isothiazolone mixt. with 2- methyl-3(2H)- isothiazolone	CMIT/MIT	0.003	55965-84-9	611-341-5	GHS09, GHS05, GHS06 H301, H311, H314, H317, H331, H400, H410

## 4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. If skin irritation or rash

occurs: Get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Obtain immediate medical attention.

If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both C

acute and delayed

Ingestion

Causes serious eye damage. Repeated and/or prolonged

contact may cause skin sensitisation.

4.3 Indication of any immediate medical attention and special treatment needed

ate medical Treat symptomatically.

#### 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

Avoid release to the environment.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate all ignition

sources if safe to do so.

6.2 Environmental precautions6.3 Methods and material for containment and

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

cleaning up

See Section: 7 & 8.

Revision: 7 Page: 2/6 Date: 28/07/2022

Product: Siltech E-3132 SDS #: 6170

#### 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Ground/bond container and

receiving equipment.

7.2 Conditions for safe storage, including any

incompatibilities

Store in a tightly closed container. Keep away from flames

Wear protective eyewear (goggles, face shield, or safety

and hot surfaces.

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

7.3

8.2.2

## 8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
α-methylstyrene	98-83-9	50	242	100	483	

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

Eye/face protection

8.2.1 Appropriate engineering controls

Personal protection equipment

controls Provide adequate ventilation.

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards None.

**8.2.3 Environmental Exposure Controls**Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical

properties

Appearance Liquid Opaque (Milky white)

Initial boiling point and boiling range > 100°C @ 760mmHg

Flash point (PMCC) > 200°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.

Revision: 7 Page: 3/6 Date: 28/07/2022

## Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-3132 SDS #: 6170

Vapour density Not available.

Relative density / Specific Gravity (25°C) 0.97

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Dispersible in water.

Not available.

Not available.

200 – 500 cps

Not applicable.

Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

#### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity

Ingestion May be harmful if swallowed.
Inhalation May be harmful if inhaled.
Skin Contact May disturb the skin.

Eye Contact Causes serious eye damage.

**Effects and Symptoms** 

skin corrosion/irritation Not classified

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

#### 12. SECTION 12: ECOLOGICAL INFORMATION

**Toxicity** Not available. 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

**13.1** Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

Product: Siltech E-3132 SDS #: 6170

#### 14. SECTION 14: TRANSPORT INFORMATION

TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport. DOT / CFR (US Department of Transportation) Not classified as hazardous for rail transport. Air (ICAO/IATA) 14.2 Not classified as hazardous for air transport.

14.3 Sea (IMDG) Not classified as hazardous for marine transport.

## 15. SECTION 15: REGULATORY INFORMATION

#### **EU** regulations

REACH Registration No. Polymer exempt. None.

Candidate List of Substances of Very High Concern

for Authorisation

Contains: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone (CAS# 55965-84-9) 0.003%

#### 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	<b>✓</b>			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	<b>✓</b>			
Philippines (PICCS)	<b>√</b>			

#### 15.3 **National regulations**

United States (TSCA) TSCA Inventory Status: All chemicals in this product comply with TSCA

rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System) H = 1/F = 0/R = 0H = 1/F = 0/R = 0NFPA Rating

**US State Regulations** 15.4

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM 15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of:

None known.

Specific Listing(s) not required Possible trace amounts of:

α-methylstyrene < 1 ppm

Specific Listing(s) not required Possible trace amounts of: α-methylstyrene < 1 ppm

## 16. SECTION 16: OTHER INFORMATION

Revision: July 28, 2022

#### **LEGEND**

Long Term Exposure Limit LTEL STEL Short Term Exposure Limit STOT Specific Target Organ Toxicity Derived No Effect Level DNEL

**PNEC** Predicted No Effect Concentration PBT Persistent, Bioaccumulative and Toxic very Persistent and very Bioaccumulative vPvB

Revision: 7 Date: 28/07/2022 Page: 5/6

Product: Siltech E-3132 SDS #: 6170

#### Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

#### Hazard pictogram(s) and Hazard Symbol



#### **Additional Information**

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 7 Page: 6/6 Date: 28/07/2022