

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

Alternative names (INCI)

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Siltech E-2230

6258 Mixture 67762-90-7 / 7732-18-5 / 24938-91-8 / 78330-20-8 Simethicone

Anti-foamer (defoamer) None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Acute Tox. 4 - Oral Eye Dam. 1

Siltech E-2230



Danger

H302: Harmful if swallowed. H318: Causes serious eye damage. P262: Do not get in eyes, on skin, or on clothing. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTRE/doctor. P403+P233: Store in a well-ventilated place. Keep container tightly closed.

SDS #: 6258

P501: Dispose of contents/container to: Observe Local Regulations. None known

Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Gently wash with plenty of soap and water.

rinsing. Obtain immediate medical attention.

Causes serious eye damage.

Treat symptomatically.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician.

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Polyethylene glycol	tridecyl alcohol	2 - 6	24938-91-8	607-463-3	GHS05, GHS07
monotridecyl ether	ethoxylate				H302, H318
Alcohols, C9-11-iso-, C10-	isodecyl alcohol	2 - 6	78330-20-8	616-607-4	GHS05, GHS07
rich, ethoxylated	ethoxylate				H302, H318

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation Skin Contact Eye Contact

Ingestion

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
	0) 1	
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after

7.2

SDS #: 6258

- Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials
- 7.3 Specific end use(s)

handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
١	lone assigned						
8.1.2	Biological limit	value		Not established			
8.1.3	PNECs and DNE	ELs		Not established			
8.2 8.2.1 8.2.2					es, face shield	l, or safety	
				glasses). Wear suitable gloves if prolonged skin contact is likely			
	Skin protection (H	Hand protection/	Other)				
	Respiratory prote	ection		In case of inadequate	ventilation	wear respirat	ory protecti



Thermal hazards 8.2.3 Environmental Exposure Controls

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical
 - properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water

Liquid, Opaque (Milky white) Perceptible odour. Not available. 7.0 – 8.0 Not available. >100°C @ 760mmHg >100°C Not available. Not available. Not available. Not available. Not available. 1.00 Dispersible in water. Not available. Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-2230

Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Not available. Not available. 1300 - 2000 cps Not applicable. Not applicable.

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity
Ingestion
Inhalation
Skin Contact
Eye Contact

Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) May be harmful if swallowed. Low toxicity under normal conditions of handling and use. None anticipated Causes serious eye damage.

Not classified Causes serious eye damage. Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available.
12.2	Persistence and degradability	Not available.
12.3	Bioaccumulative potential	Not available.
12.4	Mobility in soil	Not available.
12.5	Results of PBT and VPVB assessment	Not available.
12.6	Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	

13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID)

14.2 Air (ICAO/IATA)

14.3 Sea (IMDG)

Not classified as hazardous for road transport. Not classified as hazardous for rail transport. Not classified as hazardous for air transport. Not classified as hazardous for marine transport.

SDS #: 6258

15. SECTION 15: REGULATORY INFORMATION

 15.1
 EU regulations REACH Registration No.
 Polymer exempt.

 Candidate List of Substances of Very High Concern for Authorisation
 Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.005% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.005% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.005% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm</td>

 Contains:
 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione

1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDMH) (CAS# 6440-58-0) < 0.16% Formaldehyde (CAS# 50-00-0) < 0.003%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	~			
China (IECSC)	\checkmark			
Japan (ENCS)	\checkmark			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1/F = 0/R = 0

$$H = 1/F = 0/R = 0$$

 $H = 1/F = 0/R = 0$

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Formaldehyde (CAS# 50-00-0) 30 ppm Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.005% Formaldehyde (CAS# 50-00-0) 30 ppm Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

SDS #: 6258

16. SECTION 16: OTHER INFORMATION

Revision: April 24, 2023

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H302: Harmful if swallowed.

H318: Causes serious eye damage.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTRE/doctor.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.