

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name
Product code
Chemical Name
CAS No.
Siltech C-4436
6289.123
Mixture
Mixture

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)
Uses advised against
Additive, Coatings
None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave
Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin corrosion/irritation: 2 Serious eye damage/irritation: 1 Reproductive toxicity: 2

2.2 Label elements

Product Name Symbol Siltech C-4436



Signal word(s)
Hazard statement(s)

Precautionary statement(s)

DANGER

H315: Causes skin irritation. H318: Causes serious eye damage.

H361f: Suspected of damaging fertility.

P264: Wash hands and exposed skin thoroughly after

handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P332+P313: If skin irritation occurs: Get medical

advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or

doctor/physician.

P308+P313: IF exposed or concerned: Get medical

Product: Siltech C-4436 SDS #: 6289.123

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Alcohols, C12-14- secondary ethoxylated	N/A	10 - 18	84133-50-6	None assigned	GHS05, GHS07 H302, H315, H318
Octamethylcyclotetra- siloxane	D4	0.12 - 0.8	556-67-2	209-136-7	GHS02, GHS08 H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air. Skin Contact IF ON SKIN or hair: Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower. If skin

irritation occurs, get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Obtain medical attention.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures 6.2 **Environmental precautions**

Methods and material for containment and 6.3 cleaning up

6.4 Reference to other sections Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

Product: Siltech C-4436 SDS #: 6289.123

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Stable under normal conditions.

Store in a tightly closed container.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Storage Life

7.3

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None known						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

Exposure controls

Appropriate engineering controls

Personal protection equipment Eye/face protection

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear protective clothing and gloves: (120 min break thru

time)

In case of inadequate ventilation wear respiratory protection. Respiratory protection



Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Opaque Liquid or paste

Odour Faint.

Odour Threshold Not available. pΗ Not available. Melting Point/Freezing Point Not available. Initial boiling point and boiling range Not available. Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available.

Revision: 4 Page: 3/6 Date: 03/05/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech C-4436 SDS #: 6289.123

Relative density / Specific Gravity (25°C) Not available. Dispersible in water. Solubility(ies) Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. Not available. **Decomposition Temperature** Viscosity (25°C) >500,000 cps Explosive properties Not applicable. Not applicable. Oxidising properties

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

IngestionMay be harmful if swallowed.InhalationMay be harmful if inhaled.Skin ContactMay cause irritation

Eye Contact Causes serious eye damage.

Effects and Symptoms

skin corrosion/irritation Repeated and/or prolonged skin contact may cause

rritation.

Serious eye damage/irritation Causes serious eye damage.

 Respiratory or skin sensitization
 Not classified

 Germ cell mutagenicity
 Not classified

 Carcinogenicity
 Not classified

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)

Not classified
Not classified
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxic to aquatic life with long lasting effects.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech C-4436 SDS #: 6289.123

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport. Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport. Marine Pollutant 14.3 Sea (IMDG)

3082

UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name

N.O.S. (Octamethylcyclotetrasiloxane)

Transport hazard class(es)

Ш Packing group



15. SECTION 15: REGULATORY INFORMATION

15.1 **EU** regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Contains:

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.12 - 0.8% Decamethylcyclopentasiloxane (CAS# 541-02-6) 0.12 - 0.8% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) 0.12 - 0.8%

Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		X		

15.3 **National regulations**

United States (TSCA) TSCA Inventory Status: All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 1/F = 1/R = 0H = 1/F = 1/R = 0

HMIS (Hazardous Material Information System)

NFPA Rating

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Revision: 4 Date: 03/05/2023 Page: 5/6

Product: **Siltech C-4436** SDS #: **6289.123**

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.12- 0.8% Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: May 03, 2023

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVPB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H318: Causes serious eye damage.

H361f: Suspected of damaging fertility.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 4 Page: 6/6 Date: 03/05/2023