

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1

> Siltech 5800 **Product Name** Product code 6291 **Chemical Name** Mixture

CAS No. 68937-55-3 / 67762-90-7 / 63148-62-9

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) Anti-foamer (defoamer)

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534 Telephone Fax +1-905-270-5816

1.4 **Emergency telephone number**

> **CANUTEC - TELEPHONE: EMERGENCY USE ONLY** Emergency Phone No.

+1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Repr. 2

Aquatic Chronic 3

Label elements 2.2

Product Name Symbol

Siltech 5800



Signal word(s)

Hazard Statement(s) H361: Suspected of damaging fertility or the unborn child. H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s) P202: Do not handle until all safety precautions have been

read and understood.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

Product: Siltech 5800 SDS #: 6291

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Octamethylcyclotetra-	< 0.15	556-67-2	209-136-7	Not	GHS02, GHS08
siloxane	100			available	H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

Most important symptoms and effects, both 4.2

acute and delayed

Not available.

Indication of any immediate medical 4.3

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

6.2

7.3

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required. Avoid release to the environment.

6.3 Methods and material for containment and

Environmental precautions

cleaning up

Caution - spillages may be slippery. Cover spills with inert

absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature Storage Life

Stable under normal conditions.

Incompatible materials Specific end use(s)

Oxidizing agents Industrial use

Revision: 5 Date: 07/10/2022 Page: 2/6

Product: Siltech 5800 SDS #: 6291

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Opaque, Viscous liquid (beige)

Odour Faint.

Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.

Relative density / Specific Gravity (25°C) 1.00

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Dispersible in water.

Not available.

Not available.

Not available.

Not applicable.

Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

Revision: 5 Page: 3/6 Date: 07/10/2022

Product: Siltech 5800 SDS #: 6291

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use. Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

 Respiratory or skin sensitization
 Not classified

 Germ cell mutagenicity
 Not classified

 Carcinogenicity
 Not classified

Reproductive toxicity May damage fertility. Suspected of damaging the unborn

child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)
Not classified
Not available
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability Not available.
 12.3 Bioaccumulative potential Not available.
 12.4 Mobility in soil Not available.
 12.5 Results of PBT and VPVB assessment Not available.
 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

Not classified as hazardous for air transport.

Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Air (ICAO/IATA)

Sea (IMDG)

14.2

14.3

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Possible trace amounts of:

for Authorisation Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.15%

Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%

Revision: 5 Page: 4/6 Date: 07/10/2022

Product: Siltech 5800 SDS #: 6291

> Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.2 **International Inventories**

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 **National regulations**

United States (TSCA)

TSCA Inventory Status: All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

H = 1/F = 1/R = 0H = 1/F = 1/R = 0

HMIS (Hazardous Material Information System) NFPA Rating

US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.15%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: October 07, 2022

LEGEND

LTEL Long Term Exposure Limit Short Term Exposure Limit STEL STOT Specific Target Organ Toxicity DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative Product: Siltech 5800 SDS #: 6291

Hazard statement(s) and Precautionary statement(s)

H361: Suspected of damaging fertility or the unborn child.

H412: Harmful to aquatic life with long lasting effects.

P202: Do not handle until all safety precautions have been read and understood.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 6/6 Date: 07/10/2022