

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No. Alternative names **(INCI)**

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Silmer G-162

6970 Mixture 541-02-6 / 156065-02-0 Cyclopentasiloxane (and) Dimethicone / Vinyl Dimethicone Crosspolymer

PC39 Cosmetics, personal care products Surface active agent None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4 2.2 Label elements Product Name Silmer G-162 Symbol NONE Signal word(s) Warning Hazard statement(s) H227: Combustible liquid. Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.

2.3 Other hazards

Vapour may create explosive atmosphere.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Decamethylcyclopentasiloxane	D5	80 - 95	541-02-6	208-764-9	H227
Octamethylcyclotetrasiloxane	D4	< 0.1	556-67-2	209-136-7	GHS02, GHS08, GHS09 H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



4.1 4.2 4.3	Description of first aid measures Inhalation Skin Contact Eye Contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical attention and special treatment needed	Remove person to fresh air and keep comfortable for breathing. Gently wash with plenty of soap and water. If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If swallowed, seek medical advice immediately and show this container or label. Not available. Treat symptomatically.			
5.	SECTION 5: FIRE-FIGHTING MEASURE	S			
5.1	Extinguishing Media Suitable Extinguishing Media Unsuitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. None known			
5.2	Special hazards arising from the substance or mixture	 Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde. 			
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.			
6.	SECTION 6: ACCIDENTAL RELEASE M	EASURES			
6.1 6.2 6.3	Personal precautions, protective equipment a emergency procedures Environmental precautions Methods and material for containment and cleaning up	 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. 			
6.4	Reference to other sections	See Section: 7 & 8.			
7.	SECTION 7: HANDLING AND STORAGE	E			
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.			
7.2	Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life	Store in a tightly closed container. Keep away from fire, sparks and heated surfaces - no smoking. Ambient Stable under normal conditions.			

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Produc	et: Silmer G-162	1-410-424-4307	www.sitech.com	SDS #: 6970
8.1.2	Biological limit value		Not established	
8.1.3	PNECs and DNELs		Not established	
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection	5	Provide adequate ventilation. Wear protective eyewear (goggles, face shiel glasses).	d, or safety
	Skin protection (Hand protection/ O	ther)	Wear suitable gloves if prolonged skin contac	t is likely.
	Respiratory protection		In case of inadequate ventilation wear respira	tory protection.
	Thermal hazards		Combustible	

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

8.2.3 Environmental Exposure Controls

properties Appearance Odour **Odour Threshold** pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Clear Gel. Faint. Not available. Not available. Not available. 210°C @ 760mmHg 77°C < 1 Not applicable. Not available. 0.015 kPa Not available. Not available. Insoluble in water. Not available. Not available. Not available. 300,000- 800,000 cps Not applicable. Not applicable.

Avoid release to the environment.

10. SECTION 10: STABILITY AND REACTIVITY				
10.1	Beachivity	Stople under normal conditions		

10.1	Rea	CTIV	ιτy	

- Chemical stability 10.2
- 10.3 Possibility of hazardous reactions
- Conditions to avoid 10.4
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

Product: Silmer G-162

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	
Ingestion	D5: LD50 (oral,rat) mg/kg: >5000
Inhalation	D5: LC50 (inhalation,rat) mg/l/4h: > 5000
Skin Contact	None anticipated
Eye Contact	None anticipated
Effects and Symptoms	
Effects and Symptoms	
skin corrosion/irritation	Not classified
Serious eye damage/irritation	Mild irritant to rabbit eyes.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

May cause long lasting harmful effects to aquatic life. Not available. Identified as a vPvB according to REACH Annex XIII. Not available. Not available. None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

TDG / Road/Rail (ADR/RID) 14.1 Not classified as dangerous for transport. 14.2 Air (ICAO/IATA) Not classified as hazardous for air transport. 14.3 Sea (IMDG) Not classified as hazardous for marine transport. DOT / CFR (US Department of Transportation) 14.4 (Applicable only to containers > 119 gallons or 450 L) DOT Proper Shipping Name Combustible liquid, N.O.S. (Decamethylcyclopentasiloxane solution) 3 Packing group III Class **UN** number 1993

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles

D4 & D5: Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0.1 % by weight of either substance, after 31 January 2020

Product: Silmer G-162

Candidate List of Substances of Very High Concern for Authorisation vPvB: very Persistent and very Bioaccumulative vPvB: very Corrictort and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative PBT: Persistent, Bioaccumulative and Toxic Decamethylcyclopentasiloxane (CAS# 541-02-6) 80 - 95%Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Х		
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	\checkmark		\checkmark	
Australia (AICS)		Х		
China (IECSC)	\checkmark			
Japan (ENCS)		Х		
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 National regulations

United States (TSCA) HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

16. SECTION 16: OTHER INFORMATION

Revision: March 15, 2023

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P403+P235: Store in a well-ventilated place. Keep cool.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Personal care exempt H = 1 / F = 2 / R = 0 H = 1 / F = 2 / R = 0

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Product: Silmer G-162

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.