

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code

Chemical Name Silicic acid, sodium salt, reaction products with

chlorotrimethylsilane and iso-Pr alc.

CAS No. 68988-56-7 / 13475-82-6

Alternative names (INCI)

Trimethylsiloxysilicate (and) Isododecane

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

PC39 Cosmetics, personal care products
Additive, Coatings, intermediate use

Uses advised against Not available

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp
225 Wicksteed Ave

225 Wicksteed Ave

Silmer Q12 IDD

7050.717

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road

Mississauaga, ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flam. Liq. 3 Asp. Tox. 1

2.2 Label elements

Product Name Symbol Silmer Q12 IDD





Signal word(s)
Hazard statement(s)

Precautionary statement(s)

DANGER

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H413: May cause long lasting harmful effects to aquatic life. P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof

electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools.

P243: Take precautionary measures against static

discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Product: Silmer Q12 IDD SDS #: 7050.717

> P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2,2,4,6,6- pentamethylheptane	Isododecane	25 - 45	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

SECTION 4: FIRST AID MEASURES



4.3

41 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

Ingestion If swallowed, seek medical advice immediately and show this

None known.

container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1

emergency procedures

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

Environmental precautions 6.2

6.3 Methods and material for containment and

cleaning up

6.4 Reference to other sections protective equipment as required. Eliminate all ignition sources if safe to do so.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

Revision: 6 Date: 08/05/2023 Page: 2/6

Product: Silmer Q12 IDD SDS #: 7050.717

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are

applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 Occupational Exposure Limits

		LTEL	LTEL	STEL	STEL	
SUBSTANCE	CAS No.	(8 hr TWA ppm)	(8 hr TWA mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection

Provide adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

[11]]

Respiratory protection Wear suitable respiratory protective equipment if processing

involves working in areas where dusts or vapours are likely

to be evolved.

Thermal hazards Flammable liquid

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid.
Odour Characteristic
Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760 mmHg

Flash point (PMCC) 45°C

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available.

Revision: 6 Page: 3/6 Date: 08/05/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer Q12 IDD SDS #: 7050.717

Vapour pressure Not available. Not available. Vapour density Relative density / Specific Gravity (25°C) Not available. Insoluble in water. Solubility(ies) Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. 10 - 40 cps Viscosity (25°C) Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Harmful if swallowed.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

skin corrosion/irritation Repeated and/or prolonged skin contact may cause

irritation.

Serious eye damage/irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Not classified

Not classified

Not classified

Not classified

Not classified

Not classified

Aspiration hazard Aspiration hazard - Category 1

Delayed and chronic effects

Not available.

Calculated acute toxicity estimate (ATE)

Not available.

12. SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not available. 12.2 Persistence and degradability Not available. 12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Not available. Results of PBT and VPVB assessment Not available. 12.5 Other adverse effects None known. 12.6

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

Product: Silmer Q12 IDD SDS #: 7050.717

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number 2286

14.2 UN Proper Shipping Name Pentamethylheptane Solution

 14.3
 Transport hazard class(es)
 3

 14.4
 Packing Group
 III

 14.5
 Environmental hazards
 None



15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt / 01-2119490725-29-0000

Candidate List of Substances of Very High Concern None known.

for Authorisation

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓		✓	
South Korea (KECI)	✓			
Taiwan (TCSI)	√			
New Zealand (NZIoC)	√			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System) H = 1 / F = 2 / R = 0

NFPA Rating H = 1/F = 2/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF None known.

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists None known.

16. SECTION 16: OTHER INFORMATION

Revision: May 08, 2023

Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H413: May cause long lasting harmful effects to aquatic life.

Revision: 6 Page: 5/6 Date: 08/05/2023

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer Q12 IDD SDS #: 7050.717

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s)





Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 08/05/2023