

## **SAFETY DATA SHEET**

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer HQ 20
Product code 7051.008

Chemical Name Silicic acid (H4SiO4), tetraethyl ester, reaction products with

chlorodimethylsilane

CAS No. 68988-57-8

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC19 Intermediate

PC32 Polymer preparations and compounds

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

## 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4

2.2 Label elements

Product Name Silmer HQ 20
Symbol NONE
Signal word(s) Warning

Hazard statement(s) H227: Combustible liquid.

Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local

Regulations.

**2.3 Other hazards** Some hydrogen gas may be released. Hydrogen is

flammable and can form explosive mixtures with air.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Silicic acid (H4SiO4), tetraethyl ester, reaction products with chlorodimethylsilane	MQ Hydride Resin	100	68988-57-8	273-531-0	H227

Product: Silmer HQ 20 SDS #: 7051.008

#### **SECTION 4: FIRST AID MEASURES**



4.1 Description of first aid measures

> Inhalation Remove person to fresh air and keep comfortable for breathing.

Skin Contact Gently wash with plenty of soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

6.3

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate sources of emergency procedures

6.2 **Environmental precautions** Avoid release to the environment.

Methods and material for containment and cleaning up

6.4 Reference to other sections ianition.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

#### **SECTION 7: HANDLING AND STORAGE** 7.

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Ground/bond container and

Store in a tightly closed container. Keep away from

receiving equipment.

moisture.

7.2 Conditions for safe storage, including any

incompatibilities Storage Temperature

Ambient Stable under normal conditions. Incompatible materials Oxidizing agents. Sensitive to moisture.

7.3 Specific end use(s) Industrial use

#### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Storage Life

8.1.1 **Occupational Exposure Limits** 

Date: 03/05/2023 Revision: 6 Page: 2/6

Product: Silmer HQ 20 SDS #: 7051.008

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

**8.2.1 Appropriate engineering controls** Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards Combustible liquid

**8.2.3 Environmental Exposure Controls** Avoid release to the environment.

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid.

Odour Faint.

Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.
Initial boiling point and boiling range Not available.
Flash point (PMCC) 68°C

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Relative density / Specific Gravity (25°C)

Not available.

Not available.

0.991

Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity (25°C) 12 – 20 cps

Explosive properties Not applicable.

Oxidising properties Not applicable.

#### 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

**10.3** Possibility of hazardous reactions Will not occur. Hydrogen may be formed.

**10.4 Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Keep away from

moisture.

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer HQ 20 SDS #: 7051.008

10.5 Incompatible materials Oxidizing agents.

**Hazardous Decomposition Product(s)** Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde,

#### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use. Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact None anticipated Eye Contact None anticipated

**Effects and Symptoms** 

skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Not classified Germ cell mutagenicity Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

#### 12. SECTION 12: ECOLOGICAL INFORMATION

Not available. 12.1 **Toxicity** 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. Mobility in soil Not available. 12.4 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

#### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 **Additional Information** Dispose of contents in accordance with local, state or

national legislation.

#### 14. SECTION 14: TRANSPORT INFORMATION

14.1 Air (ICAO/IATA) Not classified as hazardous for air transport.

**VENTED PACKAGES ARE FORBIDDEN FOR AIR** 

TRANSPORT.

14.2 Sea (IMDG) Not classified as hazardous for marine transport.

14.3 TDG / Road/Rail (ADR/RID) Not classified as hazardous for transport.

DOT / CFR (US Department of Transportation) 14.4 (Applicable only to containers > 119 gallons or 450L)

**UN** number

Combustible liquid, N.O.S. (Silicone Resin)

**DOT Proper Shipping Name** 

Class 3 Packing group III

#### 15. SECTION 15: REGULATORY INFORMATION

#### 15.1 **EU** regulations

REACH Registration No. Polymer exempt.

Revision: 6 Date: 03/05/2023 Page: 4/6

Product: Silmer HQ 20 SDS #: 7051.008

Candidate List of Substances of Very High Concern None known. for Authorisation

#### 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

#### 15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=2/R=1 H=1/F=2/R=1

#### 15.4 US State Regulations

**15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OF None known.

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

None known.

15.4.3 State Right to Know Lists

None known.

#### 16. SECTION 16: OTHER INFORMATION

Revision: May 03, 2023

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

#### Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

#### Hazard pictogram(s) and Hazard Symbol

NONE

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer HQ 20 SDS #: 7051.008

#### Additional Information

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 03/05/2023