

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silamine C-300

Product code 486

Chemical Name Siloxanes and Silicones, 3-[(3-aminopropyl)amino]propyl Me, di-Me, 3-

hydroxypropyl Me, ethoxylated, [(hydroxydimethylsilyl)oxy]-terminated

CAS No. 182700-78-3

Alternative names (INCI) PEG-8 Amodimethicone

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Additive

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Irrit. 2 Eye Irrit. 2 Repr. 2

2.2 Label elements

Product Name Symbol Silamine C-300



Signal word(s)
Hazard statement(s)

Precautionary statement(s)

Warning

H315: Causes skin irritation.

H319: Causes serious eye irritation. H361f: Suspected of damaging fertility. P201: Obtain special instructions before use.

D202: De net handle until all sefety pressytiens have

P202: Do not handle until all safety precautions have been

read and understood.

P264: Wash hands and exposed skin thoroughly after

handling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Product: Silamine C-300 SDS #: 4862

easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical

advice/attention.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to:Observe Local

Regulations.

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, 3-[(3- aminopropyl)amino]propyl Me, di-Me, 3-hydroxypropyl Me, ethoxylated, [(hydroxydimethylsilyl)oxy]- terminated	PEG-8 Amodimethicone	90 - 100	182700-78-3	Polymer exempt	GHS07 H315, H319
Octamethylcyclotetrasiloxane	D4	< 0.5	556-67-2	209-136-7	GHS02, GHS08 H226, H361f,H410

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water. Obtain medical attention if ill effects

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Obtain medical attention if

ill effects occur.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media None known

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silamine C-300 SDS #: 4862

5.2 Special hazards arising from the substance or

mixture

6.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Stable under normal conditions.

Store in a tightly closed container.

Storage Life Incompatible materials

Oxidizing agents Industrial use

7.3 Specific end use(s)

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Personal protection equipment

Provide adequate ventilation.

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety

glasses).



8.2.2

Skin protection (Hand protection/ Other) Wear suitable gloves

Wear suitable gloves if prolonged skin contact is likely.

Nitrile rubber, Neoprene, Rubber



Respiratory protection

(i)

Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely

to be evolved.

Thermal hazards

None.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

Product: Silamine C-300 SDS #: 4862

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Characteristic odour.
Odour Threshold Not available.

H 8

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Not available. Vapour density Relative density / Specific Gravity (25°C) Not available. Dispersible in water. Solubility(ies) Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. 800 - 1500 cps Viscosity (25°C) Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

InhalationMist may cause irritation.Skin ContactMay cause irritationEye ContactMay cause irritation

Effects and Symptoms

 skin corrosion/irritation
 Causes skin irritation.

 Serious eye damage/irritation
 Causes eye irritation.

 Respiratory or skin sensitization
 Not classified

 Germ cell mutagenicity
 Not classified

Carcinogenicity Not classified

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Delayed and chronic effects

Calculated acute toxicity estimate (ATE)

Not classified

Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability Not available.

Product: Silamine C-300 SDS #: 4862

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport. Not classified as hazardous for air transport.

14.3 Sea (IMDG) Marine Pollutant

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Octamethylcyclotetrasiloxane)

14.4 Transport hazard class(es) 9

Packing group III

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Air (ICAO/IATA)

14.2

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.5% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.5% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.5%

1,4-Dioxane (CAS# 123-91-1) < 4 ppm

Possible trace amounts of:

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		ICL
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)	√			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) Personal care exempt. HMIS (Hazardous Material Information System) H = 1/F = 1/R = 0 NFPA Rating H = 1/F = 1/R = 0

15.4 US State Regulations

Revision: 6 Page: 5/6 Date: 02/04/2024

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silamine C-300 SDS #: 4862

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 4 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 4 ppm 1,4-Dioxane (CAS# 123-91-1) < 4 ppm

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.5% Ethylene Oxide (CAS# 75-21-8) < 4 ppm

1,4-Dioxane (CAS# 123-91-1) < 4 ppm

16. SECTION 16: OTHER INFORMATION

Revision: April 02, 2024

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H361f: Suspected of damaging fertility.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 02/04/2024