

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No. Silmer NH C50 4892

4892 Siloxanes and Silicones, 3-aminopropyl Me, di-Me 99363-37-8

An intermediate chemical product., Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.2 Label elements Product Name Symbol

Signal word(s) Hazard statement(s)

Precautionary Statement(s)

Skin Corr. 1C Eye Dam. 1 Repr. 2

Silmer NH C50



DANGER

H314: Causes severe skin burns and eye damage.
H361f: Suspected of damaging fertility.
P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313: IF exposed or concerned: Get medical

SDS #: 4892

advice/attention. P363: Wash contaminated clothing before reuse. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER/doctor. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405: Store locked up. P501: Dispose of contents/container to:Observe Local Regulations. None known		 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER/doctor. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405: Store locked up. P501: Dispose of contents/container to:Observe Local Regulations. 	
---	--	--	--

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, 3- aminopropyl Me, di-Me	Aminated Polydimethyl -siloxane	95 - 100	99363-37-8	Polymer exempt	GHS05 : H314
Octamethylcyclotetrasiloxane	D4	< 0.2	556-67-2	209-136-7	GHS02, GHS08 H226, H361f, H410

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	If breathing is difficult, remove victim to fresh air and keep at
	Skin Contact	rest in a position comfortable for breathing. Remove contaminated clothing immediately and wash affected skin with soap and water. Obtain medical attention if ill effects occur.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention if ill effects occur.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
	-	clothing should be worn in fire conditions.
		-

Product: Silmer NH C50

SDS #: 4892

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2 6.3	Environmental precautions Methods and material for containment and	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert
6.4	cleaning up Reference to other sections	absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

7.2 Conditions for safe storage, including any incompatibilities
 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note	
Ν	None assigned			3 ,				
8.1.2				Not established				
8.1.3	PNECs and DNE	Ls		Not established				
8.2	Exposure contro	ls						
8.2.1	Appropriate engi	neering contro	ls	Provide adequate ven	tilation.			
8.2.2	Personal protection equipment							
	Eye/face protection			Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (Hand protection/ Other)			Wear impervious glov	es (EN374	4).		
				Nitrile rubber, Neoprene, Rubber				
	Respiratory protect	ction		Wear suitable respirat involves working in are to be evolved.				
	Thermal hazards			None.				

8.2.3 Environmental Exposure Controls

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour Odour Threshold

Colourless to yellowish liquid. Characteristic odour. Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer NH C50

Hа Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

10 - 11 Not available. >100°C @ 760mmHg >100°C Not available. Not applicable. Not available. Not available. Not available. 0.94 Insoluble in water. Not available. Not available. Not available. 600 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

> Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

Ingestion may cause irritation of the gastrointestinal tract. Mist may cause irritation. Causes severe skin burns. Causes severe eye damage.

Causes severe skin burns. Causes severe eye damage. Not classified Not classified Suspected of damaging fertility. Not classified Not classified Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects. Not available. Not available. Not available. Not available. None known

SDS #: 4892

Product: Silmer NH C50

13. 5	SECTION 13: DISPOSAL CONSIDERATION	NS
13.1 13.2	Waste treatment methods Additional Information	Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.
14. 5	SECTION 14: TRANSPORT INFORMATION	4
14.1 14.2 14.3 14.4	UN number UN proper shipping name Class Packing group	UN 2735 Amines, liquid, corrosive, N.O.S. (Aminosiloxane) 8 III
15. 5	SECTION 15: REGULATORY INFORMATIC	DN
15.1	EU regulations REACH Registration No. Candidate List of Substances of Very High Concern for Authorisation	Polymer exempt. Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.2% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)		Х		
China (IECSC)	~			
Japan (ENCS)	~			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- **15.4.3** State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

$$H = 2/F = 1/R = 0$$

 $H = 2/F = 1/R = 0$

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.2%

Product: Silmer NH C50

SDS #: 4892

16. SECTION 16: OTHER INFORMATION

Revision: February 28, 2024

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H314: Causes severe skin burns and eye damage.

H361f: Suspected of damaging fertility.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER/doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents/container to:Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.