

## SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No. Silube 550

5774 Mixture 923294-06-8 / 13475-82-6

Coatings, Surface active agent AC5-2 Fabrics, textiles and apparel: curtains, upholstery, carpeting/flooring, rugs, Not available

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road Mississauaga, ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Flam. Liq. 3 Aquatic Chronic 3

Silube 550



### WARNING

H226: Flammable liquid and vapour.
H412: Harmful to aquatic life with long lasting effects.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting/equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

Product: Silube 550

water/shower. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations. None known

#### 2.3 Other hazards

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2,2,4,6,6- pentamethylheptane	Isododecane	50 - 70	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

### 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable
		for breathing. Call a POISON CENTER or doctor/physician.
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated
		clothing. Rinse skin with water/shower. Call a POISON
		CENTER or doctor/physician.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
		rinsing. Call a POISON CENTER or doctor/physician.
	Ingestion	IF SWALLOWED: Do NOT induce vomiting. Immediately call a
	-	POISON CENTRE or doctor/physician.
4.2	Most important symptoms and effects, both	May cause irritation.
	acute and delayed	
4.3	Indication of any immediate medical	Treat symptomatically.
	attention and special treatment needed	
	-	
5.	<b>SECTION 5: FIRE-FIGHTING MEASURI</b>	ES

5.1	Extinguishing Media Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

### 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use

applicable.

Ambient

sources. No smoking.

Oxidizing agents

Industrial use

Stable under normal conditions.

Product: Silube 550

# 7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature Storage Life Incompatible materials

7.3 Specific end use(s)

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL	LTEL	STEL	STEL	
SUBSTANCE	CAS No.	(8 hr TWA ppm)	(8 hr TWA mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value

### 8.1.3 PNECs and DNELs

- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection

**(?**)

Thermal hazards 8.2.3 Environmental Exposure Controls Wear protective clothing and gloves: Impervious gloves (EN 374).

Wear suitable respiratory protection. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Flammable liquid Avoid release to the environment.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pH Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density

Colourless liquid. Characteristic Not available. Not available. >100°C @ 760 mmHg 43 °C Not available. Not available. Not available. Not available. Not available.

Not established

Not established

Local exhaust ventilation is required.

Wear protective eyewear (goggles, face shield, or safety glasses).

only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are

Store in a tightly closed container. Keep away from heat,

hot surfaces, sparks, open flames and other ignition

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

#### Product: Silube 550

SDS #: 5774

Relative density / Specific Gravity (25°C)
Solubility(ies)
Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature
Viscosity (25°C)
Explosive properties
Oxidising properties

### 0.87 Insoluble in water. Not available. Not available. 1000 - 10000 cps Not applicable. Not applicable.

### **10. SECTION 10: STABILITY AND REACTIVITY**

10.1	Reactivity
------	------------

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

### **11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

May be harmful if swallowed.
May be harmful if inhaled.
May cause irritation
May cause irritation
Repeated and/or prolonged skin contact may cause
irritation.
Not classified

Not classified

Not available.

Not available.

Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

### **12. SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity
12.2	Persistence and degradability
12.3	Bioaccumulative potential
12.4	Mobility in soil
12.5	Results of PBT and VPVB assess

STOT - repeated exposure

- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects. Not available. Not available. Not available. Not available. None known.

May be fatal if swallowed and enters airways.

### **13. SECTION 13: DISPOSAL CONSIDERATIONS**

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

2286

3

ш

None

Product: Silube 550

SDS #: 5774

### **14. SECTION 14: TRANSPORT INFORMATION**

- 14.1 UN number
- 14.2 UN Proper Shipping Name
- 14.3 Transport hazard class(es)
- 14.4 Packing Group
- 14.5 Environmental hazards

### 15. SECTION 15: REGULATORY INFORMATION

#### 15.1 EU regulations

REACH Registration No.

Polymer exempt / 01-2119490725-29-0000

Pentamethylheptane Solution

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

#### 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Х		
Canada (DSL/NDSL)		Х		$\checkmark$
European Union (EINECS/ELINCS)	$\checkmark$		$\checkmark$	
Australia (AICS)		Х		
China (IECSC)				$\checkmark$
Japan (ENCS)		Х		
South Korea (KECI)		Х		
Taiwan (TCSI)		Х		
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

#### 15.3 National regulations

HMIS (Hazardous Material Information System) NFPA Rating

#### 15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

This product is for R&D purposes only. H = 1 / F = 2 / R = 0 H = 1 / F = 2 / R = 0

None known.

None known.

#### Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

#### **16. SECTION 16: OTHER INFORMATION**

Revision:: March 04, 2024

#### Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

H412: Harmful to aquatic life with long lasting effects.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

#### Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

#### Product: Silube 550

SDS #: 5774

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

#### Hazard pictogram(s)



#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.