

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

Silmer UR-5050

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name

Product code 5775 Chemical Name Mixture

CAS No. 923294-06-8 / 13475-82-6
Alternative names (INCI) Bis-Hydroxypropyl Dimethicone/SMDI Copolymer

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products
Uses advised against Not available

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp
225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road

Mississauaga, ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTEC - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements

Product Name Symbol Flam. Liq. 3

Silmer UR-5050



Signal word(s)
Hazard statement(s)
Precautionary statement(s)

WARNING

H226: Flammable liquid and vapour.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof

electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.

Product: Silmer UR-5050 SDS #: 5775

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Isododecane	Pentamethylheptane	50 - 70	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

None known.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

None known Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal emergency procedures protective equipment as required.

Environmental precautions 6.2 Avoid release to the environment.

Methods and material for containment and 6.3 Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. cleaning up

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are

applicable.

7.2 Conditions for safe storage, including any Store in a tightly closed container. Keep away from heat,

Date: 20/02/2024 Revision: 10 Page: 2/6

Product: Silmer UR-5050 SDS #: 5775

incompatibilities hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 Occupational Exposure Limits

		LTEL	LTEL	STEL	STEL	
SUBSTANCE	CAS No.	(8 hr TWA ppm)	(8 hr TWA mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection In case of inadequate ventilation wear respiratory protection.



Thermal hazards Flammable liquid

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid.
Odour Characteristic
Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760 mmHg

Flash point (PMCC) 43 °C

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Not available.

Not available.

Not available.

Not available.

Relative density / Specific Gravity (25°C) 0.87

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Insoluble in water.

Not available.

Not available.

Not available.

Revision: 10 Page: 3/6 Date: 20/02/2024

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer UR-5050 SDS #: 5775

Viscosity (25°C) 1000 - 10000 cps Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Harmful if swallowed.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation
Eye Contact May cause irritation
May cause irritation

Effects and Symptoms

skin corrosion/irritation Repeated and/or prolonged skin contact may cause

irritation.

Serious eye damage/irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Not classified

Not classified

Not classified

Not classified

Not classified

Aspiration hazard May be harmful if swallowed and enters airways.

Delayed and chronic effects

Not available.

Calculated acute toxicity estimate (ATE)

Not available.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability Not available.
12.3 Bioaccumulative potential Not available.
12.4 Mobility in soil Not available.
12.5 Results of PBT and VPVB assessment None known.
12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number 2286

14.2 UN Proper Shipping Name Pentamethylheptane Solution

14.3Transport hazard class(es)314.4Packing GroupIII14.5Environmental hazardsNone



Revision: 10 Page: 4/6 Date: 20/02/2024

Product: Silmer UR-5050 SDS #: 5775

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt / 01-2119490725-29-0000

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Χ		✓
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)				✓
Japan (ENCS)		Χ		
South Korea (KECI)		Χ		
Taiwan (TCSI)		Χ		
New Zealand (NZIoC)		X		
Philippines (PICCS)		Χ		

15.3 National regulations

United States (TSCA) Personal care exempt HMIS (Hazardous Material Information System) H = 1/F = 2/R = 0 NFPA Rating H = 1/F = 2/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision:: February 20, 2024

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Revision: 10 Page: 5/6 Date: 20/02/2024

Product: Silmer UR-5050 SDS #: 5775

Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s)



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 10 Page: 6/6 Date: 20/02/2024