




SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name **Silmer NH Di-50**
Product code 5826
Chemical Name Siloxanes and silicones, dimethyl, 3-aminopropyl terminated
CAS No. 106214-84-0
- 1.2 Recommended use of the chemical and restrictions on use**
Identified use(s) An intermediate chemical product., Additive
Uses advised against None known
- 1.3 Details of the supplier of the Safety Data Sheet**
Company Identification Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
Telephone +1-416-424-4567
Fax +1-416-424-3158
E-Mail (competent person) marsha.carter@siltech.com
- Additional Location Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
Telephone +1-905-270-5534
Fax +1-905-270-5816
- 1.4 Emergency telephone number**
Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY**
+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
Skin Corr. 1C
Eye Dam. 1
- 2.2 Label elements**
Product Name **Silmer NH Di-50**
Symbol 
- Signal word(s) **DANGER**
Hazard statement(s) H314: Causes severe skin burns and eye damage.
P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310: Immediately call a POISON CENTER/doctor.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
- Precautionary statement(s)

easy to do. Continue rinsing.
P405: Store locked up.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and silicones, dimethyl, 3-aminopropyl terminated	Aminated Polydimethyl-siloxane	95 - 100	106214-84-0	Polymer exempt	GHS05 : H314

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing immediately and wash affected skin with soap and water. Obtain medical attention if ill effects occur.

Eye Contact If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention if ill effects occur.

Ingestion If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media None known

5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use

- only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
Store in a tightly closed container.
- 7.2 Conditions for safe storage, including any incompatibilities**
Storage Temperature Ambient
Storage Life Stable under normal conditions.
Incompatible materials Oxidizing agents
- 7.3 Specific end use(s)**
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
None assigned						

8.1.2 Biological limit value

Not established

8.1.3 PNECs and DNELs

Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Wear impervious gloves (EN374).
Nitrile rubber, Neoprene, Rubber

Respiratory protection



Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved.

Thermal hazards

None.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Colourless to yellowish liquid.

Odour

Characteristic odour.

Odour Threshold

Not available.

pH

10 - 11

Melting Point/Freezing Point

Not available.

Initial boiling point and boiling range

>100°C @ 760mmHg

Flash point (PMCC)

>100°C

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density / Specific Gravity (25°C)

0.94

Solubility(ies)

Insoluble in water.

Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	40 - 100 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	
Ingestion	Ingestion may cause irritation of the gastrointestinal tract.
Inhalation	Mist may cause irritation.
Skin Contact	Causes severe skin burns.
Eye Contact	Causes severe eye damage.
Effects and Symptoms	
skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/irritation	Causes severe eye damage.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Harmful to aquatic life with long lasting effects.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	UN 2735
14.2 UN proper shipping name	Amines, liquid, corrosive, N.O.S. (Aminosiloxane)
14.3 Class	8
14.4 Packing group	III

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No.

Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%

Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active✓			
Canada (DSL/NDSL)	NDSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). **Accession #32134**

HMIS (Hazardous Material Information System)
NFPA Rating

H = 2 / F = 1 / R = 0

H = 2 / F = 1 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

None known.

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: February 28, 2024

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H314: Causes severe skin burns and eye damage.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER/doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard pictogram(s) and Hazard Symbol



GHS05

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.