

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No. Alternative names (INCI)

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

**1.3 Details of the supplier of the Safety Data Sheet** Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No.

### Silmer Q9 IDD

7050.7091 Mixture 68988-56-7 / 13475-82-6 Trimethylsiloxysilicate (and) Isododecane

PC39 Cosmetics, personal care products Additive, Coatings, intermediate use Not available

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road Mississauaga, ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

# 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Flam. Liq. 3 Asp. Tox. 1

Silmer Q9 IDD



### DANGER

H226: Flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H413: May cause long lasting harmful effects to aquatic life.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof
electrical/ventilating/lighting/equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON

SDS #: 7050.7091

	CENTER/doctor. P331: Do NOT induce vomiting. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.
Other hazards	None known

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

2.3

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2,2,4,6,6- pentamethylheptane	Isododecane	25 - 45	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

### 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	None known.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	Do not use water jet.
5.2	Special hazards arising from the substance or	Silicon Dioxide, carbon oxides, incompletely burned carbon
	mixture	compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective
		clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate all ignition sources if safe to do so.		
6.2	Environmental precautions	Avoid release to the environment.		
6.3	Methods and material for containment and cleaning up	Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.		
6.4	Reference to other sections	See Section: 7 & 8.		

7. SECTION 7: HANDLING AND STORAGE

• •		-
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
7.2	Conditions for safe storage, including any incompatibilities	Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Storage Temperature	Ambient
	Storage Life	Stable under normal conditions.
	Incompatible materials	Oxidizing agents
7.3	Specific end use(s)	Industrial use

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

	JBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
No	ne assigned						
8.1.2	Biological lin	nit value		Not established			
8.1.3	1.3 PNECs and DNELs		Not established				
8.2 8.2.1 8.2.2	Personal pro	engineering co tection equipm		Provide adequate ven	tilation.		
	Eye/face prote	ection		Wear protective eyewear (goggles, face shield, glasses).		or safety	
	Skin protection (Hand protection/ Other)		on/ Other)	Wear suitable gloves if prolonged skin contact is likely.			s likely.
	Respiratory protection       Wear suitable respiratory protective equipment if p involves working in areas where dusts or vapours a to be evolved.						
8.2.3	Thermal haza Environment	rds <b>al Exposure Co</b>	ntrols	Flammable liquid Avoid release to the e	nvironment.		

# 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pH Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits

Colourless liquid. (Slightly hazy) Characteristic Not available. Not available. >100°C @ 760 mmHg 45°C Not available. Not applicable. Not available.

#### Product: Silmer Q9 IDD

- Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties
- Not available. Not available. Insoluble in water. Not available. Not available. 25 - 65 cps Not applicable. Not applicable.

Not available.

### **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	
Ingestion	Harmful if swallowed.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation
Eye Contact	May cause irritation
Effects and Symptoms	

skin corrosion/irritation	Repeated and/or prolonged skin contact may cause irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Aspiration hazard - Category 1
Delayed and chronic effects	Not available.
Calculated acute toxicity estimate (ATE)	Not available.

# **12. SECTION 12: ECOLOGICAL INFORMATION**

12.1 12.2	Toxicity Persistence and degradability	Not available. Not available.
12.3	Bioaccumulative potential	Not available.
12.4	Mobility in soil	Not available.
12.5	Results of PBT and VPVB assessment	Not available.
12.6	Other adverse effects	None known.

### **13. SECTION 13: DISPOSAL CONSIDERATIONS**

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

2286

3

Ш

None

#### Product: Silmer Q9 IDD

SDS #: 7050.7091

# **14. SECTION 14: TRANSPORT INFORMATION**

- 14.1 UN number
- 14.2 UN Proper Shipping Name
- 14.3 Transport hazard class(es)
- 14.4 Packing Group
- 14.5 Environmental hazards

# 15. SECTION 15: REGULATORY INFORMATION

- 15.1 EU regulations
  - REACH Registration No.

Polymer exempt / 01-2119490725-29-0000

Pentamethylheptane Solution

Candidate List of Substances of Very High Concern None known. for Authorisation

#### 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	$\checkmark$		$\checkmark$	
Australia (AICS)	~			
China (IECSC)	$\checkmark$			
Japan (ENCS)	$\checkmark$			
South Korea (KECI)	$\checkmark$			
Taiwan (TCSI)	$\checkmark$			
New Zealand (NZIoC)	$\checkmark$			
Philippines (PICCS)	$\checkmark$			

### 15.3 National regulations

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)H = 1 / F = 2 / R = 0NFPA RatingH = 1 / F = 2 / R = 0

### 15.4 US State Regulations

15.4.1	SUBSTANCES KNOWN TO THE STATE OF	None known.
	CALIFORNIA TO CAUSE BIRTH DEFECTS OR	
	OTHER REPRODUCTIVE HARM	
15.4.2	SUBSTANCES KNOWN TO THE STATE OF	None known.
	CALIFORNIA TO CAUSE CANCER	
15.4.3	State Right to Know Lists	None known.

# **16. SECTION 16: OTHER INFORMATION**

Revision:: July 13, 2023

# LEGEND

LEGEND	
LTEL:	Long Term Exposure Limit
STEL	Short term exposure limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer Q9 IDD

SDS #: 7050.7091

#### Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H413: May cause long lasting harmful effects to aquatic life.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s)



#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.