



SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name **Siltech E-2145-35**
Product code 6061
Chemical Name Mixture
CAS No. 63148-62-9 / 71750-79-3 / 60828-78-6 / 84133-50-6 / 7732-18-5
Alternative names (INCI) Dimethicone (and) Amodimethicone (and) Isolaureth-10 (and) C11-15 Pareth-3
- 1.2 Recommended use of the chemical and restrictions on use**
Identified use(s) Additive
Uses advised against None known
- 1.3 Details of the supplier of the Safety Data Sheet**
Company Identification Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
Telephone +1-416-424-4567
Fax +1-416-424-3158
E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
Telephone +1-905-270-5534
Fax +1-905-270-5816
- 1.4 Emergency telephone number**
Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY**
+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
Eye Irrit. 2
- 2.2 Label elements**
Product Name **Siltech E-2145-35**

Symbol NONE
Signal word(s) **Warning**
Hazard statement(s) H320: Causes eye irritation.
Precautionary statement(s) P264: Wash hands and exposed skin thoroughly after handling.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to: Observe Local Regulations.
- 2.3 Other hazards**
None known.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2-ethanediyl), .alpha.-[3,5-dimethyl-1-(2-methylpropyl)hexyl]-.omega.-hydroxy-	Polyethylene glycol mono(3,5-dimethyl-1-isobutylhexyl) ether	1 - 3	60828-78-6	612-043-8	GHS05, GHS07 H315, H318

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

Skin Contact

Eye Contact

Ingestion

Remove person to fresh air and keep comfortable for breathing. Remove contaminated clothing immediately and wash affected skin with soap and water. Obtain medical attention if ill effects occur.

If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Obtain medical attention if ill effects occur.

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

None known

5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.

7.2 Conditions for safe storage, including any

Store in a tightly closed container.

incompatibilities

Storage Temperature
Storage Life
Incompatible materials

Ambient
Stable under normal conditions.
Oxidizing agents
Industrial use

7.3 Specific end use(s)

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
None assigned						

8.1.2 Biological limit value

Not established

8.1.3 PNECs and DNELs

Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Wear suitable gloves.
Rubber, Neoprene, Nitrile rubber

Respiratory protection



Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved.

Thermal hazards

None.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Liquid (Milky white)

Odour

Characteristic.

Odour Threshold

Not available.

pH

6.0 – 9.0

Melting Point/Freezing Point

Not available.

Initial boiling point and boiling range

>100°C @ 760mmHg

Flash point (PMCC)

>100°C

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density / Specific Gravity (25°C)

1.00

Solubility(ies)

Dispersible in water.

Partition coefficient: n-octanol/water

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Viscosity (25°C)

5 – 50 cps

Explosive properties
Oxidising properties

Not applicable.
Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	
Ingestion	Low toxicity under normal conditions of handling and use.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation
Eye Contact	May cause eye irritation.
Effects and Symptoms	
skin corrosion/irritation	May cause irritation.
Serious eye damage/irritation	May cause eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	May cause long lasting harmful effects to aquatic life.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
14.2 Sea (IMDG)	Not classified as hazardous for marine transport.
14.3 Air (ICAO/IATA)	Not classified as hazardous for air transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No.

Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%
Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%
Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%
Octamethyltrisiloxane (CAS# 107-51-7) < 0.1%

Contains:

1,3-Dimethylol-5,5-dimethylhydantoin, (DMDMH) (CAS# 6440-58-0) 0.18%
Formaldehyde (CAS# 50-00-0) ≤ 0.0062%

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active✓			
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)
NFPA Rating

H = 1 / F = 0 / R = 0
H = 1 / F = 0 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Formaldehyde (CAS# 50-00-0) ≤ 62 ppm

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%
Formaldehyde (CAS# 50-00-0) ≤ 62 ppm

16. SECTION 16: OTHER INFORMATION

Revision: **March 04, 2025**

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H320: Causes eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.