

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

Alternative names (INCI) 1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax 1.4 Emergency telephone number Emergency Phone No.

Siltech E-2148

6064 Mixture 68554-54-1 / 24938-91-8 / 112-02-7 / 7732-18-5 Amodimethicone (and) Trideceth-12 (and) Cetrimonium Chloride

PC39 Cosmetics, personal care products Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 marsha.carter@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Irrit. 2 Eye Irrit. 2

Siltech E-2148



Warning

H315: Causes skin irritation.
H319: Causes serious eye irritation.
P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	% W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, polymers with 3- [(2-aminoethyl) amino]propyl silsesquioxanes, hydroxy- terminated	Amo- dimethicone	30 - 60	68554-54-1	614-604-2	GHS07 H315, H319
Poly(oxy-1,2- ethanediyl), .alpha tridecylomegahydroxy-	Trideceth-12	4 - 9	24938-91-8	607-463-3	GHS05, GHS07 H302, H318
1-Hexadecanaminium, N,N,N-trimethyl-, chloride (1:1)	Cetrimonium chloride	0.5 - 9	112-02-7	203-928-6	GHS05, GHS07, GHS09 H302, H315, H318, H400
2-Phenoxyethanol	Phenoxyethanol	0.35	122-99-6	204-589-7	GHS05, GHS07 H302, H318, H335

4. SECTION 4: FIRST AID MEASURES



5.

4.1	Description of first aid measures	
	Inhalation	Remove persons affected by vapour to fresh air.
	Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water. If symptoms develop, obtain medical attention.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If symptoms persist, obtain medical attention.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
5.	SECTION 5: FIRE-FIGHTING MEASURI	ES
5.1	Extinguishing Media	

Extinguishing Media	
Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.
Unsuitable Extinguishing Media	None known
Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
	Suitable Extinguishing Media Unsuitable Extinguishing Media Special hazards arising from the substance or mixture

SDS #: 6064

6.	SECTION 6: ACCIDENTAL RELEASE MEA	SURES
6.1 6.2 6.3 6.4	Personal precautions, protective equipment and emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.
7.	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.

7.2 Conditions for safe storage, including any incompatibilities

 Storage Temperature
 Storage Life
 Incompatible materials

 7.3 Specific end use(s)

handling. General hygiene measures for the hand chemicals are applicable. Store in a tightly closed container.

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
	Methanol	67-56-1	200	250	200	(5)	
8.1.2	Biological limit v	alue		Not established			
8.1.3	PNECs and DNE	Ls		Not established			
8.2 8.2.1 8.2.2	2.1 Appropriate engineering controls		Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (H	and protection/ (Wear suitable gloves i Nitrile rubber. Neopre			is likely.
	Respiratory protect	ction		In case of inadequate	ventilatior	ı wear respirat	ory protection

Thermal hazards

8.2.3 Environmental Exposure Controls

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour Odour Threshold

Opaque Liquid (Milky white) Amine odour. Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-2148

bН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

6.5 – 8.5

Not available. Not available. >100°C Not available. Not applicable. Not available. Not available. Not available. 0.99 Dispersible in water. Not available. Not available. Not available. < 100 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity	
	Ingestion	May be harmful if swallowed.
	Inhalation	Low toxicity under normal conditions of handling and use.
	Skin Contact	May cause irritation.
	Eye Contact	May cause irritation.
	Effects and Symptoms	

skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) May cause irritation. Causes skin irritation. Causes eye irritation. Not classified Not classified

Not classified Not classified Not classified Not classified Not classified Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

May cause long lasting harmful effects to aquatic life. Not available. Not available. Not available. Not available. None known

SDS #: 6064

13. S	13. SECTION 13: DISPOSAL CONSIDERATIONS					
13.1	Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.				
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.				
14. S	14. SECTION 14: TRANSPORT INFORMATION					
14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.				
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.				
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.				
15. S	ECTION 15: REGULATORY INFORMATIC	DN				
15.1	EU regulations REACH Registration No.	Not available				
	Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% Octamethyltrisiloxane (CAS# 107-51-7) < 0.1% Decamethyltetrasiloxane (CAS 141-62-8)< 0.1%				
	Contains:	2-Phenoxyethanol (CAS# 122-99-6) 0.35%				

15.2 International Inventories

Not Polymer Country Listed listed exempt Other United States (TSCA) Active√ Canada (DSL/NDSL) DSL√ European Union (EINECS/ELINCS) \checkmark \checkmark \checkmark Australia (AICS) China (IECSC) \checkmark Japan (ENCS) Х ~ South Korea (KECI) Taiwan (TCSI) \checkmark \checkmark New Zealand (NZIoC) Philippines (PICCS) \checkmark

15.3 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 **US State Regulations**

- 15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1 / F = 1 / R = 0

$$H = 1/F = 1/R = 0$$

Specific Listing(s) not required Possible trace amounts of: Methanol (CAS# 67-56-1) < 0.008%

None known.

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Acetic acid (CAS# 64-19-7) < 0.1% Methanol (CAS# 67-56-1) < 0.008%

16. SECTION 16: OTHER INFORMATION

Revision: June 25, 2025

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.