

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

**Product identifier** 1.1

> **Product Name** Siltech C-216

Product code 2853 **Chemical Name** Mixture

CAS No. 189354-72-1 / 108-88-3

Recommended use of the chemical and 1.2

restrictions on use

Identified use(s) An intermediate chemical product.

Coatings, Additive

Uses advised against None known

Details of the supplier of the Safety Data Sheet 1.3

Company Identification Siltech Corp 225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158

E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 +1-905-270-5816 Fax

**Emergency telephone number** 1.4

Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY** 

+1-613-996-6666

## **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

> Flam. Liq. 2 Skin Irrit. 2 Asp. Tox. 1

STOT SE 3 - Inhalation (Central nervous system)

Repr. 2

STOT RE 2 - Inhalation

2.2 Label elements

**Product Name** 

Symbol

Siltech C-216





Signal word(s) **DANGER** 

Hazard statement(s) H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness. H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs through prolonged or

repeated exposure.

P201: Obtain special instructions before use. Precautionary statement(s)

P202: Do not handle until all safety precautions have been

read and understood.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof

electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling

P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or

doctor/physician if you feel unwell.

P362: Take off contaminated clothing.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.

None known

2.3 Other hazards

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
			400.00.0		GHS02, GHS07, GHS08
Toluene	Methyl benzene	> 80	108-88-3	203-625-9	H225, H304, H315, H336,
					H361d, H373

# 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation

Skin Contact

Eye Contact

Ingestion

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms persist, obtain medical attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation develops and persists, get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Get medical attention immediately.

Causes skin irritation. Causes damage to the central nervous system if inhaled. Hearing deterioration. May cause damage to organs through prolonged or repeated exposure by inhalation. No information available.

## 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire.

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

7.2

7.3

Do not use water jet. No information available.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

emergency procedures protective equipment as required. 6.2 **Environmental precautions** Avoid release to the environment.

6.3 Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert cleaning up

absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

## **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving

equipment.

Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life

Incompatible materials

Specific end use(s)

Store in a tightly closed container. Keep away from heat

and light. Ambient

Stable under normal conditions.

Oxidizing agents Industrial use

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits** 

		LTEL (8 hr	LTEL (8 hr			
SUBSTANCE	CAS No.	TWA ppm)	TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Toluene	108-88-3	20		300		

8.1.2 Biological limit value Not established

8.1.3 **PNECs and DNELs** Not established

8.2 **Exposure controls** 

8.2.1 Appropriate engineering controls Provide adequate ventilation when using the material and

follow the principles of good occupational hygiene to control

personal exposures.

Personal protection equipment

Eye/face protection Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).

Nitrile rubber, Polyethylene, PVC

Revision: 5 Page: 3/7 Date: 12/12/2025



Wear suitable protective clothing.

Respiratory protection



Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Thermal hazards Flammable liquid

**8.2.3 Environmental Exposure Controls**Avoid release to the environment.

# 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical

properties

Appearance Colourless to yellowish liquid.

Odour Characteristic odour.
Odour Threshold Not available.
pH Not available.
Melting Point/Freezing Point Not available.
Initial boiling point and boiling range 111°C
Flash point (PMCC) 6°C

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits Not available.
Vapour pressure Not available.
Vapour density Not available.
Relative density / Specific Gravity (20°C) 0.87

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Not available.

Not available.

Not available.

Not available.

Not available.

# 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames

Not applicable.

and other ignition sources. No smoking.

10.5 Incompatible materials
 10.6 Hazardous Decomposition Product(s)
 Oxidizing agents, Acids, Alkaline
 Carbon oxides may be formed.

# 11. SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Oxidising properties

Acute toxicityIngestionHarmful if swallowed.InhalationHarmful by inhalation.Skin ContactCauses skin irritation.Eye ContactMay cause eye irritation.

**Effects and Symptoms** 

skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationMay cause eye irritation.Respiratory or skin sensitizationMay cause respiratory irritation.

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity Suspected of damaging the unborn child.

STOT - single exposure

Causes damage to the central nervous system if inhaled.

STOT - repeated exposure

Repeated and/or prolonged contact may cause: Hearing

deterioration. Causes damage to organs if inhaled.

**Aspiration hazard** Aspiration into the lungs may cause chemical pneumonitis,

which can be fatal.

Delayed and chronic effects

Not available
Calculated acute toxicity estimate (ATE)

Not available

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity May cause long lasting harmful effects to aquatic life.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

# 14. SECTION 14: TRANSPORT INFORMATION

**14.1** UN number 1294

14.2 UN proper shipping name Toluene Solution14.3 Class 3 Packing group II

## 15. SECTION 15: REGULATORY INFORMATION

# 15.1 EU regulations

REACH Registration No. Polymer exempt / Not available

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%

Octamethyltrisiloxane (CAS# 107-51-7) < 0.1% Decamethyltetrasiloxane (CAS# 141-62-8) < 0.1%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

## 15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	Active√			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	<b>✓</b>			
Taiwan (TCSI)	<b>√</b>			
New Zealand (NZIoC)		Χ		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System)

NFPA Rating

H = 2 / F = 3 / R = 0 H = 2 / F = 3 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Toluene (CAS# 108-88-3) > 80% Specific Listing(s) not required

Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

**15.4.3** State Right to Know Lists **Toluene (CAS# 108-88-3) > 80%** 

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

# 16. SECTION 16: OTHER INFORMATION

Revision: December 12, 2025

#### LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVB very Persistent and very Bioaccumulative

## Hazard statement(s) and Precautionary statement(s)

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Revision: 5 Page: 6/7 Date: 12/12/2025

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P362: Take off contaminated clothing.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



### **Additional Information**

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 7/7 Date: 12/12/2025