



SILTECH CORPORATION
225 Wicksteed Avenue
Toronto, Ontario, Canada, M4H 1G5
(416)424-4567 (Tel) (416)424-3158 (Fax)

TECHNICAL DATA SHEET

Siltech® C-816

DESCRIPTION

Siltech® C-816 is a water-soluble alkyl functional silicone polyether. Its primary function is to provide soil resistance to water borne coatings.

TYPICAL PROPERTIES

Appearance	Clear liquid
Colour, Gardner, maximum	3
Active Content %	100
Viscosity at 25°C, cps	1200-1700
Specific Gravity at 25°C	1.07
Functionality	Alkyl Polyether
Refractive Index	1.454
Diluents	Water, isopropanol

USES & APPLICATIONS

Siltech® C-816 additive is used as an additive in water borne inks, paints and other coatings. It provides soil repellence to such coatings, as well as mar resistance and improved slip.

The recommended concentration used is between 0.05-1.50% weight percent based on total solids.

SAFETY

Before handling, read the Material Safety Data Sheet and container label for safe use, physical and health hazard information.

STORAGE AND SHELF LIFE

When stored in the original, unopened containers between 10 and 40°C, **Siltech® C-816** has a shelf life of 36 months from date of manufacture.

PACKAGING

Siltech® C-816 is supplied in 20kg pails and 200kg drums.

LEGAL DISCLAIMER

Siltech Corporation believes that the information in this technical data sheet is an accurate description of the typical uses of the product. Siltech Corporation, however, disclaims any liability for incidental or consequential damages, which may result from the use of the product that are beyond its control. Therefore, it is the user's responsibility to thoroughly test the product in their particular application to determine its performance, efficacy and safety. Nothing contained herein is to be considered as permission or a recommendation to infringe any patent or any other intellectual property right.

Siltech® is a registered trademark of Siltech Corporation, Toronto, Ontario, Canada.