

SILTECH CORP.

Safety Data Sheet

Prepared in accordance with GHS standard & Annex II - EC regulation 1907/2006 and amendments

Siltech E-4135 SDS No: 6088 Last Revision Date: November 12, 2013

 SECTION 1. IDENTIFICATION

 Material Identification:
 Siltech E-4135
 C

 Chemical Name:
 Amino modified polydimethylsiloxane emulsion
 C

 Chemical Classification:
 Silicone
 C

 CAS #:
 71750-80-6 / 60828-78-6 / 7732-18-5
 C

<u>Company Identification</u>:Siltech Corp. 225 Wicksteed Avenue Toronto, Ontario Canada M4H 1G5 (416) 424-4567

Recommended Product Usage Silicone Surfactant Additive

CANUTEC 24-HOUR EMERGENCY RESPONSE TELEPHONE NUMBER: (613) 996-6666 USE IN CASE OF A DANGEROUS GOODS EMERGENCY

Section 2. Hazard(s) Identification					
HAZARD CLASSIFICATION: Serious eye damage/eye irrit	ation	Category 2B			
GHS LABEL ELEMENTS (inclu	GHS LABEL ELEMENTS (including precautionary statements):				
Symbol :		None			
Signal Word:		Warning			
Hazard Risk Statement:	H320:	Causes eye irritation			
Precautionary Statement:					
Prevention:	P261:	Avoid breathing mist/vapours/spray.			
	P264:	Wash hands thoroughly after handling.			
	P271:	Use in well ventilated area.			
	P280:	Wear protective gloves/ protective clothing/eye protection/face protection.			
Response:	P351 + P313:	IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.			
	P302 + P350:	IF ON SKIN: Wash with plenty of soap and water.			
Storage:	P403 + P233:	Store in a well-ventilated place. Keep container tightly closed.			
Disposal:	P501:	Dispose of contents/container in accordance with local / regional / national / international regulations.			
<u>OTHER HAZARD</u> (risk not inclu None known.	ded in classificati	ion):			

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u> Siloxanes and Silicones, di-Me, [[[3- [(2-aminoethyl)amino]propyl] dimethoxysilyl]oxy]-terminated	<u>Common</u> <u>Name or</u> <u>Synonym</u> Amino modified polysiloxane	<u>CAS No.</u> 71750-80-6	<u>EINECS/</u> <u>ELINCS</u> <u>No.</u> N/A	<u>% (w/w)</u> 20 - 35	GHS Classification Serious eye damage/eye irritation : Category 2B	<u>Classification</u> <u>according to</u> <u>Directive 67-</u> <u>548/EEC</u> Xi / R36
Poly(oxy-1,2-ethanediyl), .alpha[3,5- dimethyl-1-(2-methylpropyl)hexyl] omegahydroxy-	N/A	60828-78-6	N/A	10 - 15	Serious eye damage/eye irritation : Category 2	Xi / R36

Other ingredients not listed in this section are non-hazardous or business confidential.

SECTION 4. FIRST AID MEASURES

Eves: Immediately flush with water for 15 minutes. Obtain medical attention if irritation occurs. **Skin**: Remove contaminated clothing and wash with soap and water. Obtain medical attention if irritation occurs. **Inhalation**: If first aid is required move victim to fresh air. **Ingestion**: Do not induce vomiting and obtain medical attention immediately.

SECTION 5. FIRE FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>: Carbon dioxide, dry powder, foam, or water spray. Water can be used to cool fire exposed containers. <u>Unsuitable Extinguishing Media</u>: None known.

Specific Hazards Arising from the Chemical: Silicon Dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

<u>Special Protective Actions for Fire-Fighters</u>: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid eye and skin contact. Use personal protective equipment.

Environmental Precautions: Prevent from entering drains or water sources.

Containment/Clean up: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

SECTION 7. HANDLING AND STORAGE

<u>Handling Precautions</u>: Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

<u>Storage Conditions</u>: Keep container tightly closed and away from oxidizing materials.

	SECTION 8. EXPOSUR	e Controls/Personal	L PROTECTION
OCCUPATIONAL EXPOS	URE LIMIT VALUES / BIO	DLOGICAL LIMIT VAL	UES:
Industrial Hygiene Standard	ds		
Ingred	ient	CAS No.	Exposure Limit
None kr	iown.		
ENGINEERING CONTRO	<u>LS</u> :		
Local Ventilation: Recommer	nded.		
General ventilation: Recomm	ended.		
PERSONAL PROTECTIVI Respiratory protection: In the Hand protection: Chemical pr Eye protection: Use proper pr Skin protection: Impervious c Hygiene measures: Observe g	case of vapour formation use otective gloves are recommer rotection - safety glasses as a lothing.	ded (Rubber, Neoprene, or minimum.	
<u>Note</u> : These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.			
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clear to Hazy Liquid	Viscosity@25	¹⁰ C: 200 - 1000 cps

Appearance:	Clear to Hazy Liquid	Viscosity@25°C:	200 - 1000 cps
<u>Colour:</u>	Colourless	Melting/Freezing Point:	Not determined
<u>Odour:</u>	Mild	Initial Boiling Point:	>100°C @ 760 mmHg
Odour Threshold:	Not determined	Boiling Range:	Not determined
<u>Flash Point:</u>	>200°C (Pensky-Martens closed cup)	Explosive Properties:	No
<u>Flammability:</u>	Not determined	Vapour Pressure @25°C:	Not determined
Flammability Limits:	Not determined	Vapour Density	Not determined
Auto-ignition Temperature:	Not determined	Partition Coefficient	Not determined
Decomposition Temperature:	Not determined	<u>pH:</u>	5 – 6 (as is)
Specific Gravity @25°C:	1.00	Oxidising Properties:	No
Solubility in Water:	Dispersible	Evaporation Rate:	Not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: None known.

Incompatible Materials: Strong oxidizing material can cause a reaction.

<u>Hazardous Decomposition Products</u>: The following decomposition products may form during fire or at very high temperatures: Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE:

Respiratory:	Exposure is expected.
Oral:	Exposure is expected.
Eye, Skin:	Exposure is expected.

INFORMATION ON THE HEALTH HAZARDS:

Acute Toxicity:	
Eyes:	Direct contact may cause temporary redness and discomfort.
Skin:	Direct contact may cause temporary redness and discomfort.
Inhalation:	Excessive inhalation may cause respiratory irritation.
Ingestion:	No known applicable information.
Chronic Toxicity:	
Skin:	No known applicable information.
Inhalation:	No known applicable information.
Ingestion:	Repeated ingestion or swallowing large amounts may injure internally
Other Health Hazard	No known applicable information.
Skin Corrosion/Irritation:	No known applicable information.
Serious Eye Damage/Irritation:	No known applicable information.
Respiratory Sensitization:	No known applicable information.
Skin Sensitization:	No known applicable information.
Carcinogenicity:	No known applicable information.
Germ Cell Mutangenicity:	No known applicable information.
Reproductive Toxicity:	No known applicable information.
Specific Target Organ: (Systemic Toxicity – Single exposure)	No known applicable information.
Specific Target Organ: (Systemic Toxicity – Repeated exposur	No known applicable information.
Aspiration Hazard:	No known applicable information.

SECTION 12. ECOLOGICAL INFORMATION		
ECOTOXICITY:		
Environmental Effects		
Acute:	No adverse effects on aquatic organisms.	
Chronic:	No adverse effects on aquatic organisms.	
PERSISTENCE AND DEGRADABILITY:		
Degradation:	In soil, siloxanes are degraded.	
Environmental Fate and Distribution:	Siloxanes are removed from water by sedimentation sewage or binding to sludge.	
<u>BIOACCUMULATIVE POTENTIAL</u> : Bioaccumulation:	No bioaccumulation potential.	
MOBILITY IN SOIL:	None known.	
OTHER ADVERSE EFFECTS:	None known.	
SECTION 13. DISPOSAL CONSIDERATIONS		

Product Disposal: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

Packaging Disposal: Dispose of in accordance with local regulations.

SECTION 14. TRANSPORTATION INFORMATION

AIR TRANSPORT (IATA):Not subject to IATA regulations.SEA TRANSPORT (IMDG):Not subject to IMDG code.ROAD / RAILNot subject to IMDG code.US DOT (49 CFR 172.101):Not subject to DOT regulations.CANADA TDG:Not subject to TDG regulations.ADR/RID:Not subject to ADR/RID regulations.

SECTION 15. REGULATORY INFORMATION

CHEMICAL INVENTORIES:

TSCA:	All ingredients are on the inventory.
DSL:	All ingredients are on the inventory.
EINECS:	All ingredients are on or exempted from the inventory.
AICS:	All ingredients are on the inventory.
IECSC:	All ingredients are on the inventory.
MITI:	All ingredients are on the inventory.
KECL:	All ingredients are on the inventory.
NZIoC:	All ingredients are on the inventory.
CSNN:	All ingredients are on the inventory.
PICCS:	All ingredients are on the inventory.

CANADA

This product has been classified in accordance with the hazard criteria of the CPR, and this MSDS contains all the information required by the CPR. WHMIS Classification: CLASS D Division 2B.

USA

EPA SARA Title III Chemical Listings:

Section 302 Extremely Hazardous Substances (40 CFR 355):	None
Section 304 CERCLA Hazardous Substances (40 CFR 302):	None
Section 311/312 Hazard Class (40 CFR 370):	Acute: No; Chronic: No; Fire: No; Pressure: No; Reactive: No
Section 313 Toxic Chemicals (40 CFR 372):	None


Supplemental State Compliance Information

California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: **None known**.

Massachusetts / New Jersey / Pennsylvania

None Known.



EEC

Labelling according to EEC Directive <u>Symbols</u>: Xi (Irritant) <u>R-phrases</u>:R36 (Irritating to eyes) <u>S-phrases</u>: S24 (Avoid contact with skin) / S26 (In case of contact with eyes, rinse immediately with plenty of water and seek medical advice)

GERMANY

Wassergefährdungsklasse (water hazard class) : WGK 1

SECTION 16. OTHER INFORMATION

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SDS prepared by:	Raj Moonsammy
Address:	Siltech Corp
	225 Wicksteed Avenue
	Toronto, Ontario, Canada M4H 1G5
Telephone:	(416) 424-4567
First Issuing Date:	November 12, 2013
Revision No.:	1
Latest Revision Date:	November 12, 2013

This is the last page.