

# SILTECH CORP.

## **Safety Data Sheet**

Prepared in accordance with GHS standards:
OSHA CFR 1910.1200, WHMIS 2015
& Annex II - EC regulation 1907/2006, 2015/830 and amendments

Siltech C-4445 & Annex II - EC regulation 1907/2006, 2015/830 and amendments SDS No: 6289.2

#### **SECTION 1. IDENTIFICATION**

**Material Identification**: Siltech C-4445

**Chemical Name**: Silicone compound

**Chemical Classification**: Silicone

**Company Identification**: Siltech Corp.

225 Wicksteed Avenue

Last Revision Date: August 22, 2017

Toronto, Ontario

Canada M4H 1G5 (416) 424-4567

**Recommended Product Usage** 

Paint/Ink additive Coatings

## CANUTEC 24-HOUR EMERGENCY RESPONSE TELEPHONE NUMBER: (613) 996-6666

USE IN CASE OF A DANGEROUS GOODS EMERGENCY

## SECTION 2. HAZARD(S) IDENTIFICATION

**HAZARD CLASSIFICATION:** 

Acute toxicity (oral) Category 4

Skin corrosion/irritation Category 2

Serious Eye damage/eye irritation: Category 1

**GHS LABEL ELEMENTS** (including precautionary statements):

Symbol:





Signal Word: Danger

Hazard Risk Statement: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

**Precautionary Statement:** 

P262: Do not get in eyes, on skin, or on clothing.

Prevention: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P305 + P351: IF IN EYES: Rinse with water for several minutes. Repeat if needed.

P303 + P361+P353: IF ON SKIN: Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

Storage: P403 + P235: Store in well-ventilated place. Keep cool.

Disposal: P501: Dispose of contents/container in accordance with local / regional / national /

international regulations.

OTHER HAZARD (risk not included in classification): None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

EINECS/

Chemical NameCAS No.ELINCS No.% (w/w)GHS ClassificationAlcohols, C12-14-84133-50-6N/A5 - 20Acute toxicity (oral): cat 4

secondary ethoxylated Skin irritation: cat 2
Serious eye damage: cat 1

Other ingredients not listed in this section are non-hazardous or business confidential

#### SECTION 4. FIRST AID MEASURES

Eyes Immediately flush with water for 15 minutes. Obtain medical attention if irritation occurs.

Skin: Remove contaminated clothing and wash with soap and water. No first aid should be needed.

<u>Inhalation</u>: If discomfort occurs, remove to fresh air. Obtain medical attention.

**Ingestion**: If discomfort occurs, obtain medical attention.

#### SECTION 5. FIRE FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>: Carbon dioxide, foam, or water spray. Water can be used to cool fire exposed containers.

<u>Unsuitable Extinguishing Media</u>: None known.

<u>Specific Hazards Arising from the Chemical</u>: Carbon oxides and traces of incompletely burned carbon compounds, silica and formaldehyde.

<u>Special Protective Actions for Fire-Fighters</u>: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

<u>Personal Precautions and Protective Equipment</u>: Avoid eye and skin contact. Use personal protective equipment. Eliminate all possible sources of ignition.

**Environmental Precautions**: Prevent from entering drains or water sources.

<u>Containment/Clean up</u>: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

## **SECTION 7. HANDLING AND STORAGE**

<u>Handling Precautions</u>: Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

Storage Conditions: Keep container tightly closed and away from oxidizing materials.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## OCCUPATIONAL EXPOSURE LIMIT VALUES / BIOLOGICAL LIMIT VALUES:

**Industrial Hygiene Standards** 

<u>Ingredient</u> <u>CAS No.</u> <u>Exposure Limit</u>

None known.

## **ENGINEERING CONTROLS:**

Local Ventilation: Recommended. General ventilation: Recommended.

## **PERSONAL PROTECTIVE EQUIPMENT:**

Respiratory protection: In the case of vapour formation use a respirator with an approved filter.

Hand protection: PVC disposable gloves (120 min break through time).

Eye protection: Face shield or safety glasses should be worn.

Skin protection: Impervious clothing.

Hygiene measures: Observe good industrial hygiene practices. Wash after handling.

<u>Note</u>: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Liquid	Viscosity@25°C:	500,000 cps	
Colour:	White	Melting/Freezing Point:	Not determined	
Odour:	Mild	Initial Boiling Point:	>100°C @ 760 mmHg	
Odour Threshold:	Not determined	Boiling Range:	Not determined	
Flash Point:	> 100°C (Pensky-Martens closed cup)	Explosive Properties:	No	
Flammability:	Not determined	Vapour Pressure @20°C:	Not determined	
Flammability Limits:	Not determined	Vapour Density	Not determined	
Auto-ignition Temperature:	Not determined	Partition Coefficient	Not determined	
<b>Decomposition Temperature:</b>	Not determined	<u>pH:</u>	Not determined	
Specific Gravity @25°C:	0.98	Oxidising Properties:	No	
Solubility in Water:	Dispersible	Evaporation Rate:	Not determined	

## SECTION 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**Conditions to Avoid**: Eliminate all possible sources of ignition.

**Incompatible Materials**: Strong oxidizing material can cause a reaction.

**Hazardous Decomposition Products**: The following decomposition products may form during fire or at very high temperatures:

Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

#### SECTION 11. TOXICOLOGICAL INFORMATION

**LIKELY ROUTES OF EXPOSURE:** 

**Respiratory:** Exposure is expected.

Oral: Exposure is expected.

Eye, Skin: Exposure is expected.

## INFORMATION ON THE HEALTH HAZARDS:

**Acute Toxicity:** 

Eyes: Direct contact may cause temporary redness and discomfort.

**Skin:** No significant irritation expected from a single short-term exposure. **Inhalation:** No significant irritation expected from a single short-term exposure.

**Ingestion:** Moderate toxicity if swallowed.

**Chronic Toxicity:** 

**Skin:** No known applicable information.

Inhalation: No known applicable information.Ingestion: No known applicable information.

Other Health Hazard No known applicable information.

**Skin Corrosion/Irritation:** May cause moderate skin irritation with local redness.

Serious Eye Damage/Irritation: May cause severe irritation with corneal injury.

**Respiratory Sensitization:** No known applicable information.

Skin Sensitization: No known applicable information.

Carcinogenicity: No known applicable information.

Germ Cell Mutangenicity: No known applicable information.

**Reproductive Toxicity:** No known applicable information.

Specific Target Organ: No known applicable information.

(Systemic Toxicity ó Single exposure)

**Specific Target Organ:** No known applicable information.

(Systemic Toxicity ó Repeated exposure)

Aspiration Hazard: No known applicable information.

## **SECTION 12. ECOLOGICAL INFORMATION**

**ECOTOXICITY**:

**Environmental Effects** 

**Acute:** Product is not expected to be environmentally hazardous. **Chronic:** Product is not expected to be environmentally hazardous.

PERSISTENCE AND DEGRADABILITY:

**Degradation:** Low molecular weight siloxanes have very low water solubility and evaporate to air

where they are degraded. In soil, siloxanes are also degraded.

Environmental Fate and Distribution: Siloxanes are removed from water by sedimentation sewage or binding to sludge.

**BIOACCUMULATIVE POTENTIAL:** 

Low molecular weight volatile siloxanes bioconcentrate in fish exposed under

Bioaccumulation: controlled laboratory conditions that are not representative of conditions found in the

environment.

**MOBILITY IN SOIL:** 

None known.

**OTHER ADVERSE EFFECTS:** 

None known.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**<u>Product Disposal</u>**: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

Packaging Disposal: Dispose of in accordance with local regulations.

## **SECTION 14. TRANSPORTATION INFORMATION**

**AIR TRANSPORT (IATA):** 

Not subject to IATA regulations. NOT A HAZARDOUS PRODUCT FOR TRANSPORT.

**SEA TRANSPORT (IMDG):** 

Not subject to IMDG code. NOT A HAZARDOUS PRODUCT FOR TRANSPORT.

ROAD / RAIL

US DOT (49 CFR 172.101): Not subject to DOT regulations.

**CANADA TDG:** Not subject to TDG regulations.

ADR/RID: Not subject to ADR/RID regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **CHEMICAL INVENTORIES:**

TSCA: (USA) All ingredients are on the inventory.

DSL: (Canada) All ingredients are on the inventory.

**EINECS:** (EU) All ingredients are on or exempted (polymer) from the inventory.

AICS: (Australia) All ingredients are on the inventory. **IECSC:** (China) All ingredients are on the inventory. MITI: (Japan) All ingredients are on the inventory. KECI: (Korea) All ingredients are on the inventory. (New Zealand) NZIoC: All ingredients are on the inventory. CSNN: (Taiwan) All ingredients are on the inventory. PICCS: (Philippines) Not all ingredients currently listed.

#### **USA**

## **EPA SARA Title III Chemical Listings:**

Section 302 Extremely Hazardous Substances (40 CFR 355): None Section 304 CERCLA Hazardous Substances (40 CFR 302): None

Section 311/312 Hazard Class (40 CFR 370): Acute: No; Chronic: No; Fire: No; Pressure: No; Reactive: No

Section 313 Toxic Chemicals (40 CFR 372): None

#### **Supplemental State Compliance Information**

#### California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: **None known**.

#### Massachusetts / New Jersey / Pennsylvania Right-to-know Laws

No ingredients regulated by MA/NJ/PA Right-to-know Laws present.

HMIS		
Н	1	
F	1	
R	0	



#### **KOREA**

Classification and labelling in accordance with Industrial Safety and Health Law: No subject chemicals.

Chemicals controlled in accordance with Toxic Chemicals Control Act: No subject chemicals.

Hazardous Material Safety Management Act: No subject chemicals.

Wastes Management Act: Product should be disposed of in accordance with Waste Management Law Article 12.

## **GHS**

## $Hazard\ statement (s)\ and\ Precautionary\ statement (s)$

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Hazard pictogram(s)





## **SECTION 16. OTHER INFORMATION**

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SDS prepared by: Raj Moonsammy

Address: Siltech Corp

225 Wicksteed Avenue

Toronto, Ontario, Canada M4H 1G5

**Telephone:** (416) 424-4567

First Issuing Date: January 18, 2016

Revision No.: 2

Latest Revision Date: August 22, 2017

This is the last page.